

Irodalomjegyzék

Az alábbi lista a könyvben idézett művek teljes felsorolása. Minden egyes bibliográfiai tétel után szögletes zárójelben adjuk meg a hivatkozás oldalszámát. Abban az esetben, ha egy konferencia-kötetet vagy hasonló cikkgyűjteményt több közlemény is képvisel, akkor a felesleges ismétlések elkerülése végett csak az oldalszámot adjuk meg; maga a kötet a szerkesztők neve alapján kikereshető (lásd ezen az oldalon pl. Ashlock 1984).

- Abrams, P. 1980. Some comments on measuring niche overlap. *Ecology* **61**:44-49. [105]
- Adams, E. N. 1972. Consensus techniques and the comparison of taxonomic trees. *Syst. Zool.* **21**:390-397. [336]
- Adegoke, J. A., U. Árnason & B. Widegren. 1993. Sequence organization and evolution, in all extant whalebone whales, of a DNA satellite with terminal chromosome localization. *Chromosoma* **102**:382-38. [178]
- Aldenderfer, M. S. & R. K. Blashfield. 1984. *Cluster Analysis*. Sage, Beverly Hills. [169]
- Anderberg, M. R. 1973. *Cluster Analysis for Applications*. Academic, New York. [24, 27, 35, 67, 68, 75, 105, 111, 119, 121, 132, 142, 151, 153, 169, 170]
- Anderson, E. 1935. The irises of the Gaspé peninsula. *Bull. Amer. Iris Soc.* **59**:2-5. [54, 346]
- Anderson, E. 1936. The species problem in *Iris*. *Ann. Missouri Bot. Gard.* **23**:511-525. [54, 346]
- Anderson, T. W. 1958. *An Introduction to Multivariate Analysis*. Wiley, New York. [38]
- André, H. M. 1988. Variable centered methods and community classification. *Coenoses* **3**:69-78. [122, 132]
- Arabie, P. & S. A. Boorman. 1973. Multidimensional scaling of measures of distance between partitions. *J. Math. Psychol.* **10**:148-203. [311]
- Archie, J. W., C. Simon & A. Martin. 1989. Small sample size does decrease the stability of dendrograms calculated from allozyme-frequency data. *Evolution* **43**:678-683. [34]
- Arvanitis, L. G. & W. G. O'Regan. 1967. Computer simulation and economic efficiency in forest sampling. *Hilgardia* **38**:133-164. [31]
- Arvanitis, L. G. & R. M. Reich. 1989. Sampling simulation with a microcomputer. *Coenoses* **4**:73-80. [32]
- Ashlock, P. D. 1984. Monophyly: Its meaning and importance. In: Duncan & Stuessy (1984), pp. 39-46. [176]
- Astolfi, P., K. K. Kidd & L. L. Cavalli-Sforza. 1981. A comparison of methods of reconstructing evolutionary trees. *Syst. Zool.* **30**:156-169. [209]
- Austin, B. & R. R. Colwell. 1977. Evaluation of some coefficients for use in numerical taxonomy of microorganisms. *Int. J. Syst. Bacteriol.* **27**: 204-210. [104]
- Austin, M. P. & P. Greig-Smith. 1968. The application of quantitative methods to vegetation survey. II. Some methodological problems of data from rain forest. *J. Ecol.* **56**:827-844. [33, 54]

- Backeljau, T., L. DeBruyn, H. De Wolf, K. Jordaens, S. van Dongen & B. Winnepeninckx. 1996. Multiple UP-GMA and neighbor-joining trees and the performance of some computer packages. *Mol. Biol. Evol.* **13**:309-313.
- Ball, G. H. & D. J. Hall. 1965. *ISODATA. A novel method of data analysis and pattern classification*. Stanford Res. Inst. Tech. Rep. No. AD699616. Stanford, CA. [119]
- Ballard, J. W. O. 1996. Combining data in phylogenetic analysis. *Trends Ecol. Evol.* **11**:334. [344]
- Barnett, V. (ed.) 1981. *Interpreting Multivariate Data*. Wiley, Chichester. [54]
- Baroni-Urbani, C. & M. W. Buser. 1976. Similarity of binary data. *Syst. Zool.* **25**:251-259. [70]
- Bartels, P. H., G. F. Bahr, D. W. Calhoun & G. L. Wied. 1970. Cell recognition by neighborhood grouping techniques in Ticas. *Acta Cytol.* **14**:313-324. [99, 100]
- Bartha, S. & F. Horváth. 1987. Application of long transects and information theoretical functions to pattern detection. I. Transects versus isodiametric sampling units. *Abstr. Bot.* **11**:9-26. [31]
- Barthélemy, J. P. & F. R. McMorris. 1986. The median procedure for n -trees. *J. Classif.* **3**:329-334. [336]
- Barthélemy, J. P. & B. Monjardet. 1981. The median procedure in cluster analysis and social choice theory. *Math. Social Sci.* **1**:235-268. [333, 336]
- Bartlett, M. S. 1938. Further aspects of multiple regression. *Proc. Cambridge Phil. Soc.* **34**:33-40. [261]
- Batagelj, V. & M. Bren. 1995. Comparing resemblance measures. *J. Classif.* **12**:73-90. [104]
- Batterink, M. & G. Wijffels. 1983. Een vergelijkend vegetatiekundig onderzoek naar de typologie en invloeden van het beheer van 1973 tot 1982 in de Duinweilanden op Terschelling. Report, Agricultural University, Wageningen. pp. 101. [348]
- Baverstock, P. R. & C. Moritz. 1990. Sampling design. In: D. M. Hillis & C. Moritz (eds), *Molecular Systematics*. Sinauer, Sunderland, Mass., USA. pp. 13-24. [34]
- Beale, E. M. L. 1969. Euclidean cluster analysis. *Bull. I.S.I.* **43**:92-94. [123]
- Beale, E. M. L. & R. J. A. Little. 1975. Missing values in multivariate analysis. *J. R. Statist. Soc., B* **37**:129-145. [28]
- Belbin, L., D. P. Faith & G. W. Milligan. 1992. A comparison of two approaches to beta-flexible clustering. *Multivar. Behav. Res.* **27**:417-433. [150]
- Benzécri, J.-P. et al. 1973. *L'analyse des données II. L'analyse des correspondances*. Dunod, Paris. [237, 273]
- Bezdek, J. C. 1974. Numerical taxonomy with fuzzy set. *J. Math. Biol.* **1**:57-71. [128]
- Bezdek, J. C. 1981. *Pattern Recognition with Fuzzy Objective Function Algorithms*. Plenum, New York. [127, 128, 132]
- Bezdek, J. C. 1987. Some non-standard clustering algorithms. In: P. Legendre & L. Legendre (eds), *Developments in Numerical Ecology*. Springer, Berlin. pp. 225-287. [127, 132]
- Birks, H. J. B. & A. D. Gordon. 1985. *Numerical Methods in Quaternary Pollen Analysis*. Academic, London. [160]
- Birks, H. J. B., S. M. Peglar & H. A. Austin. 1996. An annotated bibliography of canonical correspondence analysis and related constrained ordination methods 1986-1993. *Abstr. Bot.* **20**:17-36. [236, 273]
- Blackith, R. E. & R. A. Reyment. 1971. *Multivariate Morphometrics*. Academic, London. [264, 273]
- Blashfield, R. K. 1976. Questionnaire on cluster analysis software. Unpubl. Paper., Penn. State Univ. [170]
- Blashfield, R. K. & M. S. Aldenderfer. 1978. The literature on cluster analysis. *Multivar. Behav. Res.* **13**:271-295. [169]
- Bobisud, H. M. & L. E. Bobisud. 1972. A metric for classifications. *Taxon* **21**:607-613. [138]
- Bock, R. D. 1975. *Multivariate Statistical Methods in Behavioral Research*. McGraw-Hill, New York. [235]
- Bookstein, F. L. 1990. Introduction and overview: geometry and biology. In: Rohlf & Bookstein (1990), pp. 61-76. [273]
- Bookstein, F. L. 1991. *Morphometric Tools for Landmark Data. Geometry and Biology*. Cambridge University Press, Cambridge. [265, 270, 271, 273]
- Bookstein, F. L. 1993. A brief history of the morphometric synthesis. In: Marcus et al. (1993), pp. 15-40. [273]

- Bookstein, F., B. Chernoff, R. Elder, J. Humphries, G. Smith & R. Strauss. 1985. *Morphometrics in Evolutionary Biology*. Special Publ. No. 15. The Academy of Natural Sciences of Philadelphia. [43]
- Box, G. E. P. & D. R. Cox. 1964. An analysis of transformations. *J. Roy. Stat. Soc. ser. B.* **26**:211-243. [48]
- Boyce, A. J. 1969. Mapping diversity: a comparative study of some numerical methods. In: Cole (1969), pp. 1-31. [164]
- Bradfield & N. C. Kenkel. 1987. Nonlinear ordination using flexible shortest path adjustment of ecological distances. *Ecology* **68**:750-753. [252]
- Brambilla, C. & G. Salzano. 1981. A non-metric multidimensional scaling method for non-linear dimension reduction. *Quaderni*, Ser. III. N. 121. IAC, Roma. [254]
- Braun-Blanquet, J. 1965. *Plant Sociology: The Study of Plant Communities*. Hafner, London. [25, 288]
- Bray, J. R. & J. T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecol. Monog.* **27**:325-349. [86, 275]
- Bremer, K. 1990. Combinable component consensus. *Cladistics* **6**:369-372. [336]
- Bremer, K., C. J. Humphries, B. D. Mishler & S. P. Churchill. 1987. On cladistic relationships in green plants. *Taxon* **36**:339-349. [209]
- Brooks, D. R. 1981. Hennig's parasitological method: a proposed solution. *Syst. Zool.* **30**:229-249. [206]
- Brown, E. K. & W. H. E. Day. 1984. A computationally efficient approximation to the nearest neighbor interchange metric. *J. Classif.* **1**:93-124. [319]
- Brown, W. M., E. M. Prager, A. Wang & A. C. Wilson. 1982. Mitochondrial DNA sequences of primates: Tempo and mode of evolution. *J. Mol. Evol.* **18**:225-239. [196]
- Bruelheide, H. & T. Flintrop. 1994. Arranging phytosociological tables by species-relevé groups. *J. Veg. Sci.* **5**:311-316. [291]
- Bruynooghe, M. 1978. Classification ascendante hiérarchique des grands ensembles de données: un algorithme rapide fondé sur la construction des voisinages réductibles. *Les Cahiers de L'Analyse des Données* **3**:7-33. [142]
- Bryant, H. N. 1994. Comments on the phylogenetic definition of taxon names and conventions regarding the naming of crown clades. *Syst. Biol.* **43**:124-130. [208]
- Buneman, P. 1971. The recovery of trees from measures of dissimilarity. In: Hodson et al. (1971), pp. 387-395. [163]
- Burgman, M. A. 1987. An analysis of the distribution of plants on granite outcrops in southern Western Australia using Mantel tests. *Vegetatio* **71**:79-86. [342]
- Cain, A. J. & G. A. Harrison. 1958. An analysis of the taxonomist's judgement of affinity. *Proc. Zool. Soc. Lond.* **131**:85-98. [82]
- Calinski, R. B. & J. Harabasz. 1974. A dendrite method for cluster analysis. *Communications in Stat.* **3**:1-27. [166]
- Camin, J. H. & R. R. Sokal. 1965. A method for deducing branching sequences in phylogeny. *Evolution* **19**:311-326. [174, 187]
- Campbell, B. M. 1978. Similarity coefficients for classifying relevés. *Vegetatio* **37**:101-109. [104]
- Carleton, T. J. 1980. Non-centered component analysis of vegetation data: a comparison of orthogonal and oblique rotation. *Vegetatio* **42**:59-66. [224]
- Carlier, A. & P. M. Kroonenberg. 1996. Decompositions and biplots in three-way correspondence analysis. *Psychometrika* **61**. [278]
- Carroll, J. D. 1976. Spatial, non-spatial and hybrid model for scaling. *Psychometrika* **41**:439-463. [163]
- Carroll, J. D. & J. J. Chang. 1970. Analysis of individual differences in multidimensional scaling via an N-way generalization of "Eckart-Young" decomposition. *Psychometrika* **35**:283-319. [278]
- Cattell, R. B. 1966. The scree test for the number of factors. *Multivar. Behavioral Res.* **1**:140-161. [216]
- Cattell, R. B. 1978. *The Scientific Use of Factor Analysis in Behavioral and Life Sciences*. Plenum, New York [229, 273]
- Cavalli-Sforza, L. L. & A. W. F. Edwards. 1967. Phylogenetic analysis: models and estimation procedures. *Evolution* **32**:550-570. [94, 172, 178, 182]

- Cavalli-Sforza, L. L., A. Piazza, P. Menozzi & J. L. Mountain. 1988. Reconstruction of human evolution: bringing together genetic, archaeological and linguistic data. *Proc. Natl. Acad. Sci. USA* **85**:6002-6006. [174, 175]
- Chandon, J. L., J. Lemaire & J. Pouget. 1980. Construction de l'ultramétrique la plus proche d'une dissimilarité au sens des moindres carrés. *Op. Res.* **14**:157-170. [157]
- Chapman, R. E. 1990. Conventional Procrustes approaches. In: Rohlf & Bookstein (eds.), 1990. pp. 251-267. [270]
- Chatfield, C. & A. J. Collins. 1980. *Introduction to Multivariate Analysis*. Chapman and Hall, London. [30, 38, 229, 273]
- Cheetham, A. H. & J. E. Hazel. 1969. Binary (presence/absence) similarity coefficients. *J. Paleont.* **43**:1130-1136. [104]
- Chernoff, H. 1973. Using faces to represent points in k -dimensional space graphically. *J. Amer. Stat. Assoc.* **68**:361-368. [40]
- Clark, P. J. 1952. An extension of the coefficient of divergence for use with multiple characters. *Copeia* **2**:61-64. [85]
- Clifford, H. T. & W. Stephenson. 1975. *An Introduction to Numerical Classification*. Academic, New York. [84, 132, 169]
- Clymo, R. S. 1980. Preliminary survey of the peat-bog Hummell Knowe Moss using various numerical methods. *Vegetatio* **42**:129-148. [251]
- Cochran, W. G. 1977. *Sampling Techniques*. 3rd ed. Wiley, New York. [34]
- Cole, A. J. (ed) 1969. *Numerical Taxonomy*. Academic, London. [34, 169]
- Colless, D. H. 1980. Congruence between morphometric and allozyme data for *Menidia* species: a reappraisal. *Syst. Zool.* **29**:288-299. [337]
- Cooley, W. W. & P. R. Lohnes. 1971. *Multivariate Data Analysis*. Wiley, New York. [230, 231, 258, 260, 261, 273]
- Cormack, R. M. 1971. A review of classification. *J. Roy. Stat. Soc. ser. A*, **134**:321-367. [169]
- Cormack, R. M., G. P. Patil & D. S. Robson. (eds.) 1979. *Sampling Biological Populations*. Internat. Cooperative Publ. House, Burtonsville, MD, USA. [34]
- Cracraft, J. & K. Helm-Bychowski. 1991. Parsimony and phylogenetic inference using DNA sequences: Some methodological strategies. In: Miyamoto & Cracraft (1991), pp. 184-220. [200, 344]
- Cramér, H. 1946. *The Elements of Probability Theory and Some of its Applications*. Wiley, New York. [75]
- Crawford, R. M. M. & D. Wishart. 1968. A rapid classification and ordination method and its application to vegetation mapping. *J. Ecol.* **56**:385-404. [159]
- Crisci, J. V. & T. F. Stuessy. 1980. Determining primitive character states for phylogenetic reconstruction. *Syst. Bot.* **5**:112-135. [185]
- Critchlow, D. E. 1985. *Metric Methods for Analyzing Partially Ranked Data*. Lect. Notes in Statistics 34. Springer, Berlin. [80]
- Csontos, P. & L. Lökös. 1992. Védett edényes fajok térbeli eloszlás-vizsgálata a Budai hg. dolomitvidéken - Szünbotanikai alapozás természetvédelmi területek felméréséhez. *Bot. Közlem.* **79**:121-142. [318]
- Dabinett P. E. & A. M. Wellman. 1978. Numerical taxonomy of certain genera of Fungi Imperfecti and Ascomycotina. *Can. J. Bot.* **56**:2031-2049. [171]
- Dale, M. B. 1988. Knowing when to stop: cluster concept - concept cluster. *Coenoses* **3**:11-32. [166]
- Dale, M. B. 1989. Dissimilarity for partially ranked data and its application to cover-abundance data. *Vegetatio* **82**:1-12. [80]
- Dale, M. B. & D. J. Anderson. 1973. Inosculate analysis of vegetation data. *Austr. J. Bot.* **21**:253-276. [291]
- Dale, M. B., M. Beatrice, R. Venanzoni & C. Ferrari. 1986. A comparison of some methods of selecting species in vegetation analysis. *Coenoses* **1**:35-52. [280]
- Dale, M. B. & W. T. Williams. 1978. A new method for species-reduction for ecological data. *Australian J. Ecol.* **3**:1-5. [285]
- Darroch, J. N. & J. E. Mosimann. 1985. Canonical and principal components of shape. *Biometrika* **72**:241-252. [50]

- Darwin, C. 1955. *A fajok eredete a természetes kiválasztás útján vagy a léleért való küzdelemben előnyhöz jutott fajok fennmaradása*. Akadémiai Kiadó, Budapest. [174]
- Day, W. H. E. 1981. The complexity of computing metric distances between partitions. *Math. Soc. Sci.* **1**:269-287. [313]
- Day, W. H. E. 1983. Computationally difficult parsimony problems in phylogenetic systematics. *J. theor. Biol.* **103**:429-438. [194]
- Day, W. H. E. 1988. Consensus methods as tools for data analysis. In: H. H. Bock (ed.), *Classification and Related Methods of Data Analysis*. North-Holland, Amsterdam. pp. 317-324. [342]
- Day, W. H. E. & H. Edelsbrunner. 1984. Efficient algorithms for agglomerative hierarchical clustering methods. *J. Classif.* **1**:7-24. [169]
- Dawkins, R. 1994. *A vak órásmester*. Akadémiai Kiadó – Mezőgazda Kiadó, Budapest. [208]
- Degens, P. O. 1983. Hierarchical cluster methods as maximum likelihood estimators. In: Felsenstein, J. (1983), pp. 249-253. [178]
- Demeter, A., J. Vámosi, L. Peregovits & Gy. Topál. 1996. An image-capture and data-collection system for morphometric analysis. In: Marcus et al. (1996), pp. 91-101. [273]
- De Queiroz, K. & J. Gauthier. 1990. Phylogeny as a central principle in taxonomy: phylogenetic definitions of taxon names. *Syst. Zool.* **39**:307-322. [208]
- Devereux, J., P. Haeberli & O. Smithies. 1984. A comprehensive set of sequence programs for the VAX. *Nucleic Acids Res.* **12**:387-395. [105]
- Dévai, I., K. Horváth & P. Juhász-Nagy. 1971. Some problems of model-building in synbiology. Part I. Spatial diversity process of the binary type in a simple situation. *Ann. Univ. Sci. Budapest., Sect. Biol.* **13**:19-32. [22]
- Diday, E. & J. C. Simon. 1976. Clustering analysis. In: K. S. Fu (ed.), *Digital Pattern Recognition*. Springer, New York. pp. 47-94. [79, 169, 333]
- Dietz, E. J. 1983. Permutation tests for association between two distance matrices. *Syst. Zool.* **32**:21-26. [342]
- Digby, P. G. N. & R. A. Kempton. 1987. *Multivariate Analysis of Ecological Communities*. Chapman & Hall, London. [33, 54, 162, 169, 212, 224, 235, 247, 250, 254, 272, 341]
- Dillon, W. R. & M. Goldstein. 1984. *Multivariate Analysis*. Wiley, New York. [38, 261, 262, 273]
- Dobson, A. J. 1975. Comparing the shapes of trees. *Lecture Notes in Mathematics* **452**:95-100. Springer, Berlin. [319]
- Douglas, M. E. & J. A. Endler. 1982. Quantitative matrix comparisons in ecological and evolutionary investigations. *J. theor. Biol.* **99**:777-795. [342]
- Downton, M. & T. Brennan. 1980. Comparing classifications: an evaluation of several coefficients of partition agreement. *Classification Soc. Bull.* **4**(4):53-54. [311]
- Dubes, R. & A. K. Jain. 1976. Clustering techniques: the user's dilemma. *Pattern Recognition* **8**:247-260. [169]
- Dubes, R. & A. K. Jain. 1979. Validity studies in clustering methodologies. *Pattern Recognition* **11**:235-254. [169]
- DuBien, J. L. & W. D. Warde. 1979. A mathematical comparison of the members of an infinite family of agglomerative clustering algorithms. *Can. J. Stat.* **7**:29-38. [150]
- Duncan, T., R. B. Phillips & W. H. Wagner, Jr. 1980. A comparison of branching diagrams derived by various phenetic and cladistic methods. *Syst. Bot.* **5**:264-293. [184, 209, 210]
- Duncan, T. & T. F. Stuessy. 1984. *Cladistics: Perspectives on the Reconstruction of Evolutionary History*. Columbia University Press, New York. [34, 206]
- Duncan, T. & T. F. Stuessy. 1985. *Cladistic Theory and Methodology*. Van Nostrand Reinhold, New York.
- Dunn, G. & B. S. Everitt. 1982. *An Introduction to Mathematical Taxonomy*. Cambridge Univ. Press, Cambridge. [34, 54, 162, 169, 170, 272]
- Eckes, T. 1995. A two-mode clustering study of situations and their features. In: Opitz et al. (1995), pp. 510-517. [291]
- Edwards A. W. F. & L. L. Cavalli-Sforza. 1965. A method for cluster analysis. *Biometrics* **21**:362-375. [156]
- Efron, B. 1982. *The Jackknife, the Bootstrap, and Other Resampling Methods*. Society for Industrial and Applied Mathematics. CBMS-NSF Monograph 38. [32]

- Elliott, J. M. 1977. *Some methods for the statistical analysis of samples of benthic invertebrates*. Sci. Publ. No. 25, Freshwater Biol. Assoc., Ferry House, U.K. [21]
- Equihua, M. 1990. Fuzzy clustering of ecological data. *J. Ecol.* **78**:519-534. [132]
- Erdei, Zs. & B. Tóthmérész. 1993. MULTI-PATTERN 1.00: Program package to analyze and simulate community-wide patterns. *Tiscia* **27**:45-48. [32]
- Estabrook, G. F. 1972. Cladistic methodology: a discussion of the theoretical basis for the induction of evolutionary history. *Ann. Rev. Ecol. Syst.* **3**:427-456. [174]
- Estabrook, G. F., C. S. Johnson, Jr. & F. R. McMorris. 1976. A mathematical foundation for the analysis of character compatibility. *Math. Biosci.* **23**:181-187. [199]
- Everitt, B. S. 1978. *Graphical Techniques for Multivariate Data*. Heinemann, London. [54]
- Everitt, B. S. 1974. *Cluster Analysis* (1st ed.). Heinemann, London. [169]
- Everitt, B. S. 1979. Unresolved problems in cluster analysis. *Biometrics* **35**:169-181. [169]
- Everitt, B. S. 1980. *Cluster Analysis* (2nd ed.). Heinemann, London. [132, 138]
- Everitt, B. S. & P. Nicholls. 1975. Visual techniques for representing multivariate data. *Statistician* **24**:37-49. [54]
- Fager, E. W. & J. A. McGowan 1963. Zooplankton species groups in the North Pacific. *Science* **140**:453-460. [73]
- Faith, D. P. 1983. Asymmetric binary similarity measures. *Oecologia* **57**:287-290. [71]
- Faith, D. P. 1984. Patterns of sensitivity of association measures in numerical taxonomy. *Math. Biosci.* **69**:199-207. [90]
- Faith, D. P. 1985. Distance methods and the approximation of most-parsimonious trees. *Syst. Zool.* **34**:312-325. [183]
- Faith, D. P., P. R. Minchin & L. Belbin. 1987. Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio* **69**:57-68. [90, 105]
- Farris, J. S. 1967. The meaning of relationship and taxonomic procedure. *Syst. Zool.* **16**:44-51. [162]
- Farris, J. S. 1969. A successive approximations approach to character weighting. *Syst. Zool.* **18**:374-385. [29]
- Farris, J. S. 1970. Methods for computing Wagner trees. *Syst. Zool.* **19**:83-92. [175, 183, 186]
- Farris, J. S. 1972. Estimating phylogenetic trees from distance matrices. *Am. Nat.* **106**:645-668. [183]
- Farris, J. S. 1973. On comparing the shapes of taxonomic trees. *Syst. Zool.* **22**:50-54. [316]
- Farris, J. S. 1974. Formal definitions of paraphyly and polyphyly. *Syst. Zool.* **23**:548-554. [176]
- Farris, J. S. 1977. Phylogenetic analysis under Dollo's Law. *Syst. Zool.* **26**:77-88. [187]
- Farris, J. S. 1988. *HENNIG86, version 1.5*. Distributed by the author, Port Jefferson Station, NY. [207]
- Farris, J. S. 1989. The retention index and the rescaled consistency index. *Cladistics* **5**:417-419. [198]
- Fasham, M. J. R. 1977. A comparison of nonmetric multidimensional scaling, principal components and reciprocal averaging for the ordination of simulated coenoclines, and coenoplanes. *Ecology* **58**:551-561. [341]
- Felsenstein, J. 1978. The number of evolutionary trees. *Syst. Zool.* **27**:27-33. [193]
- Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *J. Mol. Evol.* **17**:368-376. [201, 202]
- Felsenstein, J. (ed.) 1983. *Numerical Taxonomy*. Springer, Berlin.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* **39**:783-791. [33, 344]
- Felsenstein, J. 1993. *PHYLIP. Phylogeny Inference Package*. University of Washington, Seattle. [182, 183, 192, 195, 196, 207, 209]
- Feoli, E., M. Lagonegro & L. Orlóci. 1984. *Information Analysis in Vegetation Research*. Junk, The Hague. [105, 169]
- Feoli, E. & L. Orlóci. 1979. Analysis of concentration and detection of underlying factors in structured tables. *Vegetatio* **40**:49-54. [294]
- Feoli, E. & L. Orlóci. (eds.) 1991. *Computer Assisted Vegetation Analysis*. Kluwer, Dordrecht.
- Feoli, E. & V. Zuccarello. 1986. Ordination based on classification: yet another solution? *Abstr. Bot.* **10**:203-219. [276]

- Ferson, S., F. J. Rohlf & R. K. Koehn. 1985. Measuring shape variation of two-dimensional outlines. *Syst. Zool.* **34**:59-68. [270]
- Fiala, K. L. & R. R. Sokal. 1985. Factors determining the accuracy of cladogram estimation: Evaluation using computer simulation. *Evolution* **39**:609-622. [210]
- Fienberg, S. E. 1970. The analysis of multidimensional contingency tables. *Ecology* **51**:419-433. [284]
- Finden, C. R. & A. D. Gordon. 1985. Obtaining common pruned trees. *J. Classif.* **2**:255-276. [337]
- Fisher, D. C. 1992. Stratigraphic parsimony. In: Maddison & Maddison (1992), pp. 124-129. [174, 188]
- Fisher, R. A. 1936. The use of multiple measurements in taxonomic problems. *Ann. Eugenics* **7**:179-188. [262]
- Fisher, R. A. 1963. *Statistical Methods for Research Workers*. 13th ed. Oliver and Boyd, Edinburgh. [101]
- Fitch, W. M. 1971. Toward defining the course of evolution: Minimum change for a specific tree topology. *Syst. Zool.* **29**:406-416. [186]
- Fitch, W. M. 1982. A non-sequential method for constructing a hierarchical classification. *J. Mol. Evol.* **18**:30-37. [182]
- Fitch, W. M. 1984. Cladistics and other methods: problems, pitfalls and potentials. In: Duncan & Stuessy (1984), pp. 221-252. [29, 183]
- Fitch, W. M. & E. Margoliash. 1967. Construction of phylogenetic trees. *Science* **155**:279-284. [181]
- Florek, K., J. Lukaszewicz, J. Perkal, H., Steinhaus & S. Zubrzycki. 1951. Sur la liaison et la division des points d'un ensemble fini. *Colloq. Math.* **2**:282-285. [143]
- Forey, P. L., C. J. Humphries, I. J. Kitching, R. W. Scotland, D. J. Siebert & D. M. Williams. 1992. *Cladistics. A Practical Course in Systematics*. Clarendon, Oxford. [34, 206]
- Forgy, E. W. 1965. Cluster analysis of multivariate data: efficiency versus interpretability of classifications. *Biometrics* **21**:768-769. [117]
- Fowlkes, E. B. & C. L. Mallows. 1980. A new measure of similarity between two hierarchical clusterings and its use in studying hierarchical clustering methods. *Classification Soc. Bull.* **4**(4):54. [311]
- Fowlkes, E. B., R. Gnanadesikan & J. R. Kettenring. 1988. Variable selection in clustering. *J. Classif.* **5**:205-228. [302]
- Frank, O. & K. Svensson. 1981. On probability distributions of single linkage dendrograms. *J. Stat. Comput. Simul.* **12**:121-131. [172]
- Frontier, S. (ed.) 1983. *Stratégies d'échantillonnage en écologie*. Masson, Paris. [34]
- Funk, V. A. & D. R. Brooks. (eds.) 1981. *Advances in Cladistics: Proceedings of the first meeting of the Willi Hennig Society*. New York Botanical Garden, Bronx, New York. [206]
- Füstös L., Meszéna Gy. & S. Mosolygó N. 1986. *A sokváltozós adatelemzés statisztikai módszerei*. Akadémiai Kiadó, Budapest. [7, 8, 114]
- Füstös L. & Kovács E. 1989. *A számítógépes adatelemzés statisztikai módszerei*. Tankönyvkiadó, Budapest. [8, 132]
- Gabriel, K. R. 1971. The biplot graphic display of matrices with application to principal component analysis. *Biometrika* **58**:453-467. [220]
- Gabriel, K. R. 1981. Biplot display of multivariate matrices for inspection of data and diagnosis. In: Barnett (1981), pp. 147-173. [220]
- Gale, N., W. C. Halperin & C. M. Costanzo. 1984. Unclassed matrix shading and optimal ordering in hierarchical cluster analysis. *J. Classif.* **1**:75-92. [296, 301]
- Ganis, P. 1991. NICHE - Programs for niche breadth, overlap and hypervolumes. In: Feoli & Orlóci (1991), pp. 469-487. [105]
- Garcia, H. & J. M. Proth. 1985. Group technology in production management: the short horizon planning level. *J. Appl. Stochast. Models Data Anal.* **1**:25-34. [295]
- Gauch, H. G. 1977. *ORDIFLEX. Release B*. Ecology and Systematics, Cornell University, Ithaca, NY. [275]
- Gauch, H. G. 1979. *COMPCLUS - A FORTRAN program for rapid initial clustering of large data sets*. Cornell University, Ithaca, N.Y. [124, 132]
- Gauch, H. G. 1980. Rapid initial clustering of large data sets. *Vegetatio* **42**:103-111. [124]

- Gauch, H. G. 1982. *Multivariate Analysis in Community Ecology*. Cambridge Univ. Press, Cambridge. [21, 33, 132, 133, 169, 242, 272, 275]
- Gauch, H. G. & R. H. Whittaker. 1981. Hierarchical classification of community data. *J. Ecol.* **69**:135-152. [169]
- Gauch, H. G., R. H. Whittaker & S. B. Singer. 1981. A comparative study of nonmetric ordinations. *J. Ecol.* **69**:135-152. [254, 341]
- Gauch, H. G., R. H. Whittaker & T. R. Wentworth. 1977. A comparative study of reciprocal averaging and other ordination techniques. *J. Ecol.* **65**:157-174. [341]
- Gingerich, P. D. 1979. Paleontology, phylogeny and classification: An example from the mammalian fossil record. *Syst. Zool.* **28**:451-464. [185]
- Giri, N. C. 1977. *Multivariate Statistical Inference*. Academic, New York. [262]
- Gittins, R. 1965. Multivariate approaches to a limestone grassland community. I-III. *J. Ecol.* **53**:385-401, 403-409, 411-425. [39]
- Gittins, R. 1979. Ecological applications of canonical analysis. In: Orlóci et al. (1979), pp. 309-535. [230, 232, 233, 235]
- Gittins, R. 1985. *Canonical Analysis. A Review with Applications in Ecology*. Springer, Berlin. [232, 273]
- Gleason, H. A. 1920. Some applications of the quadrat method. *Bull. Torrey bot. Club.* **47**:21-33. [87]
- Goldberg, D. E. 1989. *Genetic Algorithms in Search, Optimization and Machine Learning*. Addison-Wesley, Reading, Mass. [134]
- Goldmann, K. 1971. Some archaeological criteria for chronological seriation. In: F. R. Hodson et al. (1971), pp. 202-208. [297]
- Goodall, D. W. 1953. Objective methods for the classification of vegetation I. The use of positive interspecific correlation. *Aust. J. Bot.* **1**:39-63. [158]
- Goodall, D. W. 1954. Objective methods for the classification of vegetation III. An essay in the use of factor analysis. *Aust. J. Bot.* **2**:304-324. [211]
- Goodall, D. W. 1964. A probabilistic similarity index. *Nature* **203**:1098. [100]
- Goodall, D. W. 1966. A new similarity index based on probability. *Biometrics* **22**:882-907. [100, 101]
- Goodall, D. W. 1968. Affinity between an individual and a cluster in numerical taxonomy. *Biom. Prax.* **9**:52-55. [101]
- Goodall, D. W. 1973a. Sample similarity and species correlation. In: Whittaker (1973), pp. 107-156. [39, 65, 88, 104]
- Goodall, D. W. 1973b. Numerical classification. In: Whittaker (1973), pp. 577-615. [39]
- Goodall, D. W., P. Ganis & E. Feoli. 1991. Probabilistic methods in classification: a manual for seven computer programs. In: Feoli & Orlóci (1991), pp. 453-467. [105]
- Goodman, L. A. & W. H. Kruskal. 1954. Measures of association for cross-classifications. *J. Amer. Stat. Assoc.* **49**:732-764. [75, 312]
- Goodman, M. 1981. Decoding the pattern of protein evolution. *Prog. Biophys. Mol. Biol.* **37**:105-164. [209]
- Gordon, A. D. 1981. *Classification*. Chapman & Hall, London. [24, 25, 54, 121, 132, 161, 162, 169, 252, 272, 289, 291]
- Gordon, A. D. 1987. A review of hierarchical classification. *J. Roy. Stat. Soc. A*, **150**:119-137. [142, 165, 169]
- Gordon, A. D. 1996. Hierarchical classification. In: P. Arabie, L. Hubert & G. DeSoete (eds.), *Clustering and Classification*. World Scientific, River Edge, NJ. pp. 65-121. [169]
- Gordon, A. D. & H. J. B. Birks. 1972. Numerical methods in Quaternary palaeoecology I. Zonation of pollen diagrams. *New Phytol.* **71**:961-979. [160]
- Gosliner, T. M. & M. T. Ghiselin. 1984. Parallel evolution in opisthobranch gastropods and its implications for phylogenetic methodology. *Syst. Zool.* **33**:255-274. [186]
- Gould, S. J. 1990. *A panda hüvelykujja*. Európa, Budapest. [174, 177, 208]
- Gower, J. C. 1966. Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika* **53**:325-338. [247]
- Gower, J. C. 1967. A comparison of some methods of cluster analysis. *Biometrics* **23**:623-637. [150]

- Gower, J. C. 1971a. Statistical methods of comparing different multivariate analyses of the same data. In: Hodson et al. (1971). pp. 138-149. [320, 322]
- Gower, J. C. 1971b. A general coefficient of similarity and some of its properties. *Biometrics* **27**:857-871. [101]
- Gower, J. C. 1975. Generalized Procrustes analysis. *Psychometrika* **40**:33-51. [338]
- Gower, J. C. 1977. The analysis of asymmetry and orthogonality. In: J. Barra et al. (eds.), *Recent Developments in Statistics*. North Holland, Amsterdam. pp. 109-123. [74]
- Gower, J. C. 1983. Comparing classifications. In: Felsenstein (1983), pp. 137-155. [308]
- Gower, J. C. & C. F. Banfield. 1975. Goodness-of-fit criteria for hierarchical classification and their empirical distributions. In: Proc. 8th Biometric Conf. pp. 347-361. [165]
- Gower, J. C. & P. Legendre. 1986. Metric and Euclidean properties of dissimilarity coefficients. *J. Classif.* **3**:5-48. [61, 63, 67, 72, 83, 105, 107, 325]
- Gower, J. C. & G. J. S. Ross. 1969. Minimum spanning trees and single linkage cluster analysis. *Appl. Stat.* **18**:54-64. [161]
- Graham, R. L. & L. R. Foulds. 1982. Unlikelihood that minimal phylogenies for a realistic biological study can be constructed in reasonable computational time. *Math. Biosci.* **60**:133-142. [194]
- Green, B. F. 1952. The orthogonal approximation of an oblique structure in factor analysis. *Psychometrika* **17**:429-440. [320]
- Green, R. H. 1971. A multivariate statistical approach to the Hutchinsonian niche: bivalve molluscs of central Canada. *Ecology* **52**:543-556. [65]
- Green, R. H. 1979. *Sampling Design and Statistical Methods for Environmental Biologists*. Wiley, New York. [17, 20, 21, 22, 33, 54, 169]
- Greenacre, M. J. 1984. *Theory and Applications of Correspondence Analysis*. Academic Press, London. [32, 242, 273]
- Greenacre, M. J. & E. S. Vrba. 1984. Graphical display and interpretation of antelope census data in African wildlife areas, using correspondence analysis. *Ecology* **65**:984-997. [241]
- Greig-Smith, P. 1983. *Quantitative Plant Ecology*. 3rd ed. Blackwell, Oxford. [19, 20, 22, 23, 31, 33, 104, 169, 272, 289]
- Grimm, E. C. 1987. CONISS: A FORTRAN 77 program for stratigraphically constrained cluster analysis by the method of incremental sum of squares. *Comp. Geosci.* **13**:13-35. [160, 170]
- Grötschel, M. & Y. Wakabayashi. 1990. Facets of the clique partitioning polytope. *Math. Prog.* **47**:367-387. [133]
- Hajdu, L. 1981. Graphical comparison of resemblance measures in phytosociology. *Vegetatio* **48**:47-59. [62, 80, 104, 325]
- Harshman, R. A. 1970. Foundations of the PARAFAC procedure: Models and methods for an "explanatory" multi-mode factor analysis. *UCLA Working Papers in Phonetics* **16**:1-84. [278]
- Hartigan, J. A. 1967. Representation of similarity matrices by trees. *J. Amer. Statist. Ass.* **62**:1140-1158. [165]
- Hartigan, J. A. 1972. Direct clustering of a data matrix. *J. Am. Stat. Assoc.* **67**:123-129. [291]
- Hartigan, J. A. 1975. *Clustering Algorithms*. Wiley, New York. [41, 116, 119, 120, 124, 125, 131, 132, 290]
- Hartigan, J. A. 1981. Block clustering. In: W. J. Dixon (ed.), *BMDP Statistical Software*. Univ. Calif. Press, Berkeley. pp. 474-478. [290]
- Harvey, L. E., F. W. Davis & N. Gale. 1988. The analysis of class dispersion patterns using matrix comparisons. *Ecology* **69**:537-542. [342]
- Harvey, P. H. & M. D. Pagel. 1990. *The Comparative Method in Evolutionary Biology*. Oxford Univ. Press, Oxford. [186]
- Hendy, M. D. & D. Penny. 1982. Branch and bound algorithms to determine minimal evolutionary trees. *Math. Biosci.* **59**:277-290. [194]
- Hendy, M. D., C. H. C. Little & D. Penny. 1984. Comparing trees with pendant vertices labelled. *SIAM J. Appl. Math.* **44**:1054-1065. [323]
- Hennig, W. 1950. *Grundzüge einer Theorie der phylogenetischen Systematik*. Deutscher Zentralverlag, Berlin. [184]
- Hennig, W. 1966. *Phylogenetic Systematics*. Univ. Illinois Press, Urbana. [176, 184, 206]

- Hill, M. O. 1973. Reciprocal averaging: an eigenvector method of ordination. *J. Ecol.* **61**:237-249. [237, 238]
- Hill, M. O. 1979a. *TWINSPAN. A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes.* Cornell Univ., Ithaca, NY. pp. 90. [157, 170]
- Hill, M. O. 1979b. *DECORANA. A FORTRAN Program for Detrended Correspondence Analysis and Reciprocal Averaging.* Cornell Univ., Ithaca. [240, 242]
- Hill, M. O. & H. G. Gauch. 1980. Detrended correspondence analysis, an improved ordination technique. *Vegetatio* **42**:47-58. [242]
- Hillis, D. M. 1984. Misuse and modification of Nei's genetic distance. *Syst. Zool.* **33**:238-240. [93]
- Hillis, D. M. & J. J. Bull. 1993. An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Syst. Biol.* **42**:182-192. [33, 344]
- Hodson, F. R., D. G. Kendall & P. Tautu (eds). 1971. *Mathematics in the Archaeological and Historical Sciences.* Edinburgh Univ. Press, Edinburgh. [301]
- Holgate, P. 1971. Notes on the Marczewski-Steinhaus coefficient of similarity. In: G. P. Patil, E. C. Pielou & W. E. Waters (eds.), *Statistical Plant Ecology*. vol. 3. Penn. State Univ. Press. pp. 182-193. [86]
- Holland, J. H. 1975. *Adaptation in Natural and Artificial Systems.* Univ. Michigan Press, Ann Arbor, Mich. [134]
- Horn, H. 1966. Measurement of 'overlap' in comparative ecological studies. *Amer. Nat.* **100**:419-424. [95]
- Hotelling, H. 1933. Analysis of a complex of statistical variables into principal components. *J. Educational Psychology* **24**:417-441, 498-520. [212]
- Hotelling, H. 1936. Relations between two sets of variates. *Biometrika* **28**:321-377. [212, 230]
- Hubálek, Z. 1982. Coefficients of association and similarity based on binary (presence/absence) data: an evaluation. *Biol. Rev.* **57**:669-689. [104]
- Hubert, L. J. & P. Arabie. 1985. Comparing partitions. *J. Classif.* **2**:193-218. [311, 326]
- Hubert, L. J., R. G. Golledge & G. D. Richardson. 1982. Proximity matrix reorganization and hierarchical clustering. *Environment and Planning A* **14**:195-203. [301]
- Hull, D. L. 1984. Cladistic theory: Hypotheses that blur and grow. In: Duncan & Stuessy (1984), pp. 5-23. [206]
- Humphries, C. J., P. Y. Ladiges, M. Roos & M. Zandee. 1988. Cladistic biogeography. In: A. A. Myers & P. S. Giller (eds.), *Analytical Biogeography.* Chapman & Hall, London. pp. 371-404. [206, 349]
- Hurlbert, S. H. 1982. Notes on the measurement of overlap. *Ecology* **63**:252-253. [105]
- Izsák, J., Juhász-Nagy, P. & Varga Z. 1981. *Bevezetés a biomatematikába.* Tankönyvkiadó, Budapest. [5, 113]
- Jackson, D. A. & K. M. Somers. 1989. Are probability estimates from the permutation model of Mantel's test stable? *Can. J. Zool.* **67**:766-769. [324]
- Jackson, D. A., K. M. Somers & H. H. Harvey. 1989. Similarity coefficients: measures of co-occurrence and association or simply measures of occurrence? *Amer. Nat.* **133**:436-453. [104]
- Jackson, J. E. 1991. *A User's Guide to Principal Components.* Wiley, New York. [273, 278]
- Jahn, W. & H. Vahle. 1974. *A faktoranalízis és alkalmazása.* Közgazdasági és Jogi Könyvkiadó, Budapest. [229]
- Jambu, M. 1978. *Classification automatique pour l'analyse des données.* Tome 1. Dunod, Paris. [151]
- Jambu, M. 1981. FORTRAN IV computer program for rapid hierarchical classification of large data sets. *Comp. Geosci.* **7**:297-310. [171]
- Jambu, M. & M.-O. Lebeaux 1983. *Cluster Analysis and Data Analysis.* North Holland, Amsterdam. [165, 169]
- James, F. C. & C. E. McCulloch. 1990. Multivariate analysis in ecology and systematics: Panacea or Pandora's box? *Annu. Rev. Ecol. Syst.* **21**:129-166. [6]
- Jancey, R. C. 1966. Multidimensional group analysis. *Aust. J. Bot.* **14**:127-130. [117]
- Jancey, R. C. 1974. Algorithm for detection of discontinuities in data sets. *Vegetatio* **29**:131-133. [132]
- Jancey, R. C. 1979. Species ordering on a variance criterion. *Vegetatio* **39**:59-63. [286]
- Jancey, R. C. & T. C. Wells. 1987. Locality theory: the phenomenon and its significance. *Coenoses* **2**:31-37. [302]
- Janson, S. & J. Vegelius. 1981. Measures of ecological association. *Oecologia* **49**:371-376. [104]
- Jardine, N. & R. Sibson. 1968. The construction of hierarchic and nonhierarchic classifications. *Computer J.* **11**:177-184. [126]
- Jardine, N. & R. Sibson. 1971. *Mathematical Taxonomy.* Wiley, New York. [144, 169]

- Jánossy, A., Muraközy T. & Aradszky G. (szerk.) 1966. *Biometriai értelmező szótár*. Mezőgazdasági Kiadó, Budapest. [54]
- Johnson, S. C. 1967. Hierarchical clustering schemes. *Psychometrika* **32**:241-154. [138, 140, 165]
- Jolliffe, I. T. 1986. *Principal Component Analysis*. Springer, New York. [229, 273]
- Jongman, R. H. G., C. J. F. ter Braak & O. F. R. van Tongeren (eds.) 1987. *Data Analysis in Community and Landscape Ecology*. Pudoc, Wageningen. [33, 54, 169, 215, 230, 242, 244, 246, 273]
- Juhász-Nagy, P. 1967. On some 'characteristic area' of plant community stands. *Proc. Colloq. Inf. Theory*, Bolyai Math. Soc., Debrecen, pp. 269-282. [21]
- Juhász-Nagy, P. 1976. Spatial dependence of plant populations. Part 1. Equivalence analysis (An outline of a new model). *Acta Bot. Hung.* **22**:61-78. [19, 21, 31, 104]
- Juhász-Nagy, P. 1984. Spatial dependence of plant populations. Part 2. A family of new models. *Acta Bot. Hung.* **30**:363-402. [19, 21, 31]
- Juhász-Nagy, P. 1985. A növények szerkezetvizsgálata: új modellek. IV. Problémafelvetés az autocoölogiában. *Bot. Közlem.* **72**:1-15. [21]
- Juhász-Nagy, P. 1993. Notes on compositional diversity. *Hydrobiologia* **249**:173-182. [19, 21]
- Juhász-Nagy, P. & J. Podani. 1983. Information theory methods for the study of spatial processes and succession. *Vegetatio* **51**:129-140. [31]
- Jukes, T. H. & C. R. Cantor. 1969. Evolution in protein molecules. In: H. N. Munro (ed.), *Mammalian Protein Metabolism*. Academic, New York. pp. 21-123. [77]
- Kendall, D. G. 1966. Discrimination and classification. In: P. R. Krishnaiah (ed.), *Multivariate Analysis*. Academic, New York. pp. 165-185. [114]
- Kendall, D. G. 1970. A mathematical approach to seriation. *Philos. Trans. Roy. Soc. London*, ser. A. **269**:125-135. [90, 297]
- Kendall, D. G. 1971. Seriation from abundance matrices. In: Hodson et al. (1971). pp. 215-252. [226, 297]
- Kendall, M. 1975. *Multivariate Analysis*. Griffin & Co. London. [38, 229]
- Kenkel, N. C. & T. Booth. 1987. A comparison of presence-absence resemblance coefficients for use in biogeographical studies. *Coenoses* **2**:25-30. [71, 74, 104]
- Kenkel, N. C., P. Juhász-Nagy & J. Podani. 1989. On sampling procedures in population and community ecology. *Vegetatio* **83**:195-207. [13]
- Kenkel, N. C. & L. Orlóci. 1986. Applying metric and nonmetric multidimensional scaling to ecological studies: some new results. *Ecology* **67**:919-928. [105, 242, 254, 308]
- Kent, M. & P. Coker. 1992. *Vegetation Description and Analysis*. CRC Press, Boca Raton - Ann Arbor. [25, 33, 169]
- Kershaw, K. A. & J. H. H. Looney. 1985. *Quantitative and Dynamic Plant Ecology*. 3rd ed. Edward Arnold, Baltimore. [33, 169, 272]
- Kishino, H. & M. Hasegawa. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in Hominoidea. *J. Mol. Evol.* **29**:170-179. [201]
- Kleiner, B. & J. A. Hartigan. 1981. Representing points in many dimensions by trees and castles. *J. Amer. Stat. Assoc.* **76**:260-269. [41]
- Klijin, F. (ed.) 1994. *Ecosystem Classification for Environmental Management*. Kluwer, Dordrecht. [169]
- Kluge, A. G. 1967. Higher taxonomic categories of gekkonid lizards and their evolution. *Bull. Amer. Mus. Nat. Hist.* **135**:1-59. [184]
- Kluge, A. G. 1984. The relevance of parsimony to phylogenetic inference. In: Duncan & Stuessy (1984), pp. 24-38. [177]
- Kluge, A. G. & J. S. Farris. 1969. Quantitative phyletics and the evolution of the anurans. *Syst. Zool.* **18**:1-32. [197]
- Knapp, R. (ed.) 1984. *Sampling Methods and Taxon Analysis in Vegetation Science*. Junk, The Hague. [21, 33]
- Knox, R. G. 1989. Effects of detrending and rescaling on correspondence analysis: solution stability and accuracy. *Vegetatio* **83**:129-136. [32, 242]
- Knox, R. G. & R. K. Peet. 1989. Bootstrapped ordination: a method for estimating sampling effects in indirect gradient analysis. *Vegetatio* **80**:153-165. [32]

- Krajewski, C. & A. W. Dickerman. 1990. Bootstrap analysis of phylogenetic trees derived from DNA hybridization distances. *Syst. Zool.* **39**:383-390. [183, 344]
- Kroonenberg, P. M. 1983. *Three-mode Principal Component Analysis. Theory and Applications*. DSWO Press, Leiden. [278]
- Kruskal, J. B. 1964. Nonmetric multidimensional scaling: a numerical method. *Psychometrika* **29**:115-129. [165, 252, 253, 254]
- Kruskal, J. B. 1977. The relationship between multidimensional scaling and clustering. In: J. Van Ryzin (ed.), *Classification and Clustering*. Academic, New York. pp. 17-44. [254]
- Kruskal, J. B. 1983. An overview of sequence comparison. In: D. Sankoff & J. B. Kruskal (eds.), *Time Warps, String Edits and Macromolecules*. Addison Wesley, Reading, MA. pp. 1-44. [77]
- Kuhl, F. P. & C. R. Giardina. 1982. Elliptic Fourier features of a closed contour. *Computer Graphics and Image Processing* **18**:236-258. [269]
- Kullback, S. 1959. *Information Theory and Statistics*. Wiley, New York. [158]
- Kun, A. 1986. A szimultán döntés paraméteres módszerei. In: Móri & Székely (1986), pp. 251-272. [261]
- Lagonegro, M. & E. Feoli. 1985. The use of ellipses of equal concentration to analyse ordination vegetation patterns. *Stud. Geobot.* **5**:143-165. [341]
- Lake, J. A. 1987. A rate-independent technique for analysis of nucleic acid sequences: evolutionary parsimony. *Mol. Biol. Evol.* **4**:167-191. [200]
- Lambert, J. M., S. E. Meacock, J. Barrs & P. F. M. Smartt. 1973. AXOR and MONIT: two new polythetic-divisive strategies for hierarchical classification. *Taxon* **22**:173-176. [157]
- Lamont, B. B. & K. J. Grant. 1979. A comparison of twenty-one measures of site dissimilarity. In: Orlóci et al. (1979), pp. 101-126. [62, 104]
- Lance, G. N. & W. T. Williams. 1966. A generalized sorting strategy for computer classifications. *Nature* **212**:218. [142, 143]
- Lance, G. N. & W. T. Williams. 1967a. A general theory of classificatory sorting strategies. I. Hierarchical systems. *Computer J.* **9**:373-380. [143, 145, 149, 150]
- Lance, G. N. & W. T. Williams. 1967b. Mixed data classificatory programs. I. Agglomerative systems. *Austr. Comput. J.* **1**:15-20. [83]
- Lance, G. N. & W. T. Williams. 1968. Note on a new information-statistic classificatory program. *Computer J.* **11**:195. [158]
- Lance, G. N. & W. T. Williams. 1977. Attribute contributions to a classification. *Australian Computer J.* **9**:128-129. [286]
- Lapointe, F.-J. & P. Legendre. 1990. A statistical framework to test the consensus of two nested classifications. *Syst. Biol.* **39**:1-13. [342]
- Lapointe, F.-J. & P. Legendre. 1991. The generation of random ultrametric matrices representing dendrograms. *J. Classif.* **8**:177-200. [324, 328, 329, 342]
- Lapointe, F.-J. & P. Legendre. 1992. Statistical significance of the matrix correlation coefficient for comparing independent phylogenetic trees. *Syst. Biol.* **41**:378-384. [324, 342]
- Lapointe, F.-J. & P. Legendre. 1995. Comparison tests for dendrograms: a comparative evaluation. *J. Classif.* **12**:265-282. [329, 342]
- Le Calvé, G. 1985. Distances a centre. *Stat. Anal. Données* **10**:29-44. [163]
- Lefkovich, L. P. 1976. Hierarchical clustering from principal coordinates: an efficient method for small to very large numbers of objects. *Math. Biosci.* **31**:157-174. [157]
- Legendre, L. & P. Legendre. 1983. *Numerical Ecology*. Elsevier, Amsterdam. [33, 78, 104, 107, 169, 235, 237, 272]
- Legendre, P. & L. Legendre. (eds.), 1987. *Developments in Numerical Ecology*. Springer, Berlin. [272]
- Le Quesne, W. J. 1969. A method of selection of characters in numerical taxonomy. *Syst. Zool.* **18**:201-205. [199]
- Le Quesne, W. J. 1972. Further studies based on the uniquely derived character concept. *Syst. Zool.* **21**:281-288. [199]

- Le Quesne, W. J. 1974. The uniquely evolved character concept and its cladistic application. *Syst. Zool.* **23**:513-517. [187]
- Levandowsky, M. 1972. An ordination of phytoplankton populations in ponds of varying similarity and temperature. *Ecology* **53**:398-407. [86]
- Lewis, H. R. & C. H. Papadimitriou. 1978. The efficiency of algorithms. *Scientific American* **238**(1):96-109. [194]
- Ling, R. F. 1972. On the theory and construction of k -clusters. *Comput. J.* **15**:326-332. [126]
- Lohmann, G. P. 1983. Eigenshape analysis of microfossils: A general morphometric procedure for describing changes in shape. *Math. Geol.* **15**:569-672. [269]
- Lohmann, G. P. & P. N. Schweitzer. 1990. On eigenshape analysis. In: Rohlf & Bookstein (1990), pp. 147-166. [266, 279]
- Louppen, J. W. M. & E. van der Maarel. 1979. CLUSLA: a computer program for the clustering of large phytosociological data sets. *Vegetatio* **40**:107-114. [125]
- Loy, A., M. Corti & F. Leslie. 1993. Landmark data: size and shape analysis in systematics. A case study on old world Talpidae (Mammalia, Insectivora). In: Marcus et al. (1993), pp. 215-240. [270]
- Lucasius, C. B., A. D. Dane & G. Kateman. 1993. On k -medoid clustering of large data sets with the aid of a genetic algorithm: background, feasibility and comparison. *Anal. Chim. Acta* **282**:647-669. [134]
- Luckow, M. & D. Pimentel. 1985. An empirical comparison of numerical Wagner computer programs. *Cladistics* **1**:47-66. [209]
- Ludwig, J. A. & J. F. Reynolds, 1988. *Statistical Ecology*. Wiley, New York. [33, 54, 105, 169, 235, 272, 275]
- Lynch, M. 1989. Phylogenetic hypotheses under the assumption of neutral quantitative-genetic variation. *Evolution* **43**:1-17. [210]
- Maarel, E. van der. 1979. Multivariate methods in phytosociology, with reference to the Netherlands. In: M. J. A. Werger (ed.) 1979. *The Study of Vegetation*. Junk, The Hague. pp. 163-225. [25, 49, 89, 169, 348]
- Maarel, E. van der, J. G. M. Janssen & J. M. W. Louppen. 1978. TABORD, a program for structuring phytosociological tables. *Vegetatio* **38**:143-156. [301]
- MacLeod, N. 1996. *Eigenshape programs for the Mac*. Nat. Hist. Museum, London. [275]
- MacQueen, J. B. 1967. Some methods for classification and analysis of multivariate observations. *Proc. 5th Berkeley Symp.* **1**:281-297. [117]
- Maddison, W. P. & D. R. Maddison. 1992. *MacClade. Analysis of Phylogeny and Character Evolution*. Sinauer, Sunderland. [29, 183, 192, 196, 198, 206]
- Mahalanobis, P. C. 1936. On the generalized distance in statistics. *Proc. Nat. Inst. Sci. India* **2**:49-55. [96]
- Manly, B. F. J. 1986. *Multivariate Statistical Methods*. Chapman and Hall, London. [215, 248]
- Manly, B. F. J. 1991. *Randomization and Monte Carlo Methods in Biology*. Chapman and Hall, London. [32, 324, 342]
- Mantel, N. 1967. The detection of disease clustering and a generalized regression approach. *Cancer Res.* **27**:209-220. [325]
- Marcotorchino, F. 1991. Seriation problems: an overview. *Appl. Stoch. Models Data Anal.* **7**:139-151. [295, 296, 301]
- Marcus, L. F. 1990. Traditional morphometrics. In: Rohlf & Bookstein (1990), pp. 77-122. [265, 273]
- Marcus, L. F. 1993. Some aspects of multivariate statistics for morphometrics. In: Marcus et al. (1993), pp. 95-130. [221, 265, 273]
- Marcus, L. F., E. Bello & A. García-Valdecasas. (eds.), 1993. *Contributions to Morphometrics*. Monografías Museo Nacional de Ciencias Naturales, Madrid. [271]
- Marcus, L. F., M. Corti, A. Loy, G. J. P. Naylor & D. E. Slice (eds.) 1996. *Advances in Morphometrics*. Plenum, New York. [271, 173]
- Mardia, K. V., J. T. Kent & J. M. Bibby. 1979. *Multivariate Analysis*. Academic, London. [38, 95, 169, 216, 259, 262, 273, 341]
- Margush, T. & F. R. McMorris. 1981. Consensus n -trees. *Bull. Math. Biol.* **43**:239-244. [336]
- Marsili-Libelli, S. 1989. Fuzzy clustering of ecological data. *Coenoses* **4**:95-106. [127, 132, 171]

- Matthews, J. A. 1978. An application of nonmetric multidimensional scaling to the construction of an improved species plexus. *J. Ecol.* **66**: 157-173. [304]
- Matus, G. & B. Tóthmérész. 1990. The effect of grazing on the structure of a sandy grassland. In: F. Krahulec, A.D.Q. Agnew, S. Agnew & J. H. Willems. (eds), *Spatial Processes in Plant Communities*. Academia, Praha. pp. 23-30. [304]
- Mayr, E. 1942. *Systematics and the Origin of Species from the Viewpoint of a Zoologist*. Columbia Univ. Press, New York. [176]
- Mayr, E. 1982. *The Growth of Biological Thought: Diversity, Evolution and Inheritance*. Harvard Univ. Press, Cambridge, Mass. [137]
- Mayr, E. & P. D. Ashlock. 1991. *Principles of Systematic Zoology*. McGraw-Hill, New York. [54, 169, 185, 200, 206]
- McCormick, W. T., P. J. Schweitzer & T. W. White. 1972. Problem decomposition and data reorganization by a clustering technique. *Op. Res.* **20**:993-1009. [298]
- McCune, B. 1986. PC-ORD: An integrated system for multivariate analysis of ecological data. *Abstr. Bot.* **10**:221-225. [301]
- McIntosh, R. P. 1978. Matrix and plexus techniques. In: R. H. Whittaker (ed.), *Ordination of Plant Communities*. Junk, The Hague. pp. 151-184. [301, 304]
- McQuitty, L. L. 1967. Expansion of similarity analysis by reciprocal pairs for discrete and continuous data. *Educ. Psychol. Measurement* **27**:253-255. [148]
- McShane, F. J. & B. A. Noonan. 1993. Classification of shoplifters by cluster analysis. *Int. J. Offender Therapy and Comparative Criminology* **37**:29-40. [135]
- Meacham, C. A. & G. F. Estabrook. 1985. Compatibility methods in systematics. *Ann. Rev. Ecol. Syst.* **16**:431-446. [200]
- Mickevich, M. F. 1980. Taxonomic congruence: Rohlf and Sokal's misunderstanding. *Syst. Zool.* **29**:162-176. [337]
- Milligan, G. W. 1989. A study of the beta-flexible clustering method. *Multivar. Behav. Res.* **24**:163-176. [169]
- Milligan, G. W. & M. C. Cooper. 1985. An examination of procedures for determining the number of clusters in a data set. *Psychometrika* **50**:159-179. [166, 167]
- Minchin, P. R. 1987. An evaluation of the relative robustness of techniques for ecological ordination. *Vegetatio* **69**:89-107. [242, 254]
- Mishler, B. D. & S. P. Churchill. 1985. Transition to a land flora: phylogenetic relationships of the green algae and bryophytes. *Cladistics* **1**:305-328. [209]
- Miyahara, K. et al. 1992. Molecular evolution of human paramyxoviruses. *Arch. Virol.* **124**:255-268. [178]
- Miyamoto, M. M. & J. Cracraft. 1991. *Phylogenetic Analysis of DNA Sequences*. Oxford Univ. Press, Oxford. [105]
- Moraczewski, I. R., W. Borkowski & A. Kierzek. 1995. Clustering geobotanical data with the use of a genetic algorithm. *Coenoses* **10**:17-28. [134]
- Moskát, Cs. 1991. Multivariate plexus concept in the study of complex ecological data: an application to the analysis of bird-habitat relationships. *Coenoses* **6**:79-89. [304]
- Moss, W. W. 1968. Experiments with various techniques of numerical taxonomy. *Syst. Zool.* **17**:31-47. [34]
- Mountford, M. D. 1962. An index of similarity and its application to classificatory problems. In: P. W. Murphy (ed.), *Progress in Soil Zoology*. Butterworths, London. pp. 43-50. [74]
- Móri, F., T. & Székely J. G. 1986. *Többváltozós statisztikai analízis*. Műszaki, Budapest. [7]
- Mucina, L. & M. B. Dale. (eds.), 1989. *Numerical Syntaxonomy*. Kluwer, Dordrecht. [169]
- Mueller-Dombois, D. & H. Ellenberg. 1974. *Aims and Methods of Vegetation Ecology*. Wiley, New York. [21, 23, 288]
- Murtagh, F. 1983. A survey of recent advances in hierarchical clustering algorithms. *Computer J.* **26**:354-359. [169]
- Naylor, G. J. P. 1996. Can partial warp scores be used as cladistic characters? In: Marcus et al. (1996), pp. 519-530. [272]

- Needleman, S. B. & C. D. Wunsch. 1970. A general method applicable to the search for similarities in the amino acid sequence of two proteins. *J. Mol. Biol.* **48**:443-453. [76]
- Nei, M. 1972. Genetic distance between populations. *Amer. Nat.* **106**:283-292. [92]
- Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics* **89**:583-590. [92, 93]
- Nei, M. 1991. Relative efficiencies of different tree-making methods for molecular data. In: Miyamoto & Cracraft (1991), pp. 90-128. [105, 178, 179, 209]
- Nei, M., F. Tajima & Y. Tateno. 1983. Accuracy of estimated phylogenetic trees from molecular data. II. Gene frequency data. *J. Mol. Evol.* **19**:153-170. [178]
- Nelson, G. 1975. Historical biogeography: an alternative formalization. *Syst. Zool.* **23**:555-558. [203]
- Nelson, G. & N. I. Platnick. 1981. *Systematics and Biogeography: Cladistics and Vicariance*. Columbia Univ. Press, New York. [204]
- Nelson, G. & D. E. Rosen (eds.), 1981. *Vicariance Biogeography: A Critique*. Columbia Univ. Press, New York. [203]
- Neumann, D. A. 1983. Faithful consensus methods for *n*-trees. *Math. Biosci.* **63**:271-287. [337]
- Neumann, D. A. & V. T. Norton. 1986. Clustering and isolation in the consensus problem for partitions. *J. Classif.* **3**:281-297. [332]
- Noest, V. & E. van der Maarel. 1989. A new dissimilarity measure and a new optimality criterion in phytosociological classification. *Vegetatio* **83**:157-165. [90]
- Nosek, J. N. 1976. Comparative analysis of some diversity functions under different conditions of sampling in sandy meadow. *Acta Bot. Acad. Sci. Hung.* **22**:415-436. [31]
- Noy-Meir, I. 1973. Data transformations in ecological ordinations. I. Some advantages of non-centering. *J. Ecol.* **61**:329-341. [54]
- Noy-Meir, I. 1974. Catenation: Quantitative methods for the definition of coenoclines. *Vegetatio* **29**:89-99. [256, 277]
- Noy-Meir, I., D. Walker & W. T. Williams. 1975. Data transformations in ecological ordinations. II. On the meaning of data standardization. *J. Ecol.* **63**:779-800. [53, 54]
- O'Hara, R. J. 1988. Homage to Clio, or toward an historical philosophy for evolutionary biology. *Syst. Zool.* **31**:142-155. [174]
- Oksanen, J. 1987. Problems of joint display of species and site scores in correspondence analysis. *Vegetatio* **72**:51-57. [240]
- Oksanen, J. 1988. A note on the occasional instability of detrending in correspondence analysis. *Vegetatio* **74**:29-32. [242]
- Opitz, O., B. Lausen & R. Klar (eds.). 1995. *Information and Classification: Concepts, Methods and Applications*. Springer, Berlin.
- Orlóci, L. 1967. An agglomerative method for classification of plant communities. *J. Ecol.* **55**:193-205. [151]
- Orlóci, L. 1972. On objective functions of phytosociological resemblance. *Am. Midl. Nat.* **88**:28-55. [107]
- Orlóci, L. 1973. Ranking characters by a dispersion criterion. *Nature* **244**:371-373. [280]
- Orlóci, L. 1976a. Ranking characters by an information criterion. *J. Ecol.* **64**:417-419. [283]
- Orlóci, L. 1976b. TRGRPS - An interactive algorithm for group recognition with an example from Spartinetia. *Vegetatio* **32**:117-120. [133]
- Orlóci, L. 1978. *Multivariate Analysis in Vegetation Research*. 2nd ed. Junk, The Hague. [29, 33, 35, 38, 54, 74, 84, 87, 98, 100, 104, 105, 107, 132, 133, 158, 169, 170, 272, 275, 280, 285, 301, 341]
- Orlóci, L. 1991. Poorean approximation and fisherian inference in bioenvironmental analysis. *Advances in Ecology* **1**:65-71. [31, 36]
- Orlóci, K. & N. C. Kenkel. 1985. *Introduction to Data Analysis*. International Co-operative Publ. House, Burtonsville, Maryland. [20, 275, 294, 301]
- Orlóci, L. & M. M. Mikkattu. 1973. The effect of species number and type of data on the resemblance structure of a phytosociological collection. *J. Ecol.* **61**:37-46. [31]

- Orlóci, L. & V. D. P. Pillar. 1991. On sample size optimality in ecosystem survey. *Biométrie-Praximétrie* **29**:173-184. [31]
- Orlóci, L., C. R. Rao & W. M. Stiteler (eds.) 1979. *Multivariate Methods in Ecological Work*. International Cooperative Publ. House, Burtonsville, Maryland.
- Page, R. D. M. 1989. Comments on component-compatibility in historical biogeography. *Cladistics* **5**:167-182. [207]
- Palley, M. N. & W. G. O'Regan. 1961. A computer technique for the study of forest sampling methods. I. Point sampling compared with line sampling. *Forest Sci.* **7**:282-294. [31]
- Panchen, A. L. 1992. *Classification, Evolution, and the Nature of Biology*. Cambridge Univ. Press, Cambridge. [137]
- Pankhurst, R. J. 1991. *Practical Taxonomic Computing*. Cambridge Univ. Press, Cambridge. [169]
- Parenti, L. 1981. A phylogenetic and biogeographic analysis of cyprinodontiform fishes (Teleostei, Atherinomorph). *Bull. Am. Mus. Nat. Hist.* **168**:341-557. [203]
- Patrinos, A. N. & S. L. Hakimi. 1972. The distance matrix of a graph and its tree realization. *Q. Appl. Math.* **30**:255-269. [163]
- Pearson, K. 1901. On lines and planes of closest fit to systems of points in space. *Philosoph. Mag. Ser. 6*, **2**:559-572. [212]
- Peet, R. K., R. G. Knox, J. S. Case & R. Allen. 1988. Putting things in order: the advantages of detrended correspondence analysis. *Am. Nat.* **131**:924-934. [242]
- Penny, D., L. R. Foulds & M. D. Hendy. 1982. Testing the theory of evolution by comparing phylogenetic trees constructed from five protein sequences. *Nature* **297**:197-200. [342]
- Penny, D., M. D. Hendy & M. A. Steel. 1991. Testing the theory of descent. In: Miyamoto & Cracraft (1991), pp. 155-183. [342]
- Penny, D., E. E. Watson & M. A. Steel. 1993. Trees from languages and genes are very similar, *Syst. Biol.* **42**:382-384. [174, 175, 329]
- Penrose, L. S. 1954. Distance, size and shape. *Annals of Eugenics* **28**:337-343. [96]
- Phillips, D. L. 1978. Polynomial ordination: field and computer simulation testing of a new method. *Vegetatio* **37**:129-140. [227, 242]
- Phipps, J. B. 1971. Dendrogram topology. *Syst. Zool.* **20**:306-308. [316]
- Phipps, J. B. 1975. The numbers of classifications. *Can. J. Bot.* **54**:686-688. [172]
- Pielou, E. C. 1975. *Ecological Diversity*. Wiley, New York. [31, 74]
- Pielou, E. C. 1977. *Mathematical Ecology*. Wiley, New York. [22]
- Pielou, E. C. 1984. *The Interpretation of Ecological Data*. Wiley, New York. [33, 38, 39, 54, 104, 224, 242, 249, 272]
- Pimentel, R. A. 1979. *Morphometrics. The Multivariate Analysis of Biological Data*. Kendall/Hunt, Dubuque, Iowa. [38, 235, 238]
- Podani, J. 1978. A method for clustering of binary (floristical) data in vegetation research. *Acta Bot. Acad. Sci. Hung.* **24**:121-137. [112]
- Podani, J. 1979a. Generalized strategy for homogeneity-optimizing classificatory methods. In: Orlóci et al. (1979) pp. 203-209. [151, 153]
- Podani, J. 1979b. Association analysis based on the use of mutual information. *Acta Bot. Acad. Sci. Hung.* **25**:125-130. [158]
- Podani, J. 1980. SYN-TAX: Számítógépes programcsomag ökológiai, cönológiai és taxonómiai osztályozások végrehajtására. *Abstr. Bot.* **6**:1-158. [102, 107, 142]
- Podani, J. 1984a. Spatial processes in the analysis of vegetation: theory and review. *Acta Bot. Hung.* **30**:75-118. [22, 31]
- Podani, J. 1984b. Analysis of mapped and simulated vegetation patterns by means of computerized sampling techniques. *Acta Bot. Hung.* **30**:403-425. [21, 31]
- Podani, J. 1985. Syntaxonomic congruence in a small-scale vegetation survey. *Abstr. Bot.* **9**:99-128. [318, 345]
- Podani, J. 1986. Comparison of partitions in vegetation studies. *Abstr. Bot.* **10**:235-290. [166, 311, 324, 327, 342]

- Podani, J. 1987. Computerized sampling in vegetation studies. *Coenoses* **2**:9-18. [32]
- Podani, J. 1989a. A method for generating consensus partitions and its application to community classification. *Coenoses* **4**:1-10. [120, 142, 154, 333]
- Podani, J. 1989b. New combinatorial SAHN clustering methods. *Vegetatio* **81**:61-77. [141, 151, 153]
- Podani, J. 1989c. SYN-TAX III-pc: Computer programs for data analysis in ecology and systematics. *J. Classif.* **6**:273-278. [301]
- Podani, J. 1989d. Comparison of ordinations and classifications of vegetation data. *Vegetatio* **83**:111-128. [305, 306, 308, 318, 320, 343]
- Podani, J. 1990. Comparison of fuzzy classifications. *Coenoses* **5**:17-21. [314, 333, 334]
- Podani, J. 1991. On the standardization of Procrustes statistics for the comparison of ordinations. *Abstr. Bot.* **15**:43-46. [330]
- Podani, J. 1992. Space series analysis of vegetation: processes reconsidered. *Abstr. Bot.* **16**:25-29. [31]
- Podani, J. 1993. SYN-TAX 5.0: Computer programs for multivariate data analysis in ecology and systematics. *Abstr. Bot.* **17**:289-302. [32]
- Podani, J. 1994. *Multivariate Data Analysis in Ecology and Systematics*. SPB Publishing, The Hague. [44, 51, 142, 144, 255, 284, 299]
- Podani, J. 1997. Explanatory variables in classifications and the detection of the optimum number of clusters. (in press) [168, 286]
- Podani, J. & T. A. Dickinson. 1984. Comparison of dendrograms: a multivariate approach. *Can. J. Bot.* **62**:2765-2778. [308, 316]
- Podani, J. & E. Feoli. 1991. A general strategy for the simultaneous classification of variables and objects in ecological data tables. *J. Veg. Sci.* **2**:435-444. [292, 322]
- Prentice, I. C. 1977. Non-metric ordination methods in ecology. *J. Ecol.* **65**:86-94. [256]
- Pruzansky, S., A. Tversky & J. D. Carroll. 1982. Spatial versus tree representations of proximity data. *Psychometrika* **47**:3-19. [162]
- Quenouille, M. H. 1949. Problems in plane sampling. *Ann. math. stat.* **20**:355-375. [20]
- Quicke, D. L. J. 1993. *Principles and Techniques of Contemporary Taxonomy*. Blackie Academic, London. [185, 206, 336]
- Rand, W. M. 1971. Objective criteria for the evaluation of clustering methods. *J. Amer. Stat. Assoc.* **66**:846-850. [165, 311]
- Rao, C. R. 1964. The use and interpretation of principal components analysis in applied research. *Shankya A* **26**:329-358. [236]
- Rao, C. R. 1973. *Linear Statistical Inference and its Applications*. Wiley, New York. [273]
- Rejtő, L. 1986. A változók számának csökkentése: főkomponens- és faktoranalízis. In: Móri & Székely (1986), pp. 95-117. [29]
- Reyment, R. A. 1971. Multivariate normality in morphometric analysis. *Math. Geol.* **3**:357-368. [47]
- Reyment, R. A. 1990. Reification of classical multivariate statistical analysis in morphometry. In: Rohlf & Bookstein (1990), pp. 123-144. [265, 273]
- Reyment, R. A. 1991. *Multidimensional Palaeobiology*. Pergamon, Oxford. [30, 47, 54, 242, 269, 273, 277]
- Reyment, R. A. & K. G. Jöreskog. 1993. *Applied Factor Analysis in the Natural Sciences*. Cambridge Univ. Press, Cambridge. [38, 273, 360]
- Rédei, Gy. 1987. *Genetika*. Mezőgazdasági Kiadó – Gondolat, Budapest. [177]
- Roberts, D. W. 1986. Ordination on the basis of fuzzy set theory. *Vegetatio* **66**:123-131. [276]
- Robinson, D. F. 1971. Comparison of labeled trees with valency three. *J. Comb. Theory* **11**:105-119. [319]
- Robinson, D. F. & L. R. Foulds. 1979. Comparison of weighted labelled trees. *Lecture Notes in Mathematics* **748**:119-126. [319]
- Robinson, D. F. & L. R. Foulds. 1981. Comparison of phylogenetic trees. *Math. Biosci.* **53**:131-147. [319]
- Robinson, W. S. 1951. A method for chronologically ordering archaeological deposits. *Amer. Antiquity* **16**:293-301. [299]

- Rogers, D. J. & T. T. Tanimoto. 1960. A computer program for classifying plants. *Science* **132**:1115-1118. [66]
- Rogers, J. S. 1972. Measures of genetic similarity and genetic distance. *Studies in Genetics*, VII. Univ. Texas Publ. **72**:145-153. [91]
- Rohlf, F. J. 1963. Classification of *Aedes* by numerical taxonomic methods (Diptera, Culicidae). *Syst. Zool.* **12**:97-117. [145]
- Rohlf, F. J. 1970. Adaptive hierarchical clustering schemes. *Syst. Zool.* **19**:58-82. [160]
- Rohlf, F. J. 1973. Algorithm 67: Hierarchical clustering using the minimum spanning tree. *Computer J.* **16**:93-95. [161]
- Rohlf, F. J. 1974. Methods of comparing classifications. *Ann. Rev. Ecol. Syst.* **5**:101-113. [342]
- Rohlf, F. J. 1975a. Generalization of the gap test for the detection of multivariate outliers. *Biometrics* **31**:93-101. [162]
- Rohlf, F. J. 1975b. A new approach to the computation of Jardine and Sibson's B_k clusters. *Computer J.* **18**:164-168. [126]
- Rohlf, F. J. 1977. A note on the measurement of redundancy. *Vegetatio* **34**:63-64. [285]
- Rohlf, F. J. 1982. Consensus indices for comparing classifications. *Math. Biosci.* **59**:131-144. [337, 342]
- Rohlf, F. J. 1990a. Fitting curves to outlines. In: Rohlf & Bookstein (1990), pp. 167-177. [265, 267, 269]
- Rohlf, F. J. 1990b. Rotational fit (Procrustes) methods. In: Rohlf & Bookstein (1990), pp. 227-236. [270]
- Rohlf, F. J. 1993a. *NTSYS-pc. User's Manual*. Exeter Publ. Ltd., Setauket, NY. [143, 268, 269, 310]
- Rohlf, F. J. 1993b. Relative warp analysis and an example of its application to mosquito wings. In: Marcus et al. (1993), pp. 131-159. [271, 272]
- Rohlf, F. J. & J. Archie. 1984. A comparison of Fourier methods for the description of wing shape in mosquitoes (Diptera: Culicidae). *Syst. Zool.* **33**:302-317. [270]
- Rohlf, F. J. & F. L. Bookstein (eds.) 1990. *Proceedings of the Michigan Morphometrics Workshop*. Univ. of Michigan Mus. Zool. Spec. Publ. No. 2. pp. 380. [271]
- Rohlf, F. J., W. S. Chang, R. R. Sokal & J. Kim. 1990. Accuracy of estimated phylogenies: effects of tree topology and evolutionary model. *Evolution* **44**:1671-1684. [210]
- Rohlf, F. J. & S. Ferson. 1992. *Elliptic Fourier analysis*. Dept. Ecol. Evol., SUNY, New York, USA. [279]
- Rohlf, F. J. & L. F. Marcus. 1993. A revolution in morphometrics. *Trends Ecol. Evol.* **8**:129-132. [264, 265, 272]
- Rohlf, F. J. & D. Slice. 1990. Extensions of the Procrustes method for the optimal superimposition of landmarks. *Syst. Zool.* **39**:40-59. [270]
- Rohlf, F. J. & Sokal, R. R. 1965. Coefficients of correlation and distance in numerical taxonomy. *Univ. Kansas Sci. Bull.* **45**:3-27. [96]
- Rohlf, F. J. & Sokal, R. R. 1981a. Comparing numerical taxonomic studies. *Syst. Zool.* **30**:459-490. [165, 341]
- Rohlf, F. J. & Sokal, R. R. 1981b. Comments on taxonomic congruence. *Syst. Zool.* **29**:97-117. [308]
- Romesburg, H. C. 1984. *Cluster Analysis for Researchers*. Lifetime Learning Publ., Belmont, Ca. [169]
- Rosen, D. E. 1978. Vicariant patterns and historical explanation in biogeography. *Syst. Zool.* **27**:159-188. [203]
- Rudas, T. 1986. A változók közötti kapcsolat vizsgálata. In: Móri & Székely (1986), pp. 71-94. [80]
- Saitou, N. & T. Imanishi. 1989. Relative efficiencies of the Fitch-Margoliash, maximum parsimony, maximum likelihood, minimum evolution, and neighbor joining methods of phylogenetic tree construction in obtaining the correct tree. *Mol. Biol. Evol.* **6**:514-525. [178, 209]
- Saitou, N. & M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**:406-425. [178, 180]
- Sampford, M. R. 1962. *An Introduction to Sampling Theory with Applications to Agriculture*. Oliver and Boyd, Edinburgh. [34]
- Sanderson, M. J. 1989. Confidence limits on phylogenies: The bootstrap revisited. *Cladistics* **5**:113-129. [33]
- Sanderson, M. J. 1990. Flexible phylogeny reconstruction: a review of phylogenetic inference packages using parsimony. *Syst. Zool.* **39**:414-420. [206, 207]
- Sanfilippo, A. & W. R. Riedel. 1990. Homology, pattern, and morphometric framework in syrtid radiolarians. In: Rohlf & Bookstein (1990), pp. 345-362. [270]

- Sarich, V. M. 1969. Pinniped origins and the rate of evolution of carnivore albumins. *Syst. Zool.* **18**:286-295. [180, 349]
- Sattath, S. & A. Tversky. 1977. Additive similarity trees. *Psychometrika* **42**:319-345. [162, 163, 182]
- Schoener, T. W. 1970. Nonsynchronous spatial overlap of lizards in patchy habitats. *Ecology* **51**:408-418. [95]
- Schönemann, P. H. & R. M. Carroll. 1970. Fitting one matrix to another under choice of a central dilation and a rigid motion. *Psychometrika* **35**:245-256. [320]
- Sehuh, R. T. & J. S. Farris. 1981. Methods for investigating taxonomic congruence and their application to the Lep-topodomorpha. *Syst. Zool.* **30**:331-351. [337]
- Scott, A. J. & M. J. Symons. 1971. Clustering methods based on likelihood ratio criteria. *Biometrics* **27**:387-397. [156]
- Scott, G. H. 1980. The value of outline processing in the biometry and systematics of fossils. *Paleontology* **23**:757-768. [266]
- Shao, K. & F. J. Rohlf. 1983. Sampling distribution of consensus indices when all bifurcating trees are equally likely. In: Felsenstein (1983), pp. 132-136. [328]
- Shaukat, S. S. & M. Uddin. 1989. An application of canonical correlation and principal component analysis to the study of desert environment. *Abstr. Bot.* **13**:17-45. [236]
- Shepard, R. N. 1962. The analysis of proximities: multidimensional scaling with an unknown distance function. I-II. *Psychometrika* **27**:125-140, 219-246. [252]
- Shepard, R. N. 1980. Multidimensional scaling, tree-fitting, and clustering. *Science* **210**:390-398. [162, 255]
- Shepard, R. N. & J. D. Carroll. 1966. Parametric representation of nonlinear data structures. In: P. R. Krishnaiah (ed.), *Multivariate Analysis*. Academic, New York. pp. 561-592. [256]
- Shi, G. R. 1993. Multivariate data analysis in palaeoecology and palaeobiogeography – a review. *Palaeogeography, Palaeoclimatology, Palaeoecology* **105**:199-234. [104]
- Sibson, R. 1972. Order invariant methods for data analysis. *J. Roy. Stat. Soc. B* **34**:311-349. [256]
- Sibson, R. 1978. Studies in the robustness of multidimensional scaling: Procrustes statistics. *J. Roy. Stat. Soc. B.* **40**:234-238. [322]
- Smartt, P. F. M. & J. E. A. Grainger. 1974. Sampling for vegetation survey: some aspects of the behaviour of unrestricted and stratified techniques. *J. Biogeogr.* **1**:193-206. [20]
- Šmilauer, P. 1992. *CANODRAW 3.00 User's Guide*. Scientia, Budapest. [246, 274]
- Smith, P. G. & J. B. Phipps. 1984. Consensus trees in phenetic analysis. *Taxon* **33**:586-594. [337]
- Smith, S. P. & R. Dubes. 1980. Stability of hierarchical clustering. *Pattern Recognition* **12**:177-187. [165]
- Sneath, P. H. A. 1957. The application of computers to taxonomy. *J. Gen. Microbiol.* **17**:201-226, [143]
- Sneath, P. H. A. 1966. A comparison of different clustering methods as applied to randomly spaced points. *Classif. Soc. Bull.* **1**:2-18. [164]
- Sneath, P. H. A. 1995. Thirty years of numerical taxonomy. *Syst. Biol.* **44**:281-298. [169]
- Sneath, P. H. A. & R. R. Sokal. 1973. *Numerical Taxonomy*. Freeman, San Francisco. [25, 34, 35, 38, 50, 54, 98, 104, 114, 139, 141, 149, 161, 165, 169, 174, 175, 272, 309, 341]
- Sober, E. 1983. Parsimony in systematics: philosophical issues. *Ann. Rev. Ecol. Syst.* **14**:335-357. [177]
- Sober, E. 1988. *Reconstructing the Past: Parsimony, Evolution and Inference*. MIT Press, Cambridge, Mass. [177]
- Sokal, R. R. 1983. A phylogenetic analysis of the Caminalcules. I-IV. *Syst. Zool.* **32**:159-184, 185-201, 248-258, 259-275. [209, 210]
- Sokal, R. R. 1986. Phenetic taxonomy: theory and methods. *Ann. Rev. Ecol. Syst.* **17**:423-442. [169]
- Sokal, R. R. & C. D. Michener. 1958. A statistical method for evaluating systematic relationships. *Univ. Kansas Sci. Bull.* **38**:1409-1438. [65, 145]
- Sokal, R. R. & F. J. Rohlf. 1962. The comparison of dendrograms by objective methods. *Taxon* **11**:33-40. [164, 316]
- Sokal, R. R. & F. J. Rohlf. 1970. The intelligent ignoramus, an experiment in numerical taxonomy. *Taxon* **19**:305-319. [164]
- Sokal, R. R. & F. J. Rohlf. 1981a. *Biometry*. Freeman, San Francisco. [49, 54, 307, 331]

- Sokal, R. R. & F. J. Rohlf. 1981b. Taxonomic congruence in the Leptopodomorpha re-examined. *Syst. Zool.* **30**:309-325. [335]
- Sokal, R. R. & P. H. A. Sneath. 1963. *Principles of Numerical Taxonomy*. Freeman, San Francisco. [67, 68, 73, 169]
- Soó, R. 1964. *Növényföldrajz*. Tankönyvkiadó, Budapest. [65]
- Sorensen, T. 1948. A method for establishing groups of equal amplitude in plant sociology based on similarity of species content and its application to analyses of the vegetation on Danish commons. *Biol. Skr.* **5**(4):1-34. [145]
- Southwood, T. R. E. 1984. *Ökológiai módszerek*. Mezőgazdasági Kiadó, Budapest. [20, 23, 34]
- Späth, H. 1980. *Cluster Analysis Algorithms*. Ellis Horwood, Chichester. [132, 169, 170]
- Sporne, K. R. 1976. Character correlations among angiosperms and the importance of fossil evidence in assessing their significance. In: C. B. Beck (ed.), *Origin and Early Evolution of Angiosperms*. Columbia Univ. Press, New York. pp. 312-329. [185]
- Stauffer, D. F., E. O. Garton & R. K. Steinhorst. 1985. A comparison of principal components from real and random data. *Ecology* **66**:1693-1698. [32, 33]
- Steel, M. A. & D. Penny. 1993. Distributions of tree comparison metrics – Some new results. *Syst. Biol.* **42**:126-141. [323, 328, 343]
- Stinebrickner, R. 1984. *s*-consensus trees and indices. *Bull. Math. Biol.* **46**:923-935. [343]
- Stuessy, T. F. 1990. *Plant Taxonomy. The Systematic Evaluation of Comparative Data*. Columbia University Press, New York. [34, 54, 169, 174, 176, 184, 185, 206, 209, 272]
- Sváb, J. 1979. *Többváltozós módszerek a biometriában*. Mezőgazdasági Kiadó, Budapest. [7, 261]
- Swofford, D. L. 1981. On the utility of the distance Wagner procedure. In: Funk & Brooks (1981), pp. 25-43. [183]
- Swofford, D. L. 1990. *PAUP: Phylogenetic Analysis Using Parsimony*. Ver. 3.0. Illinois Natl. Hist. Surv., Champaign, Illinois. [207]
- Swofford, D. L. 1991. When are phylogeny estimates from molecular and morphological data incongruent? In: Miyamoto & Cracraft (1991), pp. 295-333. [335, 336, 337, 341]
- Swofford, D. L. & W. P. Maddison. 1987. Reconstructing ancestral character states under Wagner parsimony. *Math. Biosci.* **87**:199-229. [190]
- Swofford, D. L. & G. J. Olsen. 1990. Phylogeny reconstruction. In: D. M. Hillis & C. Moritz (eds), *Molecular Systematics*. Sinauer, Sunderland, Mass., USA. pp. 411-501. [35, 76, 93, 95, 179, 182, 187, 189, 201, 202, 203, 206, 209]
- Szőcs, Z. 1979. New computer-oriented methods for the study of natural and simulated vegetation structure. In: Orlóci et al. (1979), pp. 301-308. [31]
- Tateno, Y., M. Nei & F. Tajima. 1982. Accuracy of estimated phylogenetic trees from molecular data. I. Distantly related trees. *J. Mol. Evol.* **18**:387-404. [183]
- Telegdi, L. 1986. Többdimenziós skálázás. In: Móri, F. T. & Székely J. G. (1986) pp. 233-250. [61]
- ter Braak, C. J. F. 1983. Principal components biplots and alpha and beta diversity. *Ecology* **64**:454-462. [220, 224]
- ter Braak, C. J. F. 1985. Correspondence analysis of incidence and abundance data: properties in terms of a unimodal response model. *Biometrics* **41**:859-873. [240]
- ter Braak, C. J. F. 1986. Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology* **67**:1167-1179. [244]
- ter Braak, C. J. F. 1987. The analysis of vegetation-environment relationships by canonical correspondence analysis. *Vegetatio* **69**:69-77. [244]
- ter Braak, C. J. F. 1988. *CANOCO. A FORTRAN program for canonical community ordination by partial detrended canonical correspondence analysis, principal components analysis and redundancy analysis*. GLW, Wageningen, The Netherlands. [242, 246]
- ter Braak, C.J.F. 1990. Interpreting canonical correlation analysis through biplots of structural correlations and weights. *Psychometrika* **55**:519-531.
- ter Braak, C.J.F. 1996. *Unimodal Models to Relate Species to Environment*. DLO Agricultural Mathematics Group, Wageningen. [272]

- ter Braak, C. J. F. & I. C. Prentice. 1988. A theory of gradient analysis. *Adv. Ecol. Res.* **18**:271-317. [227, 236, 242, 243, 244, 246, 261, 272]
- Therrien, C. W. 1989. *Decision, Estimation, and Classification: An Introduction to Pattern Recognition and Related Topics*. Wiley, New York. [114, 116, 119, 132]
- Thompson, D'A. W. 1917. *On Growth and Form*. Cambridge Univ. Press, Cambridge. (új kiadás: 1961). [270]
- Torgerson, W. S. 1952. Multidimensional scaling: I. Theory and method. *Psychometrika* **17**:401-419. [247]
- Tóthmérész, B. 1986. Genetic distances I. *Acta Bot. Hung.* **32**:141-149. [95]
- Tóthmérész, B. 1994. NuCoSA. Programcsomag közösségi szintű botanikai, zoológiai és ökológiai vizsgálatokhoz. KLTE, Debrecen. [105]
- Tóthmérész, B. 1997. Weighted dissimilarity measures for binary data (in press).
- Tucker, L. R. 1972. Relations between multidimensional scaling and three-mode factor analysis. *Psychometrika* **37**:3-27.
- Tukey, J. W., J. H. Friedman & M. A. Fisher. 1976. PRIM-9, an interactive multidimensional data display and analysis system. Proc. 4th Internat. Congr. for Stereology, Sept. 4-9, 1975. Gaithersburg, Maryland. [42]
- Tukey, P. A. & J. W. Tukey. 1981a. Preparation; prechosen sequences of views. In: Barnett (1981), pp. 189-213. [42, 54]
- Tukey, P. A. & J. W. Tukey. 1981b. Data-driven view selection; agglomeration and sharpening. In: Barnett (1981), pp. 215-243. [54]
- Tukey, P. A. & J. W. Tukey. 1981c. Summarization; smoothing; supplemented views. In: Barnett (1981), pp. 245-275. [54]
- van Rijkevorsel, J. L. A. & J. de Leeuw. 1988. *Component and Correspondence Analysis*. Wiley, New York. [273]
- Wagner, W. H. Jr. 1961. Problems in the classification of ferns. *Recent Advances in Botany* **1**:841-844. [188]
- Ward, J. H. 1963. Hierarchical grouping to optimize an objective function. *J. Amer. Stat. Ass.* **58**:236-244. [138, 151]
- Wartenberg, D., S. Ferson & F. J. Rohlf. 1987. Putting things in order: a critique of detrended correspondence analysis. *Amer. Nat.* **129**:434-448. [242]
- Waterman, M. S., J. Joyce & M. Eggert. 1991. Computer alignment of sequences. In: Miyamoto & Cracraft (1991), pp. 59-72. [77]
- Waterman, M. S. & T. F. Smith. 1978. On the similarity of dendrograms. *J. theor. Biol.* **73**:789-800. [319]
- Watrous, L. E. & Q. D. Wheeler. 1981. The out-group comparison method of character analysis. *Syst. Zool.* **30**:1-11. [184]
- Wegman, E. J., D. B. Carr & Q. Luo. 1993. Visualizing multivariate data. In: C. R. Rao (ed.), *Multivariate Analysis: Future Directions*. Elsevier, Amsterdam. pp. 423-466. [54]
- Weir, A. D. 1970. Program DIVINFRE: a divisive classification on binary data, including re-allocation. Tech Memo. 70/7, CSIRO, Canberra. [159]
- Weir, B. S. 1990. *Genetic Data Analysis*. Sinauer, Sunderland. [77, 91, 94, 95, 181, 197, 202]
- Westhoff, V. & E. van der Maarel. 1978. The Braun-Blanquet approach. In: R. H. Whittaker (ed.), *Classification of Plant Communities*. Junk, The Hague. pp. 287-399. [21]
- Whittaker, R. H. 1967. Gradient analysis of vegetation. *Biol. Rev.* **49**:207-264. [237]
- Whittaker, R. H. (ed.) 1973. *Ordination and Classification of Vegetation*. Junk, The Hague. [169, 272]
- Whittaker, R. H. (ed.) 1978. *Ordination of Plant Communities*. Junk, The Hague. [272]
- Whittaker, R. H. & C. W. Fairbanks. 1958. A study of plankton copepod communities in the Columbia Basin, southeastern Washington. *Ecology* **39**:46-65. [90]
- Whittaker, R. J. 1987. An application of detrended correspondence analysis and nonmetric multidimensional scaling to the identification and analysis of environmental factor complexes and vegetation structure. *J. Ecol.* **75**:363-376. [304]
- Wiens, J. J. 1995. Polymorphic characters in phylogenetic systematics. *Syst. Biol.* **44**:482-500. [187]
- Wildi, O. 1989. A new numerical solution to traditional phytosociological tabular classification. *Vegetatio* **81**:96-106. [295]

- Wildi, O. & L. Orlóci. 1996. Numerical exploration of community patterns. A guide to the use of MULVA-5. 2nd ed. SPB Publishing, The Hague. [96, 275]
- Wiley, E. O. 1981. *Phylogenetics: The Theory and Practice of Phylogenetic Systematics*. Wiley, New York. [175]
- Williams, D. M. 1992. DNA Analysis: methods. In: Forey et al. (1993), pp. 102-123. [197]
- Williams, P. L. & W. M. Fitch. 1990. Phylogeny determination using dynamically weighted parsimony method. In: R. F. Doolittle (ed.), *Methods in Enzymology*. Vol. 183. Academic Press, San Diego. pp. 615-626. [197]
- Williams, W. T. 1971. Principles of clustering. *Ann. Rev. Ecol. Syst.* 2:303-326. [141, 142, 169]
- Williams, W. T. (ed.) 1976. *Pattern Analysis in Agricultural Science*. Elsevier, Amsterdam. [33, 150, 157, 169]
- Williams, W. T. & H. T. Clifford. 1971. On the comparison of two classifications of the same set of elements. *Taxon* 20:519-522. [316]
- Williams, W. T. & M. B. Dale. 1965. Fundamental problems in numerical taxonomy. *Adv. Bot. Res.* 2:35-68. [39]
- Williams, W. T. & J. M. Lambert. 1959. Multivariate methods in plant ecology. I. Association-analysis in plant communities. *J. Ecol.* 47:83-101. [158]
- Williams, W. T. & J. M. Lambert. 1960. Multivariate methods in plant ecology. II. The use of an electronic digital computer for association-analysis. *J. Ecol.* 48:689-710. [158]
- Williams, W. T. & J. M. Lambert. 1961a. Multivariate methods in plant ecology. III. Inverse association analysis. *J. Ecol.* 49:717-729. [288]
- Williams, W. T. & J. M. Lambert. 1961b. Nodal analysis of associated populations. *Nature* 191:202. [288]
- Williams, W. T., J. M. Lambert & G. N. Lance. 1966. Multivariate methods in plant ecology. V. Similarity analyses and information analysis. *J. Ecol.* 54:427-445. [153, 158]
- Williams, W. T. & G. N. Lance. 1968. Choice of strategy in the analysis of complex data. *The Statistician* 18:31-43. [236]
- Williams, W. T., G. N. Lance, L. J. Webb, J. G. Tracey & J. H. Connell. 1969. Studies in the numerical analysis of complex rain-forest communities. IV. A method for the elucidation of small-scale forest pattern. *J. Ecol.* 57:635-654. [23]
- Williamson, M. H. 1978. The ordination of incidence data. *J. Ecol.* 66:911-920. [251]
- Wirth, U. 1995. Caminalcules and Didaktozoa: Imaginary organisms as test examples for systematics. In: Opitz et al. (1995), pp. 421-433. [210]
- Wishart, D. 1969. An algorithm for hierarchical classifications. *Biometrics* 25:165-170. [89, 151, 160]
- Wishart, D. 1978. *Clustan User Manual*. 3rd ed. Edinburgh University. [123]
- Wolda, H. 1981. Similarity indices, sample size and diversity. *Oecologia* 50:296-302. [62, 74, 104]
- Wright, S. 1954. The interpretation of multivariate systems. In: O. Kempthorne (ed.), *Statistics and Mathematics in Biology*. Iowa State College Press, Ames. pp. 11-33. [273]
- Wright, S. 1978. *Evolution and the Genetics of Populations. Vol. 4. Variability within and among Natural Populations*. Univ. Chicago Press, Chicago. [92]
- Yule, G. U. & M. G. Kendall. 1964. *Bevezetés a statisztika elméletébe*. Közgazdasági és Jog, Budapest. [78]
- Zadeh, L. 1965. *Fuzzy Set Theory and its Applications*. Kluwer-Nijhoff, Boston. [127]
- Zahn, C. T. & R. Z. Roskies. 1972. Fourier descriptors for plane closed curves. *IEEE Trans. Comput.* C-21:269-281. [268]
- Zelditch, M. L., W. L. Fink & D. L. Swiderski. 1995. Morphometrics, homology and phylogenetics: Quantified characters as synapomorphies. *Syst. Biol.* 44:179-189. [272]