

## References

Each bibliographic item is followed by the page number(s) in brackets where the reference is made in this book. If an edited volume or conference proceedings is represented by several contributions, then only the editor's name and the page numbers are given, the full title is found under the name of the editor (see Ashlock 1984, in this page).

- Abrams, P. 1980. Some comments on measuring niche overlap. *Ecology* **61**:44-49. [102]
- Adams, E. N. 1972. Consensus techniques and the comparison of taxonomic trees. *Syst. Zool.* **21**:390-397. [345]
- Adegoke, J. A., U. Árnason & B. Widegren. 1993. Sequence organization and evolution, in all extant whalebone whales, of a DNA satellite with terminal chromosome localization. *Chromosoma* **102**:382-38. [180]
- Aldenderfer, M. S. & R. K. Blashfield. 1984. *Cluster Analysis*. Sage, Beverly Hills. [169]
- Anderberg, M. R. 1973. *Cluster Analysis for Applications*. Academic, New York. [20, 23, 31, 63, 64, 71, 102, 109, 117, 119, 123, 130, 140, 149, 151, 169, 171]
- Anderson, E. 1935. The irises of the Gaspé peninsula. *Bull. Amer. Iris Soc.* **59**:2-5. [50, 356]
- Anderson, E. 1936. The species problem in *Iris*. *Ann. Missouri Bot. Gard.* **23**:511-525. [50, 356]
- Anderson, T. W. 1958. *An Introduction to Multivariate Analysis*. Wiley, New York. [34]
- André, H. M. 1988. Variable centered methods and community classification. *Coenoses* **3**:69-78. [119, 120, 129]
- Arabie, P. & S. A. Boorman. 1973. Multidimensional scaling of measures of distance between partitions. *J. Math. Psychol.* **10**:148-203. [319]
- Archie, J. W., C. Simon & A. Martin. 1989. Small sample size does decrease the stability of dendrograms calculated from allozyme-frequency data. *Evolution* **43**:678-683. [30]
- Arvanitis, L. G. & W. G. O'Regan. 1967. Computer simulation and economic efficiency in forest sampling. *Hilgardia* **38**:133-164. [28]
- Arvanitis, L. G. & R. M. Reich. 1989. Sampling simulation with a microcomputer. *Coenoses* **4**:73-80. [28]
- Ashlock, P. D. 1984. Monophyly: Its meaning and importance. In: Duncan & Stuessy (1984), pp. 39-46. [178]
- Astolfi, P., K. K. Kidd & L. L. Cavalli-Sforza. 1981. A comparison of methods of reconstructing evolutionary trees. *Syst. Zool.* **30**:156-169. [212]
- Austin, B. & R. R. Colwell. 1977. Evaluation of some coefficients for use in numerical taxonomy of microorganisms. *Int. J. Syst. Bacteriol.* **27**: 204-210. [102]
- Austin, M. P. & P. Greig-Smith. 1968. The application of quantitative methods to vegetation survey. II. Some methodological problems of data from rain forest. *J. Ecol.* **56**:827-844. [29, 50]
- Backeljau, T., L. DeBruyn, H. De Wolf, K. Jordaens, S. van Dongen & B. Winnepenninckx. 1996. Multiple UPGMA and neighbor-joining trees and the performance of some computer packages. *Mol. Biol. Evol.* **13**:309-313. [141]

- Ball, G. H. & D. J. Hall. 1965. *ISODATA. A novel method of data analysis and pattern classification*. Stanford Res. Inst. Tech. Rep. No. AD699616. Stanford, CA. [117]
- Ballard, J. W. O. 1996. Combining data in phylogenetic analysis. *Trends Ecol. Evol.* **11**:334. [353]
- Barnett, V. (ed.) 1981. *Interpreting Multivariate Data*. Wiley, Chichester. [50]
- Baroni-Urbani, C. & M. W. Buser. 1976. Similarity of binary data. *Syst. Zool.* **25**:251-259. [66]
- Bartels, P. H., G. F. Bahr, D. W. Calhoun & G. L. Wied. 1970. Cell recognition by neighborhood grouping techniques in Ticas. *Acta Cytol.* **14**:313-324. [95]
- Bartha, S. & F. Horváth. 1987. Application of long transects and information theoretical functions to pattern detection. I. Transects versus isodiametric sampling units. *Abstr. Bot.* **11**:9-26. [27]
- Barthélemy, J. P. & F. R. McMorris. 1986. The median procedure for  $n$ -trees. *J. Classif.* **3**:329-334. [345]
- Barthélemy, J. P. & B. Monjardet. 1981. The median procedure in cluster analysis and social choice theory. *Math. Social Sci.* **1**:235-268. [342, 345]
- Bartlett, M. S. 1938. Further aspects of multiple regression. *Proc. Cambridge Phil. Soc.* **34**:33-40. [266]
- Batagelj, V. & M. Bren. 1995. Comparing resemblance measures. *J. Classif.* **12**:73-90. [102]
- Batterink, M. & G. Wijffels. 1983. Een vergelijkend vegetatiekundig onderzoek naar de typologie en invloeden van het beheer van 1973 tot 1982 in de Duinweilanden op Terschelling. Report, Agricultural University, Wageningen. pp. 101. [358]
- Baverstock, P. R. & C. Moritz. 1990. Sampling design. In: D. M. Hillis & C. Moritz (eds), *Molecular Systematics*. Sinauer, Sunderland, Mass., USA. pp. 13-24. [30]
- Beale, E. M. L. 1969. Euclidean cluster analysis. *Bull. I.S.I.* **43**:92-94. [120]
- Beale, E. M. L. & R. J. A. Little. 1975. Missing values in multivariate analysis. *J. R. Statist. Soc., B* **37**:129-145. [24]
- Belbin, L., D. P. Faith & G. W. Milligan. 1992. A comparison of two approaches to beta-flexible clustering. *Multivar. Behav. Res.* **27**:417-433. [149]
- Benzécri, J.-P. et al. 1973. *L'analyse des données II. L'analyse des correspondances*. Dunod, Paris. [242, 279]
- Bezdek, J. C. 1974. Numerical taxonomy with fuzzy set. *J. Math. Biol.* **1**:57-71. [127]
- Bezdek, J. C. 1981. *Pattern Recognition with Fuzzy Objective Function Algorithms*. Plenum, New York. [125, 127, 129]
- Bezdek, J. C. 1987. Some non-standard clustering algorithms. In: P. Legendre & L. Legendre (eds), *Developments in Numerical Ecology*. Springer, Berlin. pp. 225-287. [125, 129]
- Birks, H. J. B. & A. D. Gordon. 1985. *Numerical Methods in Quaternary Pollen Analysis*. Academic, London. [159]
- Birks, H. J. B., S. M. Peglar & H. A. Austin. 1996. An annotated bibliography of canonical correspondence analysis and related constrained ordination methods 1986-1993. *Abstr. Bot.* **20**:17-36. [241, 279]
- Blackith, R. E. & R. A. Reyment. 1971. *Multivariate Morphometrics*. Academic, London. [270, 279]
- Blashfield, R. K. 1976. Questionnaire on cluster analysis software. Unpubl. Paper., Penn. State Univ. [171]
- Blashfield, R. K. & M. S. Aldenderfer. 1978. The literature on cluster analysis. *Multivar. Behav. Res.* **13**:271-295. [169]
- Bobisud, H. M. & L. E. Bobisud. 1972. A metric for classifications. *Taxon* **21**:607-613. [136]
- Bock, R. D. 1975. *Multivariate Statistical Methods in Behavioral Research*. McGraw-Hill, New York. [240]
- Bookstein, F. L. 1990. Introduction and overview: geometry and biology. In: Rohlf & Bookstein (1990), pp. 61-76. [279]
- Bookstein, F. L. 1991. *Morphometric Tools for Landmark Data. Geometry and Biology*. Cambridge University Press, Cambridge. [270, 275, 276, 278, 279]
- Bookstein, F. L. 1993. A brief history of the morphometric synthesis. In: Marcus et al. (1993), pp. 15-40. [279]
- Bookstein, F., B. Chernoff, R. Elder, J. Humphries, G. Smith & R. Strauss. 1985. *Morphometrics in Evolutionary Biology*. Special Publ. No. 15. The Academy of Natural Sciences of Philadelphia. [39]
- Box, G. E. P. & D. R. Cox. 1964. An analysis of transformations. *J. Roy. Stat. Soc. ser. B.* **26**:211-243. [45]
- Boyce, A. J. 1969. Mapping diversity: a comparative study of some numerical methods. In: Cole (1969), pp. 1-31. [163]

- Bradfield & N. C. Kenkel. 1987. Nonlinear ordination using flexible shortest path adjustment of ecological distances. *Ecology* **68**:750-753. [257]
- Brambilla, C. & G. Salzano. 1981. A non-metric multidimensional scaling method for non-linear dimension reduction. *Quaderni*, Ser. III. N. 121. IAC, Roma. [260]
- Braun-Blanquet, J. 1965. *Plant Sociology: The Study of Plant Communities*. Hafner, London. [21, 295]
- Bray, J. R. & J. T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecol. Monog.* **27**:325-349. [82, 281]
- Bremer, K. 1990. Combinable component consensus. *Cladistics* **6**:369-372. [344]
- Bremer, K., C. J. Humphries, B. D. Mishler & S. P. Churchill. 1987. On cladistic relationships in green plants. *Taxon* **36**:339-349. [211]
- Brooks, D. R. 1981. Hennig's parasitological method: a proposed solution. *Syst. Zool.* **30**:229-249. [208]
- Brown, E. K. & W. H. E. Day. 1984. A computationally efficient approximation to the nearest neighbor interchange metric. *J. Classif.* **1**:93-124. [327]
- Brown, W. M., E. M. Prager, A. Wang & A. C. Wilson. 1982. Mitochondrial DNA sequences of primates: Tempo and mode of evolution. *J. Mol. Evol.* **18**:225-239. [199]
- Bruelheide, H. & T. Flintrap. 1994. Arranging phytosociological tables by species-relevé groups. *J. Veg. Sci.* **5**:311-316. [297]
- Brummitt, R. K. 1997. Taxonomy versus cladonomy, a fundamental controversy in biological systematics. *Taxon* **46**:723-734. [179]
- Bruynooghe, M. 1978. Classification ascendante hierarchique des grands ensembles de données: un algorithme rapide fonde sur la construction des voisinages reductibles. *Les Cahiers de L'Analyse des Données* **3**:7-33. [140]
- Bryant, E. H. 1986. On use of logarithms to accomodate scale. *Syst. Zool.* **35**:552-559. [50]
- Bryant, H. N. 1994. Comments on the phylogenetic definition of taxon names and conventions regarding the naming of crown clades. *Syst. Biol.* **43**:124-130. [211]
- Buneman, P. 1971. The recovery of trees from measures of dissimilarity. In: Hodson et al. (1971), pp. 387-395. [162]
- Burgman, M. A. 1987. An analysis of the distribution of plants on granite outcrops in southern Western Australia using Mantel tests. *Vegetatio* **71**:79-86. [351]
- Bumaby, T. P. 1970. On a method for character weighting a similarity coefficient, employing the concept of information. *J. Int. Assoc. Math. Geol.* **2**:25-38. [110]
- Cain, S. A. & G. M. de O. Castro. 1959. *Manual of Vegetation Analysis*. Harper, New York. [8]
- Cain, A. J. & G. A. Harrison. 1958. An analysis of the taxonomist's judgement of affinity. *Proc. Zool. Soc. Lond.* **131**:85-98. [78]
- Calinski, R. B. & J. Harabasz. 1974. A dendrite method for cluster analysis. *Communications in Stat.* **3**:1-27. [165]
- Camin, J. H. & R. R. Sokal. 1965. A method for deducing branching sequences in phylogeny. *Evolution* **19**:311-326. [176, 189]
- Campbell, B. M. 1978. Similarity coefficients for classifying relevés. *Vegetatio* **37**:101-109. [102]
- Carleton, T. J. 1980. Non-centered component analysis of vegetation data: a comparison of orthogonal and oblique rotation. *Vegetatio* **42**:59-66. [229]
- Carlier, A. & P. M. Kroonenberg. 1996. Decompositions and biplots in three-way correspondence analysis. *Psychometrika* **61**. [284]
- Carroll, J. D. 1976. Spatial, non-spatial and hybrid model for scaling. *Psychometrika* **41**:439-463. [162]
- Carroll, J. D. & J. J. Chang. 1970. Analysis of individual differences in multidimensional scaling via an N-way generalization of "Eckart-Young" decomposition. *Psychometrika* **35**:283-319. [284]
- Cattell, R. B. 1966. The scree test for the number of factors. *Multivar. Behavioral Res.* **1**:140-161. [220]
- Cattell, R. B. 1978. *The Scientific Use of Factor Analysis in Behavioral and Life Sciences*. Plenum, New York [234, 279]
- Cavalli-Sforza, L. L. & A. W. F. Edwards. 1967. Phylogenetic analysis: models and estimation procedures. *Evolution* **32**:550-570. [91, 173, 180, 184]

- Cavalli-Sforza, L. L., A. Piazza, P. Menozzi & J. L. Mountain. 1988. Reconstruction of human evolution: bringing together genetic, archaeological and linguistic data. *Proc. Natl. Acad. Sci. USA* **85**:6002-6006. [176, 177]
- Chandon, J. L., J. Lemaire & J. Pouget. 1980. Construction de l'ultramétrie la plus proche d'une dissimilarité au sens des moindres carrés. *Op. Res.* **14**:157-170. [155]
- Chapman, R. E. 1990. Conventional Procrustes approaches. In: Rohlf & Bookstein (1990), pp. 251-267. [276]
- Chatfield, C. & A. J. Collins. 1980. *Introduction to Multivariate Analysis*. Chapman and Hall, London. [26, 34, 233, 278]
- Chaw, S.-M., A. Zharkikh, H.-M. Sung, T.-C. Lau & W.-H. Li. 1997. Molecular phylogeny of extant gymnosperms and seed plant evolution: analysis of nuclear 18S rRNA sequences. *Mol. Biol. Evol.* **14**:56-68. [212]
- Cheetham, A. H. & J. E. Hazel. 1969. Binary (presence/absence) similarity coefficients. *J. Paleont.* **43**:1130-1136. [101]
- Chernoff, H. 1973. Using faces to represent points in  $k$ -dimensional space graphically. *J. Amer. Stat. Assoc.* **68**:361-368. [37]
- Clark, P. J. 1952. An extension of the coefficient of divergence for use with multiple characters. *Copeia* **2**:61-64. [81]
- Clifford, H. T. & W. Stephenson. 1975. *An Introduction to Numerical Classification*. Academic, New York. [80, 129, 169]
- Clymo, R. S. 1980. Preliminary survey of the peat-bog Hummell Knowe Moss using various numerical methods. *Vegetatio* **42**:129-148. [256]
- Cochran, W. G. 1977. *Sampling Techniques*. 3rd ed. Wiley, New York. [30]
- Cole, A. J. (ed) 1969. *Numerical Taxonomy*. Academic, London. [30, 170]
- Colless, D. H. 1980. Congruence between morphometric and allozyme data for *Menidia* species: a reappraisal. *Syst. Zool.* **29**:288-299. [346]
- Cooley, W. W. & P. R. Lohnes. 1971. *Multivariate Data Analysis*. Wiley, New York. [235, 236, 264, 266, 278]
- Cormack, R. M. 1971. A review of classification. *J. Roy. Stat. Soc. ser. A*, **134**:321-367. [169]
- Cormack, R. M., G. P. Patil & D. S. Robson. (eds.) 1979. *Sampling Biological Populations*. Internat. Cooperative Publ. House, Burtonsville, MD, USA. [30]
- Cracraft, J. & K. Helm-Bychowski. 1991. Parsimony and phylogenetic inference using DNA sequences: Some methodological strategies. In: Miyamoto & Cracraft (1991), pp. 184-220. [203, 353]
- Cramér, H. 1946. *The Elements of Probability Theory and Some of its Applications*. Wiley, New York. [71]
- Crawford, R. M. M. & D. Wishart. 1968. A rapid classification and ordination method and its application to vegetation mapping. *J. Ecol.* **56**:385-404. [158]
- Crisci, J. V. & T. F. Stuessy. 1980. Determining primitive character states for phylogenetic reconstruction. *Syst. Bot.* **5**:112-135. [188]
- Critchlow, D. E. 1985. *Metric Methods for Analyzing Partially Ranked Data*. Lect. Notes in Statistics 34. Springer, Berlin. [75]
- Dabinett P. E. & A. M. Wellman. 1978. Numerical taxonomy of certain genera of Fungi Imperfecti and Ascomycotina. *Can. J. Bot.* **56**:2031-2049. [172]
- Dale, M. B. 1988. Knowing when to stop: cluster concept - concept cluster. *Coenoses* **3**:11-32. [165]
- Dale, M. B. 1989. Dissimilarity for partially ranked data and its application to cover-abundance data. *Vegetatio* **82**:1-12. [75]
- Dale, M. B. 2000. On plexus representation of dissimilarities. *Community Ecology* **1**:43-56. [311]
- Dale, M. B. & D. J. Anderson. 1973. Inosculate analysis of vegetation data. *Austr. J. Bot.* **21**:253-276. [298]
- Dale, M. B., M. Beatrice, R. Venanzoni & C. Ferrari. 1986. A comparison of some methods of selecting species in vegetation analysis. *Coenoses* **1**:35-52. [286]
- Dale, M. B. & W. T. Williams. 1978. A new method for species-reduction for ecological data. *Australian J. Ecol.* **3**:1-5. [291]
- Darroch, J. N. & J. E. Mosimann. 1985. Canonical and principal components of shape. *Biometrika* **72**:241-252. [46]
- Darwin, C. 1959. *On the Origin of Species by Means of Natural Selection*. Murray, London. [176]

- Day, W. H. E. 1981. The complexity of computing metric distances between partitions. *Math. Soc. Sci.* **1**:269-287. [321, 322]
- Day, W. H. E. 1983. Computationally difficult parsimony problems in phylogenetic systematics. *J. theor. Biol.* **103**:429-438. [197]
- Day, W. H. E. 1988. Consensus methods as tools for data analysis. In: H. H. Bock (ed.), *Classification and Related Methods of Data Analysis*. North-Holland, Amsterdam. pp. 317-324. [351]
- Day, W. H. E. & H. Edelsbrunner. 1984. Efficient algorithms for agglomerative hierarchical clustering methods. *J. Classif.* **1**:7-24. [169]
- Dawkins, R. 1986. *The Blind Watchmaker*. Longman, London. [210]
- De'ath, G. 1999. Principal curves: a new technique for indirect and direct gradient analysis. *Ecology* **80**: 2237-2253. [283]
- Degens, P. O. 1983. Hierarchical cluster methods as maximum likelihood estimators. In: Felsenstein, J. (1983), pp. 249-253. [180]
- De Queiroz, K. & J. Gauthier. 1990. Phylogeny as a central principle in taxonomy: phylogenetic definitions of taxon names. *Syst. Zool.* **39**:307-322. [211]
- Devereux, J., P. Haeblerli & O. Smithies. 1984. A comprehensive set of sequence programs for the VAX. *Nucleic Acids Res.* **12**:387-395. [102]
- Dévai, I., K. Horváth & P. Juhász-Nagy. 1971. Some problems of model-building in synbiology. Part 1. Spatial diversity process of the binary type in a simple situation. *Ann. Univ. Sci. Budapest., Sect. Biol.* **13**:19-32. [18]
- Diday, E. & J. C. Simon. 1976. Clustering analysis. In: K. S. Fu (ed.), *Digital Pattern Recognition*. Springer, New York. pp. 47-94. [75, 169, 342]
- Dietz, E. J. 1983. Permutation tests for association between two distance matrices. *Syst. Zool.* **32**:21-26. [351]
- Digby, P. G. N. & R. A. Kempton. 1987. *Multivariate Analysis of Ecological Communities*. Chapman & Hall, London. [29, 50, 160, 170, 216, 229, 240, 253, 255, 260, 278, 350]
- Dillon, W. R. & M. Goldstein. 1984. *Multivariate Analysis*. Wiley, New York. [34, 267, 268, 278]
- Dobson, A. J. 1975. Comparing the shapes of trees. *Lecture Notes in Mathematics* **452**:95-100. Springer, Berlin. [327]
- Doolittle, W. F. 1999. Phylogenetic classification and the universal tree. *Science* **284**:2124-2128. [178]
- Douglas, M. E. & J. A. Endler. 1982. Quantitative matrix comparisons in ecological and evolutionary investigations. *J. theor. Biol.* **99**:777-795. [351]
- Downton, M. & T. Brennan. 1980. Comparing classifications: an evaluation of several coefficients of partition agreement. *Classification Soc. Bull.* **4**(4):53-54. [319]
- Dubes, R. & A. K. Jain. 1976. Clustering techniques: the user's dilemma. *Pattern Recognition* **8**:247-260. [169]
- Dubes, R. & A. K. Jain. 1979. Validity studies in clustering methodologies. *Pattern Recognition* **11**:235-254. [169]
- DuBien, J. L. & W. D. Warde. 1979. A mathematical comparison of the members of an infinite family of agglomerative clustering algorithms. *Can. J. Stat.* **7**:29-38. [148]
- Duncan, T., R. B. Phillips & W. H. Wagner, Jr. 1980. A comparison of branching diagrams derived by various phenetic and cladistic methods. *Syst. Bot.* **5**:264-293. [186, 212, 213]
- Duncan, T. & T. F. Stuessy. 1984. *Cladistics: Perspectives on the Reconstruction of Evolutionary History*. Columbia University Press, New York. [30, 209]
- Duncan, T. & T. F. Stuessy. 1985. *Cladistic Theory and Methodology*. Van Nostrand Reinhold, New York.
- Dunn, G. & B. S. Everitt. 1982. *An Introduction to Mathematical Taxonomy*. Cambridge Univ. Press, Cambridge. [30, 50, 160, 170, 171, 278]
- Eckes, T. 1993. A two-mode clustering study of situations and their features. In: Opitz et al. (1993), pp. 510-517. [297]
- Edwards A. W. F. & L. L. Cavalli-Sforza. 1965. A method for cluster analysis. *Biometrics* **21**:362-375. [155]
- Efron, B. 1982. *The Jackknife, the Bootstrap, and Other Resampling Methods*. Society for Industrial and Applied Mathematics. CBMS-NSF Monograph 38. [28]

- Ellenberg, 1956. Aufgaben und Methoden der Vegetationskunde. In: H. Walter (ed.), *Einführung in die Phytologie*. Vol. 4. Part I. Ulmer, Stuttgart. [84]
- Elliott, J. M. 1977. *Some methods for the statistical analysis of samples of benthic invertebrates*. Sci. Publ. No. 25, Freshwater Biol. Assoc., Ferry House, U.K. [17]
- Equihua, M. 1990. Fuzzy clustering of ecological data. *J. Ecol.* **78**:519-534. [129]
- Erdei, Zs. & B. Tóthmérész. 1993. MULTI-PATTERN 1.00: Program package to analyze and simulate community-wide patterns. *Tiscia* **27**:45-48. [28]
- Estabrook, G. F. 1972. Cladistic methodology: a discussion of the theoretical basis for the induction of evolutionary history. *Ann. Rev. Ecol. Syst.* **3**:427-456. [177]
- Estabrook, G. F., C. S. Johnson, Jr. & F. R. McMorris. 1976. A mathematical foundation for the analysis of character compatibility. *Math. Biosci.* **23**:181-187. [201]
- Everitt, B. S. 1974. *Cluster Analysis* (1st ed.). Heinemann, London. [169]
- Everitt, B. S. 1978. *Graphical Techniques for Multivariate Data*. Heinemann, London. [50]
- Everitt, B. S. 1979. Unresolved problems in cluster analysis. *Biometrics* **35**:169-181. [169]
- Everitt, B. S. 1980. *Cluster Analysis* (2nd ed.). Heinemann, London. [129, 136]
- Everitt, B. S. & P. Nicholls. 1975. Visual techniques for representing multivariate data. *Statistician* **24**:37-49. [50]
- Fager, E. W. & J. A. McGowan 1963. Zooplankton species groups in the North Pacific. *Science* **140**:453-460. [68]
- Faith, D. P. 1983. Asymmetric binary similarity measures. *Oecologia* **57**:287-290. [67]
- Faith, D. P. 1984. Patterns of sensitivity of association measures in numerical taxonomy. *Math. Biosci.* **69**:199-207. [86, 87]
- Faith, D. P. 1985. Distance methods and the approximation of most-parsimonious trees. *Syst. Zool.* **34**:312-325. [185]
- Faith, D. P. 1997. Can ordination tell us something about cladistic data that cladistics don't tell us? A response to Parnell and Waldren. *Taxon* **46**:529-534. [278]
- Faith, D. P., P. R. Minchin & L. Belbin. 1987. Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio* **69**:57-68. [87, 102]
- Farris, J. S. 1967. The meaning of relationship and taxonomic procedure. *Syst. Zool.* **16**:44-51. [161]
- Farris, J. S. 1969. A successive approximations approach to character weighting. *Syst. Zool.* **18**:374-385. [25]
- Farris, J. S. 1970. Methods for computing Wagner trees. *Syst. Zool.* **19**:83-92. [177, 188, 189]
- Farris, J. S. 1972. Estimating phylogenetic trees from distance matrices. *Am. Nat.* **106**:645-668. [185]
- Farris, J. S. 1973. On comparing the shapes of taxonomic trees. *Syst. Zool.* **22**:50-54. [324]
- Farris, J. S. 1974. Formal definitions of paraphyly and polyphyly. *Syst. Zool.* **23**:548-554. [179]
- Farris, J. S. 1977. Phylogenetic analysis under Dollo's Law. *Syst. Zool.* **26**:77-88. [189]
- Farris, J. S. 1988. *HENNIG86, version 1.5*. Distributed by the author, Port Jefferson Station, NY. [210]
- Farris, J. S. 1989. The retention index and the rescaled consistency index. *Cladistics* **5**:417-419. [200]
- Fasham, M. J. R. 1977. A comparison of nonmetric multidimensional scaling, principal components and reciprocal averaging for the ordination of simulated coenoclines, and coenoplanes. *Ecology* **58**:551-561. [350]
- Felsenstein, J. 1978. The number of evolutionary trees. *Syst. Zool.* **27**:27-33. [195]
- Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *J. Mol. Evol.* **17**:368-376. [204]
- Felsenstein, J. (ed.) 1983. *Numerical Taxonomy*. Springer, Berlin.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* **39**:783-791. [29, 213, 353]
- Felsenstein, J. 1993. PHYLIP. *Phylogeny Inference Package*. University of Washington, Seattle. [180, 184, 185, 186, 194, 198, 199, 210, 212]
- Foeli, E. & M. Lagonegro. 1983. A resemblance function based on probability. Application to field and simulated data. *Vegetatio* **53**:3-9. [110]
- Foeli, E., M. Lagonegro & L. Orlóci. 1984. *Information Analysis in Vegetation Research*. Junk, The Hague. [102, 104, 170]

- Feoli, E. & L. Orlóci. 1979. Analysis of concentration and detection of underlying factors in structured tables. *Vegetatio* **40**:49-54. [300]
- Feoli, E. & L. Orlóci. (eds.) 1991. *Computer Assisted Vegetation Analysis*. Kluwer, Dordrecht. [170]
- Feoli, E. & V. Zuccarello. 1986. Ordination based on classification: yet another solution? *Abstr. Bot.* **10**:203-219. [281]
- Ferson, S., F. J. Rohlf & R. K. Koehn. 1985. Measuring shape variation of two-dimensional outlines. *Syst. Zool.* **34**:59-68. [275]
- Fiala, K. L. & R. R. Sokal. 1985. Factors determining the accuracy of cladogram estimation: Evaluation using computer simulation. *Evolution* **39**:609-622. [213]
- Fienberg, S. E. 1970. The analysis of multidimensional contingency tables. *Ecology* **51**:419-433. [290]
- Finden, C. R. & A. D. Gordon. 1985. Obtaining common pruned trees. *J. Classif.* **2**:255-276. [346]
- Fisher, D. C. 1992. Stratigraphic parsimony. In: Maddison & Maddison (1992), pp. 124-129. [176, 190]
- Fisher, R. A. 1936. The use of multiple measurements in taxonomic problems. *Ann. Eugenics* **7**:179-188. [268]
- Fisher, R. A. 1963. *Statistical Methods for Research Workers*. 13th ed. Oliver and Boyd, Edinburgh. [97]
- Fitch, W. M. 1971. Toward defining the course of evolution: Minimum change for a specific tree topology. *Syst. Zool.* **20**:406-416. [189]
- Fitch, W. M. 1982. A non-sequential method for constructing a hierarchical classification. *J. Mol. Evol.* **18**:30-37. [184, 185]
- Fitch, W. M. 1984. Cladistics and other methods: problems, pitfalls and potentials. In: Duncan & Stuessy (1984), pp. 221-252. [25, 186]
- Fitch, W. M. & E. Margoliash. 1967. Construction of phylogenetic trees. *Science* **155**:279-284. [183]
- Florek, K., J. Lukaszewicz, J. Perkal, H. Steinhaus & S. Zubrzycki. 1951. Sur la liaison et la division des points d'un ensemble fini. *Colloq. Math.* **2**:282-285. [142]
- Forey, P. L., C. J. Humphries, I. J. Kitching, R. W. Scotland, D. J. Siebert & D. M. Williams. 1992. *Cladistics. A Practical Course in Systematics*. Clarendon, Oxford. [30, 208]
- Forgy, E. W. 1965. Cluster analysis of multivariate data: efficiency versus interpretability of classifications. *Biometrics* **21**:768-769. [114]
- Fowlkes, E. B. & C. L. Mallows. 1980. A new measure of similarity between two hierarchical clusterings and its use in studying hierarchical clustering methods. *Classification Soc. Bull.* **4**(4):54. [319]
- Fowlkes, E. B., R. Gnanadesikan & J. R. Kettenring. 1988. Variable selection in clustering. *J. Classif.* **5**:205-228. [309]
- Frank, O. & K. Svensson. 1981. On probability distributions of single linkage dendrograms. *J. Stat. Comput. Simul.* **12**:121-131. [173]
- Frontier, S. (ed.) 1983. *Stratégies d'échantillonnage en écologie*. Masson, Paris. [30]
- Funk, V. A. & D. R. Brooks. (eds.) 1981. *Advances in Cladistics: Proceedings of the first meeting of the Willi Hennig Society*. New York Botanical Garden, Bronx, New York. [209]
- Gabriel, K. R. 1971. The biplot graphic display of matrices with application to principal component analysis. *Biometrika* **58**:453-467. [220]
- Gabriel, K. R. 1981. Biplot display of multivariate matrices for inspection of data and diagnosis. In: Barnett (1981), pp. 147-173. [224]
- Gale, N., W. C. Halperin & C. M. Costanzo. 1984. Unclassed matrix shading and optimal ordering in hierarchical cluster analysis. *J. Classif.* **1**:75-92. [302, 307]
- Ganis, P. 1991. NICHE - Programs for niche breadth, overlap and hypervolumes. In: Feoli & Orlóci (1991), pp. 469-487. [102]
- Garcia, H. & J. M. Proth. 1985. Group technology in production management: the short horizon planning level. *J. Appl. Stochast. Models Data Anal.* **1**:25-34. [301]
- Gascuel, O. 1994. A note on Sattath and Tversky's, Saitou and Nei's and Studier and Keppeler's algorithms for inferring phylogenies from evolutionary distances. *Mol. Biol. Evol.* **11**:961-963. [185]
- Gauch, H. G. 1977. *ORDIFLEX. Release B*. Ecology and Systematics, Cornell University, Ithaca, NY. [280]

- Gauch, H. G. 1979. *COMPCLUS - A FORTRAN Program for Rapid Initial Clustering of Large Data Sets*. Cornell University, Ithaca, N.Y. [123, 130]
- Gauch, H. G. 1980. Rapid initial clustering of large data sets. *Vegetatio* **42**:103-111. [123]
- Gauch, H. G. 1982. *Multivariate Analysis in Community Ecology*. Cambridge Univ. Press, Cambridge. [17, 29, 30, 129, 131, 170, 248, 278, 281]
- Gauch, H. G. & R. H. Whittaker. 1981. Hierarchical classification of community data. *J. Ecol.* **69**:135-152. [170]
- Gauch, H. G., R. H. Whittaker & S. B. Singer. 1981. A comparative study of nonmetric ordinations. *J. Ecol.* **69**:135-152. [260, 350]
- Gauch, H. G., R. H. Whittaker & T. R. Wentworth. 1977. A comparative study of reciprocal averaging and other ordination techniques. *J. Ecol.* **65**:157-174. [350]
- Gingerich, P. D. 1979. Paleontology, phylogeny and classification: An example from the mammalian fossil record. *Syst. Zool.* **28**:451-464. [187]
- Giri, N. C. 1977. *Multivariate Statistical Inference*. Academic, New York. [268]
- Gittins, R. 1965. Multivariate approaches to a limestone grassland community. I-III. *J. Ecol.* **53**:385-401, 403-409, 411-425. [35]
- Gittins, R. 1979. Ecological applications of canonical analysis. In: Orlóci et al. (1979), pp. 309-535. [235, 237, 239, 240]
- Gittins, R. 1985. *Canonical Analysis. A Review with Applications in Ecology*. Springer, Berlin. [237, 279]
- Gleason, H. A. 1920. Some applications of the quadrat method. *Bull. Torrey bot. Club.* **47**:21-33. [83]
- Goldberg, D. E. 1989. *Genetic Algorithms in Search, Optimization and Machine Learning*. Addison-Wesley, Reading, Mass. [131]
- Goldmann, K. 1971. Some archaeological criteria for chronological seriation. In: F. R. Hodson et al. (1971), pp. 202-208. [302]
- Goodall, D. W. 1953. Objective methods for the classification of vegetation I. The use of positive interspecific correlation. *Aust. J. Bot.* **1**:39-63. [156]
- Goodall, D. W. 1954. Objective methods for the classification of vegetation III. An essay in the use of factor analysis. *Aust. J. Bot.* **2**:304-324. [215]
- Goodall, D. W. 1964. A probabilistic similarity index. *Nature* **203**:1098. [96]
- Goodall, D. W. 1966. A new similarity index based on probability. *Biometrics* **22**:882-907. [96, 97]
- Goodall, D. W. 1968. Affinity between an individual and a cluster in numerical taxonomy. *Biom. Praxis.* **9**:52-55. [97]
- Goodall, D. W. 1973a. Sample similarity and species correlation. In: Whittaker (1973), pp. 107-156. [35, 61, 84, 101]
- Goodall, D. W. 1973b. Numerical classification. In: Whittaker (1973), pp. 577-615. [35]
- Goodall, D. W., P. Ganis & E. Feoli. 1991. Probabilistic methods in classification: a manual for seven computer programs. In: Feoli & Orlóci (1991), pp. 453-467. [104]
- Goodman, L. A. & W. H. Kruskal. 1954. Measures of association for cross-classifications. *J. Amer. Stat. Assoc.* **49**:732-764. [71, 76, 321]
- Goodman, M. 1981. Decoding the pattern of protein evolution. *Prog. Biophys. Mol. Biol.* **37**:105-164. [212]
- Gordon, A. D. 1981. *Classification*. Chapman & Hall, London. [20, 24, 50, 113, 119, 129, 159, 160, 169, 258, 278, 295, 297]
- Gordon, A. D. 1987. A review of hierarchical classification. *J. Roy. Stat. Soc. A*, **150**:119-137. [140, 164, 169]
- Gordon, A. D. 1990. Constructing dissimilarity measures. *J. Classif.* **7**:257-269. [109]
- Gordon, A. D. 1996. Hierarchical classification. In: P. Arabie, L. Hubert & G. DeSoete (eds.), *Clustering and Classification*. World Scientific, River Edge, NJ. pp. 65-121. [169]
- Gordon, A. D. 1998. Cluster validation. In: C. Hayashi, N. Ohsumi, K. Yajima, Y. Tanaka, H.-H. Bock & Y. Baba (eds.), *Data Science, Classification, and Related Methods*. Springer, Tokyo. pp. 22-39 [165]
- Gordon, A. D. & H. J. B. Birks. 1972. Numerical methods in Quaternary palaeoecology I. Zonation of pollen diagrams. *New Phytol.* **71**:961-979. [158, 159]



- Gosliner, T. M. & M. T. Ghiselin. 1984. Parallel evolution in opisthobranch gastropods and its implications for phylogenetic methodology. *Syst. Zool.* **33**:255-274. [188]
- Gould, S. J. 1983. *Hen's Teeth and Horse's Toes. Further Reflections on Natural History*. W. W. Norton, New York. [176, 179, 210]
- Gower, J. C. 1966. Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika* **53**:325-338. [253]
- Gower, J. C. 1967. A comparison of some methods of cluster analysis. *Biometrics* **23**:623-637. [148]
- Gower, J. C. 1971a. Statistical methods of comparing different multivariate analyses of the same data. In: Hodson et al. (1971). pp. 138-149. [328, 330]
- Gower, J. C. 1971b. A general coefficient of similarity and some of its properties. *Biometrics* **27**:857-871. [98]
- Gower, J. C. 1975. Generalized Procrustes analysis. *Psychometrika* **40**:33-51. [347]
- Gower, J. C. 1977. The analysis of asymmetry and orthogonality. In: J. Barra et al. (eds.), *Recent Developments in Statistics*. North Holland, Amsterdam. pp. 109-123. [70]
- Gower, J. C. 1983. Comparing classifications. In: Felsenstein (1983), pp. 137-155. [316]
- Gower, J. C. 1996. *Biplots*. Chapman and Hall, London. [278]
- Gower, J. C. & C. F. Banfield. 1975. Goodness-of-fit criteria for hierarchical classification and their empirical distributions. In: Proc. 8th Biometric Conf. pp. 347-361. [164]
- Gower, J. C. & P. Legendre. 1986. Metric and Euclidean properties of dissimilarity coefficients. *J. Classif.* **3**:5-48. [57, 59, 63, 68, 79, 102, 105, 334]
- Gower, J. C. & G. J. S. Ross. 1969. Minimum spanning trees and single linkage cluster analysis. *Appl. Stat.* **18**:54-64. [160]
- Graham, R. L. & L. R. Foulds. 1982. Unlikelihood that minimal phylogenies for a realistic biological study can be constructed in reasonable computational time. *Math. Biosci.* **60**:133-142. [196]
- Green, B. F. 1952. The orthogonal approximation of an oblique structure in factor analysis. *Psychometrika* **17**:429-440. [328]
- Green, R. H. 1971. A multivariate statistical approach to the Hutchinsonian niche: bivalve molluscs of central Canada. *Ecology* **52**:543-556. [61]
- Green, R. H. 1979. *Sampling Design and Statistical Methods for Environmental Biologists*. Wiley, New York. [14, 16, 17, 18, 29, 50, 170]
- Greenacre, M. J. 1984. *Theory and Applications of Correspondence Analysis*. Academic Press, London. [29, 34, 248, 279]
- Greenacre, M. J. & E. S. Vrba. 1984. Graphical display and interpretation of antelope census data in African wildlife areas, using correspondence analysis. *Ecology* **65**:984-997. [246]
- Greig-Smith, P. 1983. *Quantitative Plant Ecology*. 3rd ed. Blackwell, Oxford. [15, 16, 18, 19, 27, 29, 101, 170, 278, 295]
- Grimm, E. C. 1987. CONISS: A FORTRAN 77 program for stratigraphically constrained cluster analysis by the method of incremental sum of squares. *Comp. Geosci.* **13**:13-35. [158, 171]
- Groenen, P. J. F. 1993. A comparison of two methods for global optimization in multidimensional scaling. In: Opitz et al. (1993), pp. 145-155. [261]
- Grötschel, M. & Y. Wakabayashi. 1990. Facets of the clique partitioning polytope. *Math. Prog.* **47**:367-387. [130]
- Gusfield, D. 1997. *Algorithms on Strings, Trees and Sequences*. Cambridge Univ. Press, Cambridge. [73]
- Hajdu, L. 1981. Graphical comparison of resemblance measures in phytosociology. *Vegetatio* **48**:47-59. [58, 76, 101, 334]
- Harshman, R. A. 1970. Foundations of the PARAFAC procedure: Models and methods for an "explanatory" multi-mode factor analysis. *UCLA Working Papers in Phonetics* **16**:1-84. [284]
- Hartigan, J. A. 1967. Representation of similarity matrices by trees. *J. Amer. Statist. Ass.* **62**:1140-1158. [164]
- Hartigan, J. A. 1972. Direct clustering of a data matrix. *J. Am. Stat. Assoc.* **67**:123-129. [297, 298]
- Hartigan, J. A. 1975. *Clustering Algorithms*. Wiley, New York. [37, 114, 117, 118, 122, 123, 129, 130, 296, 307-308]

- Hartigan, J. A. 1981. Block clustering. In: W. J. Dixon (ed.), *BMDP Statistical Software*. Univ. Calif. Press, Berkeley. pp. 474-478. [297]
- Harvey, L. E., F. W. Davis & N. Gale. 1988. The analysis of class dispersion patterns using matrix comparisons. *Ecology* **69**:537-542. [351]
- Harvey, P. H. & M. D. Pagel. 1990. *The Comparative Method in Evolutionary Biology*. Oxford Univ. Press, Oxford. [188]
- Hastie, T. J. & W. Stuetzle. 1989. Principal curves. *J. Amer. Stat. Assoc.* **84**: 402-516. [283]
- Hendy, M. D. & D. Penny. 1982. Branch and bound algorithms to determine minimal evolutionary trees. *Math. Biosci.* **59**:277-290. [196]
- Hendy, M. D., C. H. C. Little & D. Penny. 1984. Comparing trees with pendant vertices labelled. *SIAM J. Appl. Math.* **44**:1054-1065. [331]
- Hennig, W. 1950. *Grundzüge einer Theorie der phylogenetischen Systematik*. Deutscher Zentralverlag, Berlin. [186]
- Hennig, W. 1966. *Phylogenetic Systematics*. Univ. Illinois Press, Urbana. [178, 186, 208]
- Hill, M. O. 1973. Reciprocal averaging: an eigenvector method of ordination. *J. Ecol.* **61**:237-249. [242, 243]
- Hill, M. O. 1979a. *TWINSPAN. A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes*. Cornell Univ., Ithaca, NY. pp. 90. [155, 171, 302, 308]
- Hill, M. O. 1979b. *DECORANA. A FORTRAN Program for Detrended Correspondence Analysis and Reciprocal Averaging*. Cornell Univ., Ithaca. [246, 248, 280]
- Hill, M. O. & H. G. Gauch. 1980. Detrended correspondence analysis, an improved ordination technique. *Vegetatio* **42**:47-58. [248]
- Hillis, D. M. 1984. Misuse and modification of Nei's genetic distance. *Syst. Zool.* **33**:238-240. [90]
- Hillis, D. M. & J. J. Bull. 1993. An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Syst. Biol.* **42**:182-192. [29, 354]
- Hodson, F. R., D. G. Kendall & P. Tautu (eds). 1971. *Mathematics in the Archaeological and Historical Sciences*. Edinburgh Univ. Press, Edinburgh. [308]
- Holgate, P. 1971. Notes on the Marczewski-Steinhaus coefficient of similarity. In: G. P. Patil, E. C. Pielou & W. E. Waters (eds.), *Statistical Plant Ecology*. vol. 3. Penn. State Univ. Press. pp. 182-193. [82]
- Holland, J. H. 1975. *Adaptation in Natural and Artificial Systems*. Univ. Michigan Press, Ann Arbor, Mich. [131]
- Hoot, S. B., S. Magallón & P. R. Crane. 1999. Phylogeny of basal eudicots based on three molecular data sets: atpB, rbcL, and 18S nuclear ribosomal DNA sequences. *Ann. Missouri Bot. Gard.* **86**:1-32. [212]
- Horn, H. 1966. Measurement of 'overlap' in comparative ecological studies. *Amer. Nat.* **100**:419-424. [92]
- Hotelling, H. 1933. Analysis of a complex of statistical variables into principal components. *J. Educational Psychology* **24**:417-441, 498-520. [216]
- Hotelling, H. 1936. Relations between two sets of variates. *Biometrika* **28**:321-377. [216, 234]
- Hubálek, Z. 1982. Coefficients of association and similarity based on binary (presence/absence) data: an evaluation. *Biol. Rev.* **57**:669-689. [102]
- Hubert, L. J. & P. Arabie. 1985. Comparing partitions. *J. Classif.* **2**:193-218. [320, 334, 335]
- Hubert, L. J., R. G. Golledge & G. D. Richardson. 1982. Proximity matrix reorganization and hierarchical clustering. *Environment and Planning A* **14**:195-203. [307]
- Huelsenbeck, J. P. & K. A. Crandall. 1997. Phylogeny estimation and hypothesis testing using maximum likelihood. *Ann. Rev. Ecol. Syst.* **28**:437-466. [205]
- Hull, D. L. 1984. Cladistic theory: Hypotheses that blur and grow. In: Duncan & Stuessy (1984), pp. 5-23. [208]
- Humphries, C. J., P. Y. Ladiges, M. Roos & M. Zandee. 1988. Cladistic biogeography. In: A. A. Myers & P. S. Giller (eds.), *Analytical Biogeography*. Chapman & Hall, London. pp. 371-404. [208, 359]
- Hurlbert, S. H. 1982. Notes on the measurement of overlap. *Ecology* **63**:252-253. [102]
- Jackson, D. A. 1993. Stopping rules in principal components analysis: a comparison of heuristical and statistical approaches. *Ecology* **74**:2204-2214. [220]
- Jackson, D. A. & K. M. Somers. 1989. Are probability estimates from the permutation model of Mantel's test stable? *Can. J. Zool.* **67**:766-769. [332]

- Jackson, D. A., K. M. Somers & H. H. Harvey. 1989. Similarity coefficients: measures of co-occurrence and association or simply measures of occurrence? *Amer. Nat.* **133**:436-453. [102]
- Jackson, J. E. 1991. *A User's Guide to Principal Components*. Wiley, New York. [278, 283]
- Jambu, M. 1978. *Classification automatique pour l'analyse des données*. Tome 1. Dunod, Paris. [149]
- Jambu, M. 1981. FORTRAN IV computer program for rapid hierarchical classification of large data sets. *Comp. Geosci.* **7**:297-310. [172]
- Jambu, M. & M.-O. Lebeaux 1983. *Cluster Analysis and Data Analysis*. North Holland, Amsterdam. [164, 169]
- James, F. C. & C. E. McCulloch. 1990. Multivariate analysis in ecology and systematics: Panacea or Pandora's box? *Annu. Rev. Ecol. Syst.* **21**:129-166. [2]
- Jancey, R. C. 1966. Multidimensional group analysis. *Aust. J. Bot.* **14**:127-130. [114]
- Jancey, R. C. 1974. Algorithm for detection of discontinuities in data sets. *Vegetatio* **29**:131-133. [129]
- Jancey, R. C. 1979. Species ordering on a variance criterion. *Vegetatio* **39**:59-63. [292]
- Jancey, R. C. & T. C. Wells. 1987. Locality theory: the phenomenon and its significance. *Coenoses* **2**:31-37. [309]
- Janson, S. & J. Vegelius. 1981. Measures of ecological association. *Oecologia* **49**:371-376. [102]
- Jardine, N. & R. Sibson. 1968. The construction of hierarchic and nonhierarchic classifications. *Computer J.* **11**:177-184. [123]
- Jardine, N. & R. Sibson. 1971. *Mathematical Taxonomy*. Wiley, New York. [142, 169]
- Johnson, S. C. 1967. Hierarchical clustering schemes. *Psychometrika* **32**:241-154. [136, 138, 164]
- Jolliffe, I. T. 1986. *Principal Component Analysis*. Springer, New York. [233, 278]
- Jongman, R. H. G., C. J. F. ter Braak & O. F. R. van Tongeren (eds.) 1987. *Data Analysis in Community and Landscape Ecology*. Pudoc, Wageningen. [29, 50, 170, 220, 248, 249, 251, 278, 358]. Reissued: 1995. Cambridge University Press, Cambridge.
- Juhász-Nagy, P. 1967. On some 'characteristic area' of plant community stands. *Proc. Colloq. Inf. Theory, Bolyai Math. Soc., Debrecen*, pp. 269-282. [17]
- Juhász-Nagy, P. 1976. Spatial dependence of plant populations. Part 1. Equivalence analysis (An outline of a new model). *Acta Bot. Hung.* **22**:61-78. [15, 17, 27, 101]
- Juhász-Nagy, P. 1984. Spatial dependence of plant populations. Part 2. A family of new models. *Acta Bot. Hung.* **30**:363-402. [15, 17, 27]
- Juhász-Nagy, P. 1993. Notes on compositional diversity. *Hydrobiologia* **249**:173-182. [15, 17]
- Juhász-Nagy, P. & J. Podani. 1983. Information theory methods for the study of spatial processes and succession. *Vegetatio* **51**:129-140. [27]
- Jukes, T. H. & C. R. Cantor. 1969. Evolution in protein molecules. In: H. N. Munro (ed.), *Mammalian Protein Metabolism*. Academic, New York. pp. 21-123. [73]
- Kendall, D. G. 1966. Discrimination and classification. In: P. R. Krishnaiah (ed.), *Multivariate Analysis*. Academic, New York. pp. 165-185. [112]
- Kendall, D. G. 1970. A mathematical approach to seriation. *Philos. Trans. Roy. Soc. London, ser. A.* **269**:125-135. [86, 302]
- Kendall, D. G. 1971. Seriation from abundance matrices. In: Hodson et al. (1971), pp. 215-252. [230, 302]
- Kendall, M. 1975. *Multivariate Analysis*. Griffin & Co. London. [34, 233]
- Kenkel, N. C. & T. Booth. 1987. A comparison of presence-absence resemblance coefficients for use in biogeographical studies. *Coenoses* **2**:25-30. [66, 70, 101]
- Kenkel, N. C., P. Juhász-Nagy & J. Podani. 1989. On sampling procedures in population and community ecology. *Vegetatio* **83**:195-207. [9]
- Kenkel, N. C. & L. Orłóci. 1986. Applying metric and nonmetric multidimensional scaling to ecological studies: some new results. *Ecology* **67**:919-928. [102, 248, 260, 316]
- Kent, M. & J. Ballard. 1988. Trends and problems in the application of classification and ordination methods in plant ecology. *Vegetatio* **78**:195-207. [170]
- Kent, M. & P. Coker. 1992. *Vegetation Description and Analysis*. CRC Press, Boca Raton - Ann Arbor. [21, 30, 170]

- Kershaw, K. A. & J. H. H. Looney. 1985. *Quantitative and Dynamic Plant Ecology*. 3rd ed. Edward Arnold, Baltimore. [29, 170, 278]
- Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *J. Mol. Evol.* **16**:111-120. [204]
- Kishino, H. & M. Hasegawa. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in Hominoidea. *J. Mol. Evol.* **29**:170-179. [204]
- Kishino, H., T. Miyata & M. Hasegawa. 1990. Maximum likelihood inference of protein phylogeny and the origin of chloroplasts. *J. Mol. Evol.* **31**:151-160. [212]
- Kleiner, B. & J. A. Hartigan. 1981. Representing points in many dimensions by trees and castles. *J. Amer. Stat. Assoc.* **76**:260-269. [37]
- Klijn, F. (ed.) 1994. *Ecosystem Classification for Environmental Management*. Kluwer, Dordrecht. [170]
- Klingenberg, C. P. & F. L. Bookstein (eds.) 1998. Introduction to the symposium: putting the morphometric synthesis to work. *Acta Zool. Acad. Sci. Hung.* vol. **44**(1-2) [276, 279]
- Kluge, A. G. 1967. Higher taxonomic categories of gekkonid lizards and their evolution. *Bull. Amer. Mus. Nat. Hist.* **135**:1-59. [187]
- Kluge, A. G. 1984. The relevance of parsimony to phylogenetic inference. In: Duncan & Stuessy (1984), pp. 24-38. [180]
- Kluge, A. G. & J. S. Farris. 1969. Quantitative phyletics and the evolution of the anurans. *Syst. Zool.* **18**:1-32. [200]
- Knapp, R. (ed.) 1984. *Sampling Methods and Taxon Analysis in Vegetation Science*. Junk, The Hague. [17, 30]
- Knox, R. G. 1989. Effects of detrending and rescaling on correspondence analysis: solution stability and accuracy. *Vegetatio* **83**:129-136. [29, 248]
- Knox, R. G. & R. K. Peet. 1989. Bootstrapped ordination: a method for estimating sampling effects in indirect gradient analysis. *Vegetatio* **80**:153-165. [29]
- Krajewski, C. & A. W. Dickerman. 1990. Bootstrap analysis of phylogenetic trees derived from DNA hybridization distances. *Syst. Zool.* **39**:383-390. [186, 353]
- Kroonenberg, P. M. 1983. *Three-mode Principal Component Analysis. Theory and Applications*. DSWO Press, Leiden. [284]
- Kruskal, J. B. 1964. Nonmetric multidimensional scaling: a numerical method. *Psychometrika* **29**:115-129. [164, 258, 260]
- Kruskal, J. B. 1977. The relationship between multidimensional scaling and clustering. In: J. Van Ryzin (ed.), *Classification and Clustering*. Academic, New York. pp. 17-44. [261]
- Kruskal, J. B. 1983. An overview of sequence comparison. In: D. Sankoff & J. B. Kruskal (eds.), *Time Warps, String Edits and Macromolecules*. Addison Wesley, Reading, MA. pp. 1-44. [73]
- Kuhl, F. P. & C. R. Giardina. 1982. Elliptic Fourier features of a closed contour. *Computer Graphics and Image Processing* **18**:236-258. [275]
- Kullback, S. 1959. *Information Theory and Statistics*. Wiley, New York. [157]
- Lagonegro, M. & E. Feoli. 1985. The use of ellipses of equal concentration to analyse ordination vegetation patterns. *Stud. Geobot.* **5**:143-165. [350]
- Lake, J. A. 1987. A rate-independent technique for analysis of nucleic acid sequences: evolutionary parsimony. *Mol. Biol. Evol.* **4**:167-191. [203]
- Lambert, J. M., S. E. Meacock, J. Barrs & P. F. M. Smartt. 1973. AXOR and MONIT: two new polythetic-divisive strategies for hierarchical classification. *Taxon* **22**:173-176. [156]
- Lamont, B. B. & K. J. Grant. 1979. A comparison of twenty-one measures of site dissimilarity. In: Orłóci et al. (1979), pp. 101-126. [58, 101]
- Lance, G. N. & W. T. Williams. 1966. A generalized sorting strategy for computer classifications. *Nature* **212**:218. [140, 141]
- Lance, G. N. & W. T. Williams. 1967a. A general theory of classificatory sorting strategies. I. Hierarchical systems. *Computer J.* **9**:373-380. [141, 143, 148]
- Lance, G. N. & W. T. Williams. 1967b. Mixed data classificatory programs. I. Agglomerative systems. *Austr. Comput. J.* **1**:15-20. [79]

- Lance, G. N. & W. T. Williams. 1968. Note on a new information-statistic classificatory program. *Computer J.* **11**:195. [157]
- Lance, G. N. & W. T. Williams. 1977. Attribute contributions to a classification. *Australian Computer J.* **9**:128-129. [292, 293]
- Lapointe, F.-J. & P. Legendre. 1990. A statistical framework to test the consensus of two nested classifications. *Syst. Biol.* **39**:1-13. [351]
- Lapointe, F.-J. & P. Legendre. 1991. The generation of random ultrametric matrices representing dendrograms. *J. Classif.* **8**:177-200. [337, 351]
- Lapointe, F.-J. & P. Legendre. 1992. Statistical significance of the matrix correlation coefficient for comparing independent phylogenetic trees. *Syst. Biol.* **41**:378-384. [332, 351]
- Lapointe, F.-J. & P. Legendre. 1995. Comparison tests for dendrograms: a comparative evaluation. *J. Classif.* **12**:265-282. [337]
- Le Calvé, G. 1985. Distances a centre. *Stat. Anal. Données* **10**:29-44. [162]
- Lefkovich, L. P. 1976. Hierarchical clustering from principal coordinates: an efficient method for small to very large numbers of objects. *Math. Biosci.* **31**:157-174. [156]
- Legendre, L. & P. Legendre. 1983. *Numerical Ecology*. Elsevier, Amsterdam. [29, 74, 101, 104, 170, 240, 241, 278]
- Legendre, P. & L. Legendre. (eds.), 1987. *Developments in Numerical Ecology*. Springer, Berlin.
- Le Quesne, W. J. 1969. A method of selection of characters in numerical taxonomy. *Syst. Zool.* **18**:201-205. [201]
- Le Quesne, W. J. 1972. Further studies based on the uniquely derived character concept. *Syst. Zool.* **21**:281-288. [201]
- Le Quesne, W. J. 1974. The uniquely evolved character concept and its cladistic application. *Syst. Zool.* **23**:513-517. [189]
- Levandowsky, M. 1972. An ordination of phytoplankton populations in ponds of varying similarity and temperature. *Ecology* **53**:398-407. [82]
- Lewis, H. R. & C. H. Papadimitriou. 1978. The efficiency of algorithms. *Scientific American* **238**(1):96-109. [196]
- Li, W.-H. 1997. *Molecular Evolution*. Sinauer, Sunderland. [208]
- Ling, R. F. 1972. On the theory and construction of  $k$ -clusters. *Comput. J.* **15**:326-332. [123]
- Lohmann, G. P. 1983. Eigenshape analysis of microfossils: A general morphometric procedure for describing changes in shape. *Math. Geol.* **15**:569-672. [274]
- Lohmann, G. P. & P. N. Schweitzer. 1990. On eigenshape analysis. In: Rohlf & Bookstein (1990), pp. 147-166. [271, 272, 274]
- Louppen, J. W. M. & E. van der Maarel. 1979. CLUSLA: a computer program for the clustering of large phytosociological data sets. *Vegetatio* **40**:107-114. [123]
- Loy, A., M. Corti & F. Leslie. 1993. Landmark data: size and shape analysis in systematics. A case study on old world Talpidae (Mammalia, Insectivora). In: Marcus et al. (1993), pp. 215-240. [275]
- Lucasius, C. B., A. D. Dane & G. Kateman. 1993. On  $k$ -medoid clustering of large data sets with the aid of a genetic algorithm: background, feasibility and comparison. *Anal. Chim. Acta* **282**:647-669. [132]
- Luckow, M. & D. Pimentel. 1985. An empirical comparison of numerical Wagner computer programs. *Cladistics* **1**:47-66. [212]
- Ludwig, J. A. & J. F. Reynolds, 1988. *Statistical Ecology*. Wiley, New York. [29, 80, 104, 170, 240, 278, 280]
- Lynch, M. 1989. Phylogenetic hypotheses under the assumption of neutral quantitative-genetic variation. *Evolution* **43**:1-17. [213]
- Maarel, E. van der. 1979. Multivariate methods in phytosociology, with reference to the Netherlands. In: M. J. A. Werger (ed.) *The Study of Vegetation*. Junk, The Hague. pp. 163-225. [21, 46, 170, 358]
- Maarel, E. van der, J. G. M. Janssen & J. M. W. Louppen. 1978. TABORD, a program for structuring phytosociological tables. *Vegetatio* **38**:143-156. [308]
- MacLeod, N. 1996. *Eigenshape programs for the Mac*. Nat. Hist. Museum, London. [280]
- MacNaughton-Smith, P. 1965. Some statistical and other numerical techniques for classifying individuals. H.M.S.O., London. [110]

- MacQueen, J. B. 1967. Some methods for classification and analysis of multivariate observations. *Proc. 5th Berkeley Symp.* **1**:281-297. [114]
- Maddison, W. P. & D. R. Maddison. 1992. *MacClade. Analysis of Phylogeny and Character Evolution*. Sinauer, Sunderland. [25, 186, 194, 199, 200, 209]
- Mahalanobis, P. C. 1936. On the generalized distance in statistics. *Proc. Nat. Inst. Sci. India* **2**:49-55. [93]
- Manly, B. F. J. 1986. *Multivariate Statistical Methods*. Chapman and Hall, London. [219, 253]
- Manly, B. F. J. 1991. *Randomization and Monte Carlo Methods in Biology*. Chapman and Hall, London. [29, 332, 351]
- Mantel, N. 1967. The detection of disease clustering and a generalized regression approach. *Cancer Res.* **27**:209-220. [333]
- Marcotorchino, F. 1991. Seriation problems: an overview. *Appl. Stoch. Models Data Anal.* **7**:139-151. [301, 308]
- Marcus, L. F. 1990. Traditional morphometrics. In: Rohlf & Bookstein (1990), pp. 77-122. [271, 279]
- Marcus, L. F. 1993. Some aspects of multivariate statistics for morphometrics. In: Marcus et al. (1993), pp. 95-130. [226, 271, 279]
- Marcus, L. F., E. Bello & A. García-Valdecasas. (eds.), 1993. *Contributions to Morphometrics*. Monografías Museo Nacional de Ciencias Naturales, Madrid. [276]
- Marcus, L. F., M. Corti, A. Loy, G. J. P. Naylor & D. E. Slice (eds.) 1996. *Advances in Morphometrics*. Plenum, New York. [276, 279]
- Mardia, K. V., J. T. Kent & J. M. Bibby. 1979. *Multivariate Analysis*. Academic, London. [3, 34, 91, 220, 263, 264, 265, 268, 278, 279, 350]
- Margush, T. & F. R. McMorris. 1981. Consensus *n*-trees. *Bull. Math. Biol.* **43**:239-244. [345]
- Marsili-Libelli, S. 1989. Fuzzy clustering of ecological data. *Coenoses* **4**:95-106. [125, 129, 172]
- Matthews, J. A. 1978. An application of nonmetric multidimensional scaling to the construction of an improved species plexus. *J. Ecol.* **66**: 157-173. [310]
- Matus, G. & B. Tóthmérész. 1990. The effect of grazing on the structure of a sandy grassland. In: F. Krahulec, A. D. Q. Agnew, S. Agnew & J. H. Willems. (eds), *Spatial Processes in Plant Communities*. Academia, Praha. pp. 23-30. [310]
- Mayr, E. 1942. *Systematics and the Origin of Species from the Viewpoint of a Zoologist*. Columbia Univ. Press, New York. [178]
- Mayr, E. 1982. *The Growth of Biological Thought: Diversity, Evolution and Inheritance*. Harvard Univ. Press, Cambridge, Mass. [135]
- Mayr, E. & P. D. Ashlock. 1991. *Principles of Systematic Zoology*. McGraw-Hill, New York. [50, 170, 188, 202, 208]
- McCormick, W. T., P. J. Schweitzer & T. W. White. 1972. Problem decomposition and data reorganization by a clustering technique. *Op. Res.* **20**:993-1009. [305]
- McCune, B. 1986. PC-ORD: An integrated system for multivariate analysis of ecological data. *Abstr. Bot.* **10**:221-225. [308]
- McCune, B. 1997. Influence of noisy environmental data on canonical correspondence analysis. *Ecology* **78**: 2617-2623. [250]
- McIntosh, R. P. 1978. Matrix and plexus techniques. In: R. H. Whittaker (ed.), *Ordination of Plant Communities*. Junk, The Hague. pp. 151-184. [308, 310]
- McQuitty, L. L. 1967. Expansion of similarity analysis by reciprocal pairs for discrete and continuous data. *Educ. Psychol. Measurement* **27**:253-255. [147]
- McShane, F. J. & B. A. Noonan. 1993. Classification of shoplifters by cluster analysis. *Int. J. Offender Therapy and Comparative Criminology* **37**:29-40. [133]
- Meacham, C. A. & G. F. Estabrook. 1985. Compatibility methods in systematics. *Ann. Rev. Ecol. Syst.* **16**:431-446. [202]
- Mickevich, M. F. 1980. Taxonomic congruence: Rohlf and Sokal's misunderstanding. *Syst. Zool.* **29**:162-176. [346]
- Milligan, G. W. 1989. A study of the beta-flexible clustering method. *Multivar. Behav. Res.* **24**:163-176. [169]

- Milligan, G. W. & M. C. Cooper. 1985. An examination of procedures for determining the number of clusters in a data set. *Psychometrika* **50**:159-179. [165, 167]
- Minchin, P. R. 1987. An evaluation of the relative robustness of techniques for ecological ordination. *Vegetatio* **69**:89-107. [248, 260]
- Mirkin, B. 1996. *Mathematical Classification and Clustering*. Kluwer, Dordrecht. [34, 35, 56, 84, 129, 169, 216]
- Mishler, B. D. & S. P. Churchill. 1985. Transition to a land flora: phylogenetic relationships of the green algae and bryophytes. *Cladistics* **1**:305-328. [211]
- Miyahara, K. et al. 1992. Molecular evolution of human paramyxoviruses. *Arch. Virol.* **124**:255-268. [180]
- Miyamoto, M. M. & J. Cracraft. 1991. *Phylogenetic Analysis of DNA Sequences*. Oxford Univ. Press, Oxford. [102]
- Monjardet, B. 1997. Concordance between two linear orders: the Spearman and Kendall coefficients revisited. *J. Classif.* **14**:269-295. [102]
- Moraczewski, I. R., W. Borkowski & A. Kierzek. 1995. Clustering geobotanical data with the use of a genetic algorithm. *Coenoses* **10**:17-28. [132]
- Moskát, Cs. 1991. Multivariate plexus concept in the study of complex ecological data: an application to the analysis of bird-habitat relationships. *Coenoses* **6**:79-89. [311]
- Moss, W. W. 1968. Experiments with various techniques of numerical taxonomy. *Syst. Zool.* **17**:31-47. [30]
- Mountford, M. D. 1962. An index of similarity and its application to classificatory problems. In: P. W. Murphy (ed.), *Progress in Soil Zoology*. Butterworths, London. pp. 43-50. [69]
- Mucina, L. 1997. Classification of vegetation: Past, present and future. *J. Veg. Sci.* **8**:751-760. [170]
- Mucina, L. & M. B. Dale. (eds.), 1989. *Numerical Syntaxonomy*. Kluwer, Dordrecht. [170]
- Mueller-Dombois, D. & H. Ellenberg. 1974. *Aims and Methods of Vegetation Ecology*. Wiley, New York. [17, 19, 295]
- Murtagh, F. 1983. A survey of recent advances in hierarchical clustering algorithms. *Computer J.* **26**:354-359. [169]
- Naylor, G. J. P. 1996. Can partial warp scores be used as cladistic characters? In: Marcus et al. (1996), pp. 519-530. [278]
- Needleman, S. B. & C. D. Wunsch. 1970. A general method applicable to the search for similarities in the aminoacid sequence of two proteins. *J. Mol. Biol.* **48**:443-453. [72]
- Nei, M. 1972. Genetic distance between populations. *Amer. Nat.* **106**:283-292. [89]
- Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics* **89**:583-590. [89]
- Nei, M. 1991. Relative efficiencies of different tree-making methods for molecular data. In: Miyamoto & Cracraft (1991), pp. 90-128. [102, 181, 212]
- Nei, M. Phylogenetic analysis in molecular evolutionary genetics. *Annu. Rev. Genet.* **30**:371-403. [181, 208, 212, 214]
- Nei, M., F. Tajima & Y. Tatenno. 1983. Accuracy of estimated phylogenetic trees from molecular data. II. Gene frequency data. *J. Mol. Evol.* **19**:153-170. [180]
- Nelson, G. 1975. Historical biogeography: an alternative formalization. *Syst. Zool.* **23**:555-558. [205]
- Nelson, G. & N. I. Platnick. 1981. *Systematics and Biogeography: Cladistics and Vicariance*. Columbia Univ. Press, New York. [206, 208]
- Nelson, G. & D. E. Rosen (eds.), 1981. *Vicariance Biogeography: A Critique*. Columbia Univ. Press, New York. [205]
- Neumann, D. A. 1983. Faithful consensus methods for  $n$ -trees. *Math. Biosci.* **63**:271-287. [345]
- Neumann, D. A. & V. T. Norton. 1986. Clustering and isolation in the consensus problem for partitions. *J. Classif.* **3**:281-297. [341]
- Noest, V. & E. van der Maarel. 1989. A new dissimilarity measure and a new optimality criterion in phytosociological classification. *Vegetatio* **83**:157-165. [87]
- Nosek, J. N. 1976. Comparative analysis of some diversity functions under different conditions of sampling in sandy meadow. *Acta Bot. Acad. Sci. Hung.* **22**:415-436. [27]

- Noy-Meir, I. 1973. Data transformations in ecological ordinations. I. Some advantages of non-centering. *J. Ecol.* **61**:329-341. [50]
- Noy-Meir, I. 1974. Catenation: Quantitative methods for the definition of coenoclines. *Vegetatio* **29**:89-99. [262, 283]
- Noy-Meir, I., D. Walker & W. T. Williams. 1975. Data transformations in ecological ordinations. II. On the meaning of data standardization. *J. Ecol.* **63**:779-800. [50]
- O'Hara, R. J. 1988. Homage to Clio, or toward an historical philosophy for evolutionary biology. *Syst. Zool.* **31**:142-155. [176]
- Oksanen, J. 1987. Problems of joint display of species and site scores in correspondence analysis. *Vegetatio* **72**:51-57. [245]
- Oksanen, J. 1988. A note on the occasional instability of detrending in correspondence analysis. *Vegetatio* **74**:29-32. [248]
- Opitz, O., B. Lausen & R. Klar (eds.). 1993. *Information and Classification: Concepts, Methods and Applications*. Springer, Berlin.
- Orlóci, L. 1967. An agglomerative method for classification of plant communities. *J. Ecol.* **55**:193-205. [150]
- Orlóci, L. 1972. On objective functions of phytosociological resemblance. *Am. Midl. Nat.* **88**:28-55. [104]
- Orlóci, L. 1973. Ranking characters by a dispersion criterion. *Nature* **244**:371-373. [286]
- Orlóci, L. 1976a. Ranking characters by an information criterion. *J. Ecol.* **64**:417-419. [290]
- Orlóci, L. 1976b. TRGRPS - An interactive algorithm for group recognition with an example from Spartinetia. *Vegetatio* **32**:117-120. [130]
- Orlóci, L. 1978. *Multivariate Analysis in Vegetation Research*. 2nd ed. Junk, The Hague. [25, 29, 31, 34, 50, 70, 80, 83, 95, 96, 101, 104, 129, 130, 157, 171, 278, 280, 286, 291, 307, 308, 350]
- Orlóci, L. 1991. Poorean approximation and fisherian inference in bioenvironmental analysis. *Advances in Ecology* **1**:65-71. [27, 32]
- Orlóci, K. & N. C. Kenkel. 1985. *Introduction to Data Analysis*. International Co-operative Publ. House, Burtonsville, Maryland. [16, 280, 301, 308]
- Orlóci, L. & M. M. Mukkattu. 1973. The effect of species number and type of data on the resemblance structure of a phytosociological collection. *J. Ecol.* **61**:37-46. [27]
- Orlóci, L. & V. D. P. Pillar. 1991. On sample size optimality in ecosystem survey. *Biométrie-Praximétrie* **29**:173-184. [27]
- Orlóci, L., C. R. Rao & W. M. Stiteler (eds.) 1979. *Multivariate Methods in Ecological Work*. International Co-operative Publ. House, Burtonsville, Maryland.
- Page, R. D. M. 1989. Comments on component-compatibility in historical biogeography. *Cladistics* **5**:167-182. [210]
- Page, R. O. D. & E. C. Holmes. 1998. *Molecular Evolution. A Phylogenetic Approach*. Blackwell, Oxford. [208, 351]
- Palley, M. N. & W. G. O'Regan. 1961. A computer technique for the study of forest sampling methods. I. Point sampling compared with line sampling. *Forest Sci.* **7**:282-294. [28]
- Palmer, M. W. 1993. Putting things in even better order: the advantages of canonical correspondence analysis. *Ecology* **74**:2215-2230. [250]
- Panchen, A. L. 1992. *Classification, Evolution, and the Nature of Biology*. Cambridge Univ. Press, Cambridge. [135]
- Pandeya, S. A. 1961. On some new concepts in phytosociological studies of grassland. II. Community coefficient (F x C) ICC. *J. Indian Bot. Soc.* **40**:267-270. [84]
- Pankhurst, R. J. 1991. *Practical Taxonomic Computing*. Cambridge Univ. Press, Cambridge. [170]
- Parenti, L. 1981. A phylogenetic and biogeographic analysis of cyprinodontiform fishes (Teleostei, Atherinomorpha). *Bull. Am. Mus. Nat. Hist.* **168**:341-557. [205]
- Parnell, J. & S. Waldren. 1996. Detrended correspondence analysis in the ordination of data for phenetics and cladistics. *Taxon* **45**:71-84. [278]



- Patrinos, A. N. & S. L. Hakimi. 1972. The distance matrix of a graph and its tree realization. *Q. Appl. Math.* **30**:255-269. [162]
- Patterson, C., D. M. Williams & C. J. Humphries. Congruence between molecular and morphological phylogenies. *Annu. Rev. Ecol. Syst.* **24**:153-188. [211]
- Pearson, K. 1901. On lines and planes of closest fit to systems of points in space. *Philosoph. Mag. Ser. 6*, **2**:559-572. [216]
- Peet, R. K., R. G. Knox, J. S. Case & R. Allen. 1988. Putting things in order: the advantages of detrended correspondence analysis. *Am. Nat.* **131**:924-934. [248]
- Penny, D., L. R. Foulds & M. D. Hendy. 1982. Testing the theory of evolution by comparing phylogenetic trees constructed from five protein sequences. *Nature* **297**:197-200. [345, 351]
- Penny, D., M. D. Hendy & M. A. Steel. 1991. Testing the theory of descent. In: Miyamoto & Cracraft (1991), pp. 155-183. [351]
- Penny, D., E. E. Watson & M. A. Steel. 1993. Trees from languages and genes are very similar, *Syst. Biol.* **42**:382-384. [176, 177, 337]
- Penrose, L. S. 1954. Distance, size and shape. *Annals of Eugenics* **28**:337-343. [92]
- Phillips, D. L. 1978. Polynomial ordination: field and computer simulation testing of a new method. *Vegetatio* **37**:129-140. [231, 248]
- Phipps, J. B. 1971. Dendrogram topology. *Syst. Zool.* **20**:306-308. [324]
- Phipps, J. B. 1975. The numbers of classifications. *Can. J. Bot.* **54**:686-688. [173]
- Pielou, E. C. 1975. *Ecological Diversity*. Wiley, New York. [37, 69]
- Pielou, E. C. 1977. *Mathematical Ecology*. Wiley, New York. [18]
- Pielou, E. C. 1984. *The Interpretation of Ecological Data*. Wiley, New York. [29, 34, 35, 50, 82, 101, 229, 248, 255, 278]
- Pillar, V. D. 1999a. How sharp are classifications? *Ecology* **80**:2508-2516. [29]
- Pillar, V. D. 1999b. The bootstrapped ordination re-examined. *J. Veg. Sci.* **10**:895-902. [220]
- Pimentel, R. A. 1979. *Morphometrics. The Multivariate Analysis of Biological Data*. Kendall/Hunt, Dubuque, Iowa. [34, 240, 243]
- Podani, J. 1978. A method for clustering of binary (floristical) data in vegetation research. *Acta Bot. Acad. Sci. Hung.* **24**:121-137. [109]
- Podani, J. 1979a. Generalized strategy for homogeneity-optimizing classificatory methods. In: Orlóci et al. (1979), pp. 203-209. [149, 151]
- Podani, J. 1979b. Association analysis based on the use of mutual information. *Acta Bot. Acad. Sci. Hung.* **25**:125-130. [157]
- Podani, J. 1980. SYN-TAX: Számítógépes programcsomag ökológiai, cönológiai és taxonómiai osztályozások végrehajtására. (Computer programs for classification of ecological, phytosociological and taxonomic data.) *Abstr. Bot.* **6**:1-158. [99, 140]
- Podani, J. 1984a. Spatial processes in the analysis of vegetation: theory and review. *Acta Bot. Hung.* **30**:75-118. [18, 27, 28]
- Podani, J. 1984b. Analysis of mapped and simulated vegetation patterns by means of computerized sampling techniques. *Acta Bot. Hung.* **30**:403-425. [17, 27]
- Podani, J. 1985. Syntaxonomic congruence in a small-scale vegetation survey. *Abstr. Bot.* **9**:99-128. [326, 355]
- Podani, J. 1986. Comparison of partitions in vegetation studies. *Abstr. Bot.* **10**:235-290. [165, 320, 332, 335, 336]
- Podani, J. 1987. Computerized sampling in vegetation studies. *Coenoses* **2**:9-18. [28]
- Podani, J. 1989a. A method for generating consensus partitions and its application to community classification. *Coenoses* **4**:1-10. [118, 140, 141, 152, 342]
- Podani, J. 1989b. New combinatorial SAHN clustering methods. *Vegetatio* **81**:61-77. [139, 150, 152, 173]
- Podani, J. 1989c. SYN-TAX III-pc: Computer programs for data analysis in ecology and systematics. *J. Classif.* **6**:273-278. [308]
- Podani, J. 1989d. Comparison of ordinations and classifications of vegetation data. *Vegetatio* **83**:111-128. [27, 313, 314, 316, 326, 328, 352]

- Podani, J. 1990. Comparison of fuzzy classifications. *Coenoses* **5**:17-21. [323, 342, 343]
- Podani, J. 1991. On the standardization of Procrustes statistics for the comparison of ordinations. *Abstr. Bot.* **15**:43-46. [338]
- Podani, J. 1992. Space series analysis of vegetation: processes reconsidered. *Abstr. Bot.* **16**:25-29. [27]
- Podani, J. 1993. SYN-TAX 5.0: Computer programs for multivariate data analysis in ecology and systematics. *Abstr. Bot.* **17**:289-302. [28]
- Podani, J. 1994. *Multivariate Data Analysis in Ecology and Systematics*. SPB Publishing, The Hague. [41, 47, 140, 141, 142, 237, 261, 290, 305, 318]
- Podani, J. 1997a. A measure of discordance for partially ranked data when presence/absence is also meaningful. *Coenoses* **12**:127-130. [76]
- Podani, J. 1997b. SYN-TAX 5.1: a new version for PC and Macintosh computers. *Coenoses* **12**:149-152. [104]
- Podani, J. 1997c. On the sensitivity of ordination and classification methods to variation in the input order of data. *J. Veg. Sci.* **8**:153-156. [286]
- Podani, J. 1998. Explanatory variables in classifications and the detection of the optimum number of clusters. In: C. Hayashi, N. Ohsumi, K. Yajima, Y. Tanaka, H.-H. Bock & Y. Baba (eds.), *Data Science, Classification, and Related Methods*. Springer, Tokyo. pp. 125-132. [167, 168, 292]
- Podani, J. 1999. Extending Gower's general coefficient of similarity to ordinal characters. *Taxon* **48**:331-340. [98]
- Podani, J. 2000. Simulation of random dendrograms and comparison tests: Some comments. *J. Classif.* **17**:123-142. [173, 325, 337, 351]
- Podani, J. & T. Czárán. 1997. Individual-centered analysis of mapped point patterns representing multi-species assemblages. *J. Veg. Sci.* **8**:256-270. [19]
- Podani, J. & T. A. Dickinson. 1984. Comparison of dendrograms: a multivariate approach. *Can. J. Bot.* **62**:2765-2778. [316, 324]
- Podani, J. & E. Feoli. 1991. A general strategy for the simultaneous classification of variables and objects in ecological data tables. *J. Veg. Sci.* **2**:435-444. [298, 330]
- Prentice, I. C. 1977. Non-metric ordination methods in ecology. *J. Ecol.* **65**:86-94. [262]
- Pruzansky, S., A. Tversky & J. D. Carroll. 1982. Spatial versus tree representations of proximity data. *Psychometrika* **47**:3-19. [161]
- Quenouille, M. H. 1949. Problems in plane sampling. *Ann. math. stat.* **20**:355-375. [16]
- Quicke, D. L. J. 1993. *Principles and Techniques of Contemporary Taxonomy*. Blackie Academic, London. [188, 208, 344]
- Rand, W. M. 1971. Objective criteria for the evaluation of clustering methods. *J. Amer. Stat. Assoc.* **66**:846-850. [164, 319]
- Rao, C. R. 1964. The use and interpretation of principal components analysis in applied research. *Shankya A* **26**:329-358. [241]
- Rao, C. R. 1973. *Linear Statistical Inference and its Applications*. Wiley, New York. [278]
- Reyment, R. A. 1971. Multivariate normality in morphometric analysis. *Math. Geol.* **3**:357-368. [44]
- Reyment, R. A. 1990. Reification of classical multivariate statistical analysis in morphometry. In: Rohlf & Bookstein (1990), pp. 123-144. [271, 279]
- Reyment, R. A. 1991. *Multidimensional Palaeobiology*. Pergamon, Oxford. [26, 44, 50, 248, 274, 279, 283]
- Reyment, R. A. & K. G. Jöreskog. 1993. *Applied Factor Analysis in the Natural Sciences*. Cambridge Univ. Press, Cambridge. [34, 279]
- Roberts, D. W. 1986. Ordination on the basis of fuzzy set theory. *Vegetatio* **66**:123-131. [281]
- Robinson, D. F. 1971. Comparison of labeled trees with valency three. *J. Comb. Theory* **11**:105-119. [327]
- Robinson, D. F. & L. R. Foulds. 1979. Comparison of weighted labelled trees. *Lecture Notes in Mathematics* **748**:119-126. [327]
- Robinson, D. F. & L. R. Foulds. 1981. Comparison of phylogenetic trees. *Math. Biosci.* **53**:131-147. [327]
- Robinson, W. S. 1951. A method for chronologically ordering archaeological deposits. *Amer. Antiquity* **16**:293-301. [305]
- Rogers, D. J. & T. T. Tanimoto. 1960. A computer program for classifying plants. *Science* **132**:1115-1118. [62]

- Rogers, J. S. 1972. Measures of genetic similarity and genetic distance. *Studies in Genetics*, VII. Univ. Texas Publ. **72**:145-153. [88]
- Rohlf, F. J. 1963. Classification of *Aedes* by numerical taxonomic methods (Diptera, Culicidae). *Syst. Zool.* **12**:97-117. [144]
- Rohlf, F. J. 1970. Adaptive hierarchical clustering schemes. *Syst. Zool.* **19**:58-82. [159]
- Rohlf, F. J. 1973. Algorithm 67: Hierarchical clustering using the minimum spanning tree. *Computer J.* **16**:93-95. [160]
- Rohlf, F. J. 1974. Methods of comparing classifications. *Ann. Rev. Ecol. Syst.* **5**:101-113. [351]
- Rohlf, F. J. 1975a. Generalization of the gap test for the detection of multivariate outliers. *Biometrics* **31**:93-101. [161]
- Rohlf, F. J. 1975b. A new approach to the computation of Jardine and Sibson's  $B_k$  clusters. *Computer J.* **18**:164-168. [123]
- Rohlf, F. J. 1977. A note on the measurement of redundancy. *Vegetatio* **34**:63-64. [291]
- Rohlf, F. J. 1982. Consensus indices for comparing classifications. *Math. Biosci.* **59**:131-144. [346, 351]
- Rohlf, F. J. 1990a. Fitting curves to outlines. In: Rohlf & Bookstein (1990), pp. 167-177. [271, 273, 275]
- Rohlf, F. J. 1990b. Rotational fit (Procrustes) methods. In: Rohlf & Bookstein (1990), pp. 227-236. [276]
- Rohlf, F. J. 1993a. *NTSYS-pc. User's Manual*. Exeter Publ. Ltd., Setauket, NY. [39, 141, 273, 274, 275, 318]
- Rohlf, F. J. 1993b. Relative warp analysis and an example of its application to mosquito wings. In: Marcus et al. (1993), pp. 131-159. [277]
- Rohlf, F. J. & J. Archie. 1984. A comparison of Fourier methods for the description of wing shape in mosquitoes (Diptera: Culicidae). *Syst. Zool.* **33**:302-317. [275]
- Rohlf, F. J. & F. L. Bookstein (eds.) 1990. *Proceedings of the Michigan Morphometrics Workshop*. Univ. of Michigan Mus. Zool. Spec. Publ. No. 2. pp. 380. [276]
- Rohlf, F. J., W. S. Chang, R. R. Sokal & J. Kim. 1990. Accuracy of estimated phylogenies: effects of tree topology and evolutionary model. *Evolution* **44**:1671-1684. [213]
- Rohlf, F. J. & S. Ferson. 1992. *Elliptic Fourier analysis*. Dept. Ecol. Evol., SUNY, New York, USA. [275]
- Rohlf, F. J. & L. F. Marcus. 1993. A revolution in morphometrics. *Trends Ecol. Evol.* **8**:129-132. [270, 277]
- Rohlf, F. J. & D. Slice. 1990. Extensions of the Procrustes method for the optimal superimposition of landmarks. *Syst. Zool.* **39**:40-59. [276]
- Rohlf, F. J. & Sokal, R. R. 1965. Coefficients of correlation and distance in numerical taxonomy. *Univ. Kansas Sci. Bull.* **45**:3-27. [93]
- Rohlf, F. J. & Sokal, R. R. 1981a. Comparing numerical taxonomic studies. *Syst. Zool.* **30**:459-490. [164, 350]
- Rohlf, F. J. & Sokal, R. R. 1981b. Comments on taxonomic congruence. *Syst. Zool.* **29**:97-117. [316]
- Romesburg, H. C. 1984. *Cluster Analysis for Researchers*. Lifetime Learning Publ., Belmont, Ca. [169]
- Rosen, D. E. 1978. Vicariant patterns and historical explanation in biogeography. *Syst. Zool.* **27**:159-188. [206]
- Saitou, N. & T. Imanishi. 1989. Relative efficiencies of the Fitch-Margoliash, maximum parsimony, maximum-likelihood, minimum evolution, and neighbor joining methods of phylogenetic tree construction in obtaining the correct tree. *Mol. Biol. Evol.* **6**:514-525. [181, 212]
- Saitou, N. & M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**:406-425. [181]
- Sampford, M. R. 1962. *An Introduction to Sampling Theory with Applications to Agriculture*. Oliver and Boyd, Edinburgh. [30]
- Sanderson, M. J. 1989. Confidence limits on phylogenies: The bootstrap revisited. *Cladistics* **5**:113-129. [29]
- Sanderson, M. J. 1990. Flexible phylogeny reconstruction: a review of phylogenetic inference packages using parsimony. *Syst. Zool.* **39**:414-420. [209, 210]
- Sanderson, M. J. & L. Hufford (eds.) 1996. *Homoplasy. The Recurrence of Similarity in Evolution*. Academic Press, San Diego. [188]
- Sanfilippo, A. & W. R. Riedel. 1990. Homology, pattern, and morphometric framework in syrtid radiolarians. In: Rohlf & Bookstein (1990), pp. 345-362. [276]

- Sarich, V. M. 1969. Pinniped origins and the rate of evolution of carnivore albumins. *Syst. Zool.* **18**:286-295. [183, 359]
- Sattath, S. & A. Tversky. 1977. Additive similarity trees. *Psychometrika* **42**:319-345. [161, 162, 185]
- Schoener, T. W. 1970. Nonsynchronous spatial overlap of lizards in patchy habitats. *Ecology* **51**:408-418. [91]
- Schönemann, P. H. & R. M. Carroll. 1970. Fitting one matrix to another under choice of a central dilation and a rigid motion. *Psychometrika* **35**:245-256. [328]
- Schuh, R. T. & J. S. Farris. 1981. Methods for investigating taxonomic congruence and their application to the Leptopodomorpha. *Syst. Zool.* **30**:331-351. [346]
- Scott, A. J. & M. J. Symons. 1971. Clustering methods based on likelihood ratio criteria. *Biometrics* **27**:387-397. [155]
- Scott, G. H. 1980. The value of outline processing in the biometry and systematics of fossils. *Paleontology* **23**:757-768. [271]
- Sgardelis, S. P. & G. P. Stamou. 1990. The effects of dominance, species ranking and species matching on some similarity indices. *J. Veg. Sci.* **1**:125-128. [87]
- Shao, K. & F. J. Rohlf. 1983. Sampling distribution of consensus indices when all bifurcating trees are equally likely. In: Felsenstein (1983), pp. 132-136. [337]
- Shaukat, S. S. & M. Uddin. 1989. An application of canonical correlation and principal component analysis to the study of desert environment. *Abstr. Bot.* **13**:17-45. [240]
- Shepard, R. N. 1962. The analysis of proximities: multidimensional scaling with an unknown distance function. I-II. *Psychometrika* **27**:125-140, 219-246. [258]
- Shepard, R. N. 1980. Multidimensional scaling, tree-fitting, and clustering. *Science* **210**:390-398. [161, 261]
- Shepard, R. N. & J. D. Carroll. 1966. Parametric representation of nonlinear data structures. In: P. R. Krishnaiah (ed.), *Multivariate Analysis*. Academic, New York. pp. 561-592. [262]
- Shi, G. R. 1993. Multivariate data analysis in palaeoecology and palaeobiogeography – a review. *Palaeogeography, Palaeoclimatology, Palaeoecology* **105**:199-234. [102]
- Sibson, R. 1972. Order invariant methods for data analysis. *J. Roy. Stat. Soc. B* **34**:311-349. [262]
- Sibson, R. 1978. Studies in the robustness of multidimensional scaling: Procrustes statistics. *J. Roy. Stat. Soc. B* **40**:234-238. [330]
- Smarrt, P. F. M. & J. E. A. Grainger. 1974. Sampling for vegetation survey: some aspects of the behaviour of unrestricted and stratified techniques. *J. Biogeogr.* **1**:193-206. [16]
- Šmilauer, P. 1992. *CANODRAW 3.00 User's Guide*. Scientia, Budapest. [252, 280]
- Smith, P. G. & J. B. Phipps. 1984. Consensus trees in phenetic analysis. *Taxon* **33**:586-594. [345]
- Smith, S. P. & R. Dubes. 1980. Stability of hierarchical clustering. *Pattern Recognition* **12**:177-187. [164]
- Sneath, P. H. A. 1957. The application of computers to taxonomy. *J. Gen. Microbiol.* **17**:201-226. [142]
- Sneath, P. H. A. 1966. A comparison of different clustering methods as applied to randomly spaced points. *Classif. Soc. Bull.* **1**:2-18. [163]
- Sneath, P. H. A. 1995. Thirty years of numerical taxonomy. *Syst. Biol.* **44**:281-298. [170]
- Sneath, P. H. A. & R. R. Sokal. 1973. *Numerical Taxonomy*. Freeman, San Francisco. [24, 30, 31, 34, 46, 50, 61, 94, 102, 112, 137, 139, 147, 159, 165, 169, 177, 178, 278, 317, 350]
- Sober, E. 1983. Parsimony in systematics: philosophical issues. *Ann. Rev. Ecol. Syst.* **14**:335-357. [180]
- Sober, E. 1988. *Reconstructing the Past: Parsimony, Evolution and Inference*. MIT Press, Cambridge, Mass. [180]
- Sokal, R. R. 1983. A phylogenetic analysis of the Caminalcules. I-IV. *Syst. Zool.* **32**:159-184, 185-201, 248-258, 259-275. [213]
- Sokal, R. R. 1986. Phenetic taxonomy: theory and methods. *Ann. Rev. Ecol. Syst.* **17**:423-442. [169]
- Sokal, R. R. & C. D. Michener. 1958. A statistical method for evaluating systematic relationships. *Univ. Kansas Sci. Bull.* **38**:1409-1438. [62, 144]
- Sokal, R. R. & F. J. Rohlf. 1962. The comparison of dendrograms by objective methods. *Taxon* **11**:33-40. [163, 324]
- Sokal, R. R. & F. J. Rohlf. 1970. The intelligent ignoramus, an experiment in numerical taxonomy. *Taxon* **19**:305-319. [163]

- Sokal, R. R. & F. J. Rohlf. 1981a. *Biometry*. Freeman, San Francisco. [39, 45, 315]
- Sokal, R. R. & F. J. Rohlf. 1981b. Taxonomic congruence in the Leptopodomorpha re-examined. *Syst. Zool.* **30**:309-325. [340, 344]
- Sokal, R. R. & P. H. A. Sneath. 1963. *Principles of Numerical Taxonomy*. Freeman, San Francisco. [63, 64, 69, 169]
- Soltis, D. E. et al. 1997. Angiosperm phylogeny inferred from 18S ribosomal DNA sequences. *Ann. Missouri Bot. Gard.* **84**:1-49. [211]
- Sorensen, T. 1948. A method for establishing groups of equal amplitude in plant sociology based on similarity of species content and its application to analyses of the vegetation on Danish commons. *Biol. Skr.* **5**(4):1-34. [143]
- Southwood, 1978. *Ecological Methods*. 2nd ed. Chapman and Hall, London. [16, 19, 30]
- Späth, H. 1980. *Cluster Analysis Algorithms*. Ellis Horwood, Chichester. [129, 130, 171]
- Sporne, K. R. 1976. Character correlations among angiosperms and the importance of fossil evidence in assessing their significance. In: C. B. Beck (ed.), *Origin and Early Evolution of Angiosperms*. Columbia Univ. Press, New York. pp. 312-329. [188]
- Stauffer, D. F., E. O. Garton & R. K. Steinhorst. 1985. A comparison of principal components from real and random data. *Ecology* **66**:1693-1698. [29]
- Steel, M. A. & D. Penny. 1993. Distributions of tree comparison metrics – Some new results. *Syst. Biol.* **42**:126-141. [331, 337, 352]
- Stefanovic, S., M. Jager, J. Deutsch, J. Broutin & M. Masselot. 1998. Phylogenetic relationships of conifers inferred from partial 28S rRNA gene sequences. *Amer. J. Bot.* **85**:688-697. [212]
- Stinebrickner, R. 1984. *s*-consensus trees and indices. *Bull. Math. Biol.* **46**:923-935. [352]
- Stuessy, T. F. 1990. *Plant Taxonomy. The Systematic Evaluation of Comparative Data*. Columbia University Press, New York. [30, 50, 170, 176, 179, 187, 188, 208, 278]
- Swofford, D. L. 1981. On the utility of the distance Wagner procedure. In: Funk & Brooks (1981), pp. 25-43. [185]
- Swofford, D. L. 1990. *PAUP: Phylogenetic Analysis Using Parsimony*. Ver. 3.0. Illinois Natl. Hist. Surv., Champaign, Illinois. [210]
- Swofford, D. L. 1991. When are phylogeny estimates from molecular and morphological data incongruent? In: Miyamoto & Cracraft (1991), pp. 295-333. [185, 344, 345, 346, 350]
- Swofford, D. L. & W. P. Maddison. 1987. Reconstructing ancestral character states under Wagner parsimony. *Math. Biosci.* **87**:199-229. [192, 194]
- Swofford, D. L. & G. J. Olsen. 1990. Phylogeny reconstruction. In: D. M. Hillis & C. Moritz (eds), *Molecular Systematics*. Sinauer, Sunderland, Mass., USA. pp. 411-501. [31, 72, 90, 91, 181, 184, 190, 192, 203, 204, 205, 208, 212]
- Szász, Z. 1979. New computer-oriented methods for the study of natural and simulated vegetation structure. In: Orlóci et al. (1979), pp. 301-308. [28]
- Talbot, S. L. & G. F. Shields. 1996. Phylogeography of brown bears (*Ursus arctos*) of Alaska and parapatry within the Ursidae. *Mol. Phylogen. Evol.* **5**:477-494. [179]
- Tateno, Y., M. Nei & F. Tajima. 1982. Accuracy of estimated phylogenetic trees from molecular data. I. Distantly related trees. *J. Mol. Evol.* **18**:387-404. [185]
- ter Braak, C. J. F. 1983. Principal components biplots and alpha and beta diversity. *Ecology* **64**:454-462. [224, 229]
- ter Braak, C. J. F. 1985. Correspondence analysis of incidence and abundance data: properties in terms of a unimodal response model. *Biometrics* **41**:859-873. [246]
- ter Braak, C. J. F. 1986. Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology* **67**:1167-1179. [249]
- ter Braak, C. J. F. 1987. The analysis of vegetation-environment relationships by canonical correspondence analysis. *Vegetatio* **69**:69-77. [249]

- ter Braak, C. J. F. 1988. *CANOCO. A FORTRAN program for canonical community ordination by partial detrended canonical correspondence analysis, principal components analysis and redundancy analysis*. GLW, Wageningen, The Netherlands. [248, 251]
- ter Braak, C.J.F. 1990. Interpreting canonical correlation analysis through biplots of structural correlations and weights. *Psychometrika* **55**:519-531. [239]
- ter Braak, C.J.F. 1996. *Unimodal Models to Relate Species to Environment*. DLO Agricultural Mathematics Group, Wageningen. [278]
- ter Braak, C. J. F. & I. C. Prentice. 1988. A theory of gradient analysis. *Adv. Ecol. Res.* **18**:271-317. [233, 241, 248, 249, 251, 266, 278]
- ter Braak, C. J. F. & P. Šmilauer. 1998. *CANOCO Reference Manual and User's Guide to Canoco for Windows*. Centre for Biometry, Wageningen. [251]
- Therrien, C. W. 1989. *Decision, Estimation, and Classification: An Introduction to Pattern Recognition and Related Topics*. Wiley, New York. [112, 114, 117, 129]
- Thompson, D'A. W. 1917. *On Growth and Form*. Cambridge Univ. Press, Cambridge. [276]
- Torgerson, W. S. 1952. Multidimensional scaling: I. Theory and method. *Psychometrika* **17**:401-419. [253]
- Tóthmérész, B. 1986. Genetic distances I. *Acta Bot. Hung.* **32**:141-149. [91]
- Tóthmérész, B. 1996a. NuCoSA A program package for zoological and ecological studies. (in Hungarian) *Synbiol. Hung.* **2**(1) [104, 281]
- Tóthmérész, B. 1996b. Weighted dissimilarity measures for binary data. *Abstr. Bot.* **20**:105-108.
- Tucker, L. R. 1972. Relations between multidimensional scaling and three-mode factor analysis. *Psychometrika* **37**:3-27. [284]
- Tukey, J. W., J. H. Friedman & M. A. Fisher. 1976. PRIM-9, an interactive multidimensional data display and analysis system. Proc. 4th Internat. Congr. for Stereology, Sept. 4-9, 1975. Gaithersburg, Maryland. [37]
- Tukey, P. A. & J. W. Tukey. 1981a. Preparation; prechosen sequences of views. In: Barnett (1981), pp. 189-213. [37, 50]
- Tukey, P. A. & J. W. Tukey. 1981b. Data-driven view selection; agglomeration and sharpening. In: Barnett (1981), pp. 215-243. [50]
- Tukey, P. A. & J. W. Tukey. 1981c. Summarization; smoothing; supplemented views. In: Barnett (1981), pp.245-275. [50]
- van Rijkevorsel, J. L. A. & J. de Leeuw. 1988. *Component and Correspondence Analysis*. Wiley, New York. [279]
- Wagner, W. H. Jr. 1961. Problems in the classification of ferns. *Recent Advances in Botany* **1**:841-844. [181]
- Ward, J. H. 1963. Hierarchical grouping to optimize an objective function. *J. Amer. Stat. Ass.* **58**:236-244. [136, 150]
- Wartenberg, D., S. Ferson & F. J. Rohlf. 1987. Putting things in order: a critique of detrended correspondence analysis. *Amer. Nat.* **129**:434-448. [248]
- Waterman, M. S., J. Joyce & M. Eggert. 1991. Computer alignment of sequences. In: Miyamoto & Cracraft (1991), pp. 59-72. [73]
- Waterman, M. S. & T. F. Smith. 1978. On the similarity of dendrograms. *J. theor. Biol.* **73**:789-800. [327]
- Watrous, L. E. & Q. D. Wheeler. 1981. The out-group comparison method of character analysis. *Syst. Zool.* **30**:1-11. [187]
- Wegman, E. J., D. B. Carr & Q. Luo. 1993. Visualizing multivariate data. In: C. R. Rao (ed.), *Multivariate Analysis: Future Directions*. Elsevier, Amsterdam. pp. 423-466. [50]
- Weir, A. D. 1970. Program DIVINFRE: a divisive classification on binary data, including re-allocation. Tech Memo. 70/7, CSIRO, Canberra. [158]
- Weir, B. S. 1990. *Genetic Data Analysis*. Sinauer, Sunderland. [73, 87, 90, 91, 183, 199, 204]
- Westhoff, V. & E. van der Maarel. 1978. The Braun-Blanquet approach. In: R. H. Whittaker (ed.), *Classification of Plant Communities*. Junk, The Hague. pp. 287-399. [17]
- Whittaker, R. H. 1967. Gradient analysis of vegetation. *Biol. Rev.* **49**:207-264. [242]
- Whittaker, R. H. (ed.) 1973. *Ordination and Classification of Vegetation*. Junk, The Hague. [170, 278]
- Whittaker, R. H. (ed.) 1978. *Ordination of Plant Communities*. Junk, The Hague. [278]

- Whittaker, R. H. & C. W. Fairbanks. 1958. A study of plankton copepod communities in the Columbia Basin, southeastern Washington. *Ecology* **39**:46-65. [86]
- Whittaker, R. J. 1987. An application of detrended correspondence analysis and nonmetric multidimensional scaling to the identification and analysis of environmental factor complexes and vegetation structure. *J. Ecol.* **75**:363-376. [311]
- Wiens, J. J. 1995. Polymorphic characters in phylogenetic systematics. *Syst. Biol.* **44**:482-500. [190]
- Wildi, O. 1989. A new numerical solution to traditional phytosociological tabular classification. *Vegetatio* **81**:96-106. [302]
- Wildi, O. & L. Orlóci. 1996. Numerical exploration of community patterns. A guide to the use of MULVA-5. 2nd ed. SPB Publishing, The Hague. [280]
- Wiley, E. O. 1981. *Phylogenetics: The Theory and Practice of Phylogenetic Systematics*. Wiley, New York. [178]
- Williams, D. M. 1992. DNA Analysis: methods. In: Forey et al. (1993), pp. 102-123. [200]
- Williams, P. L. & W. M. Fitch. 1990. Phylogeny determination using dynamically weighted parsimony method. In: R. F. Doolittle (ed.), *Methods in Enzymology*. Vol. 183. Academic Press, San Diego. pp. 615-626. [200]
- Williams, W. T. 1971. Principles of clustering. *Ann. Rev. Ecol. Syst.* **2**:303-326. [139, 140, 169]
- Williams, W. T. (ed.) 1976. *Pattern Analysis in Agricultural Science*. Elsevier, Amsterdam. [29, 148, 156, 170]
- Williams, W. T. & H. T. Clifford. 1971. On the comparison of two classifications of the same set of elements. *Taxon* **20**:519-522. [324]
- Williams, W. T. & M. B. Dale. 1965. Fundamental problems in numerical taxonomy. *Adv. Bot. Res.* **2**:35-68. [35]
- Williams, W. T. & J. M. Lambert. 1959. Multivariate methods in plant ecology. I. Association-analysis in plant communities. *J. Ecol.* **47**:83-101. [156]
- Williams, W. T. & J. M. Lambert. 1960. Multivariate methods in plant ecology. II. The use of an electronic digital computer for association-analysis. *J. Ecol.* **48**:689-710. [156]
- Williams, W. T. & J. M. Lambert. 1961a. Multivariate methods in plant ecology. III. Inverse association analysis. *J. Ecol.* **49**:717-729. [295]
- Williams, W. T. & J. M. Lambert. 1961b. Nodal analysis of associated populations. *Nature* **191**:202. [295]
- Williams, W. T., J. M. Lambert & G. N. Lance. 1966. Multivariate methods in plant ecology. V. Similarity analyses and information analysis. *J. Ecol.* **54**:427-445. [152, 157]
- Williams, W. T. & G. N. Lance. 1968. Choice of strategy in the analysis of complex data. *The Statistician* **18**:31-43. [240]
- Williams, W. T., G. N. Lance, L. J. Webb, J. G. Tracey & J. H. Connell. 1969. Studies in the numerical analysis of complex rain-forest communities. IV. A method for the elucidation of small-scale forest pattern. *J. Ecol.* **57**:635-654. [19]
- Williamson, M. H. 1978. The ordination of incidence data. *J. Ecol.* **66**:911-920. [256]
- Wirth, U. 1993. Caminalcules and Didaktozoa: Imaginary organisms as test examples for systematics. In: Opitz et al. (1993), pp. 421-433. [213]
- Wishart, D. 1969. An algorithm for hierarchical classifications. *Biometrics* **25**:165-170. [86, 150, 159]
- Wishart, D. 1978. *Clustan User Manual*. 3rd ed. Edinburgh University. [120]
- Wolda, H. 1981. Similarity indices, sample size and diversity. *Oecologia* **50**:296-302. [58, 70, 102]
- Wright, S. 1954. The interpretation of multivariate systems. In: O. Kempthorne (ed.), *Statistics and Mathematics in Biology*. Iowa State College Press, Ames. pp. 11-33. [279]
- Wright, S. 1978. *Evolution and the Genetics of Populations. Vol. 4. Variability within and among Natural Populations*. Univ. Chicago Press, Chicago. [89]
- Zadeh, L. 1965. *Fuzzy Set Theory and its Applications*. Kluwer-Nijhoff, Boston. [124]
- Zahn, C. T. & R. Z. Roskies. 1972. Fourier descriptors for plane closed curves. *IEEE Trans. Comput.* **C-21**:269-281. [274]
- Zander, R. H. 1998. Phylogenetic reconstruction: a critique. *Taxon* **47**:681-693. [209, 211]
- Zelditch, M. L., W. L. Fink & D. L. Swiderski. 1995. Morphometrics, homology and phylogenetics: Quantified characters as synapomorphies. *Syst. Biol.* **44**:179-189. [278]

- Zuckerkandl, E. & L. Pauling. 1965. Evolutionary divergence and convergence in proteins. In: V. Bryson & H. J. Vogel (eds), *Evolving Genes and Proteins*. Academic Press, New York. pp. 97-166. [211]