

Podani J. 2015. *A növények evolúciója és osztályozása. (Evolution and Systematics of Plants)*. Eötvös Kiadó, Budapest.

## Irodalomjegyzék

- Adams, K. L. and J. D. Palmer. 2003. Evolution of mitochondrial gene content: Gene loss and transfer to the nucleus. *Mol. Phylogenet. Evol.* **29**: 380–395.
- Adams, R. P., J. A. Bartel and R. A. Price, R. A. 2009. A new genus, *Hesperocyparis*, for the cypresses of the western hemisphere (*Cupressaceae*). *Phytologia* **91**: 160–185.
- Adl, S. M. et al. 2012. The revised classification of eukaryotes. *J. Eukaryot. Microbiol.* **59**: 429–93.
- Akiyama, H. 1999. Genetic variation of the asexually reproducing moss, *Takakia lepidozoides*. *J. Bryol.* **21**: 177–182.
- Albach, D. C., H. M. Meudt and B. Oxelman. 2005. Piecing together the “new” Plantaginaceae. *Amer. J. Bot.* **92**: 297–315.
- Albach, D. C., P. S. Soltis, D. E. Soltis. 2001a. Patterns of embryological and biochemical evolution in the asterids. *Syst. Bot.* **26**: 242–262.
- Albach, D. C., P. S. Soltis, D. E. Soltis et al. 2001b. Phylogenetic analysis of asterids based on sequences of four genes. *Ann. Mo. Bot. Gard.* **88**: 163–212.
- Albert, V. A., A. Backlund, K. Bremer et al. 1994. Functional constraints and rbcL evidence for land plant phylogeny. *Ann. Mo. Bot. Gard.* **81** (3): 534–567.
- Albert V. A., S. E. Williams and M. W. Chase. 1992. Carnivorous plants – phylogeny and structural evolution. *Science* **257** (5076): 1491–1495.
- APG. 1998. An ordinal classification for the families of flowering plants. *Ann. Mo. Bot. Gard.* **85**: 531–553.
- APG II. 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* **141**: 399–436.
- APG III. 2009. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Botanical Journal of the Linnean Society* **161**: 105–121.
- Arnold, C. A. 1953. Origin and relationships of the cycads. *Phytomorphology* **3**: 51–65.
- Ashlock, P. D. 1984. Monophyly: Its meaning and importance. In: Duncan and Stuessy (1984), pp. 39–46.
- Avise, J. C., R. A. Lansman and R. O. Shade. 1979. The use of restriction endonucleases to measure mitochondrial DNA sequence relatedness in natural populations. I. Population structure and evolution in the genus *Peromyscus*. *Genetics* **92**: 279–295.
- Baldauf, S. L., A. J. Roger, I. Wenk-Siefert et al. 2000. A kingdom-level phylogeny of eukaryotes based on combined protein data. *Science* **290**: 972–977.
- Ballard, H. E. and K. J. Sytsma. 2000. Evolution and biogeography of the woody Hawaiian violets (*Viola*, *Violaceae*): Arctic origins, herbaceous ancestry and bird dispersal. *Evolution* **54** (5): 1521–1532.
- Banks, J. A. 2009. *Selaginella* and 400 million years of separation. *Ann. Rev. Plant Biol.* **60**: 223–238.
- Banks, J. A., T. Nishiyama, M. Hasebe et al. 2011. The *Selaginella* genome identifies genetic changes associated with the evolution of vascular plants. *Science* **332**: 960–963.
- Barker, N. P., L. G. Clark, J. I. Davis et al. 2001. Phylogeny and subfamilial classification of the grasses (*Poaceae*). *Ann. Mo. Bot. Gard.* **88** (3): 373–457.
- Barker, M. S. 2013. Karyotype and genome evolution in pteridophytes. In: Leitch, I. J., Greilhuber, J., Doležel, J., Wendel, J. F., (eds), *Plant Genome Diversity 2: Physical Structure, Behaviour and Evolution of Plant Genomes*. Springer, Wien. pp. 255–276.
- Barton, N. H., D. E. G. Briggs, J. A. Eisen et al. 2007. *Evolution*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Bateman, R. M. 1996. Nonfloral homoplasy and evolutionary scenarios in living and fossil land plants. In: Sanderson and Hufford (1996), pp. 245–253.
- Bateman, R. M., P. R. Crane, W. A. DiMichele et al. 1998. Early evolution of land plants: Phylogeny, physiology, and ecology of the primary terrestrial radiation. *Annu. Rev. Ecol. Syst.* **29**: 263–292.
- Beck, C. B. 1960a. Connection between *Archaeopteris* and *Callixylon*. *Science* **131**: 1524–1525.
- Beck, C. B. 1960b. The identity of *Archaeopteris* and *Callixylon*. *Brittonia* **12**: 351–368.

- Beckert, S., H. Muhle, D. Pruchner et al. 2001. The mitochondrial nad2 gene as a novel marker locus for phylogenetic analysis of early land plants: A comparative analysis in mosses. *Mol. Phylogenet. Evol.* **18** (1): 117–126.
- Beerling, D. J., C. P. Osborne and W. G. Chaloner. 2001. Evolution of leaf-form in land plants linked to atmospheric CO<sub>2</sub> decline in the Late Palaeozoic era. *Nature* **410** (6826): 352–4.
- Bell, P. R. and A. R. Hemsley. 2000. *Green Plants. Their Origin and Diversity*. Cambridge Univ. Press, Cambridge.
- Bennett, J. R. and S. Mathews. 2006. Phylogeny of the parasitic plant family *Orobanchaceae* inferred from phytochrome A. *Amer. J. Bot.* **93**: 1039–1051.
- Benson, M. 1908. *Miadesmia membranacea* Bertrand; a new Palaeozoic lycopod with a seed-like structure. *Phil. Trans. Roy. Soc. London* **119B**: 409–425.
- Bhattacharya, D., D. C. Price, C. X. Chan et al. 2013. Genome of the red alga *Porphyridium purpureum*. *Nat. Commun.* **4**: 1941.
- Bidartondo, M. I., D. J. Read, J. M. Trappe et al. 2011. The dawn of symbiosis between plants and fungi. *Biol. Lett.* **7**: 574–577.
- Biffin, E., T. J. Brodribb, R. S. Hill et al. 2011a. Leaf evolution in Southern Hemisphere conifers tracks the angiosperm ecological radiation. *Proc. Roy. Soc. B.* **279**: 341–8.
- Biffin, E., J. G. Conran and A. J. Lowe. 2011b. Podocarp evolution: A molecular phylogenetic perspective. *Smithsonian Contrib. Bot.* **45**: 1–20.
- Birky, C. W. Jr. 1995. Uniparental inheritance of mitochondrial and chloroplast genes: Mechanisms and evolution. *PNAS* **92**: 11331–11338.
- Blouin, N. A. and C. E. Lane. 2012. Red algal parasites: Models for a life history evolution that leaves photosynthesis behind again and again. *Bioessays* **34**: 226–235.
- Bomflour, B., S. McLoughlin and V. Vajda. 2014. Fossilized nuclei and chromosomes reveal 180 million years of genomic stasis in royal ferns. *Science* **343**: 1376–7.
- Bowe, L. M., G. Coat and C. W. dePamphilis. 2000. Phylogeny of seed plants based on all three genomic compartments: Extant gymnosperms are monophyletic and *Gnetales*' closest relatives are conifers. *PNAS* **97**: 4092–4097.
- Bower, F. O. 1908. *The Origin of a Land Flora*. Macmillan, London.
- Bower, F. O. 1935. *Primitive Land Plants*. Macmillan, London.
- Boyce, C. K. 2010. The evolution of plant development in a paleontological context. *Curr. Opinion Plant Biol.* **13**: 102–107.
- Boyce, C. K., C. L. Hotton, M. L. Fogel et al. 2003. Comparative geochemistry suggests *Prototaxites* was a gigantic fungus [Abstract]. *Geological Society of America Meeting, Abstracts with Programs*. **34** (7): p. 587.
- Braukmann, T. W. A., M. Kuzmina and S. Stefanovic. 2009. Loss of all plastid *ndh* genes in *Gnetales* and conifers: Extent and evolutionary significance for the seed plant phylogeny. *Curr. Genetics* **55**: 323–337.
- Bremer, K. 1985. Summary of green plant phylogeny and classification. *Cladistics* **1**: 369–385.
- Bremer, K. 2000. Early Cretaceous lineages of monocot flowering plants. *PNAS* **97**: 4707–4711.
- Bremer, K., A. Backlund, B. Sennblad et al. 2001. A phylogenetic analysis of 100+ genera and 50+ families of euasterids based on morphological and molecular data with notes on possible higher level. morphological synapomorphies *Plant Syst. Evol.* **229**: 137–169.
- Bremer, B., K. Bremer, N. Heidari et al. 2002. Phylogenetics of asterids based on 3 coding and 3 non-coding chloroplast DNA markers and the utility of non-coding DNA at higher taxonomic levels. *Mol. Phylogenet. Evol.* **24**: 274–301.
- Bremer, K., C. J. Humphries, B. D. Mishler and S. P. Churchill. 1987. On cladistic relationships in green plants. *Taxon* **36**: 339–349.
- Briggs, B. G. 2000. What is significant – The Wollemi pine or the southern rushes? *Ann. Mo. Bot. Gard.* **87**: 72–80.
- Brinkhuis, H. and S. Schouten. 2006. Episodic fresh surface waters in the Eocene Arctic Ocean. *Nature* **441**: 606–609.
- Brouard J. S., C. Otis, C. Lemieux and M. Turmel. 2010. The exceptionally large chloroplast genome of the green alga *Floydiella terrestris* illuminates the evolutionary history of the *Chlorophyceae*. *Genome Biol. Evol.* **12**: 240–56.
- Brummitt, R. K. 2014. Taxonomy versus cladonomy in the dicot families. *Ann. Mo. Bot. Garden* **100** (1–2): 89–99.
- Brunsfeld, S. J., P. E. Soltis, D. E. Soltis et al. 1994. Phylogenetic relationships among the genera of *Taxodiaceae* and *Cupressaceae*: evidence from rbcL sequences. *Syst. Bot.* **19**: 253–262.
- Bryant, H. N. 1994. Comments on the phylogenetic definition of taxon names and conventions regarding the naming of crown clades. *Syst. Biol.* **43**: 124–130.
- Buchheim, M. A., D. M. Sutherland, T. Schleicher et al. 2012. Phylogeny of *Oedogoniales*, *Chaetophorales* and *Chaetopeltidales* (*Chlorophyceae*): inferences from sequence-structure analysis of ITS2. *Ann. Bot.* **109**: 109–16.
- Buczko, K. 2006. Algák. In: Ujhelyi, P. (szerk.) *Élővilág Enciklopédia*. Kossuth, Budapest. pp. 58–78.
- Budke, J. M., C. S. Jones and B. Goffinet. 2007. Development of the enigmatic peristome of *Timmia megapolitana* (*Timmiaceae*; *Bryophyta*). *Am. J. Bot.* **94**: 460–467.
- Burki, F., K. Shalchian-Tabrizi, M. A. Minge et al. 2007. Phylogenomics reshuffles the eukaryotic supergroups. *PLoS ONE* **2**: e790.

- Burleigh, J. G., W. B. Barbazuk, J. M. Davis et al. 2012. Exploring diversification and genome size evolution in extant gymnosperms through phylogenetic synthesis. *J. Bot.* 2012, Article 292857.
- Caddick, L.R., P. Wilkin, P. J. Rudall et al. 2002. Yams reclassified: a recircumscription of *Dioscoreaceae* and *Dioscoreales*. *Taxon* **51**: 103–114.
- Camin, J. H. and R. R. Sokal. 1965. A method for deducing branching sequences in phylogeny. *Evolution* **19**: 311–326.
- Campbell, A. C. and J. Nicholls. 1976. *The Hamlyn Guide to the Seashore and Shallow Seas of Britain and Europe*. Hamlyn, London.
- Cantino, P. D. 1992. Evidence for a polyphyletic origin of the *Labiatae*. *Annals Missouri Bot. Gard.* **79**: 361–379.
- Cantino, P. D., J. A. Doyle, S. W. Graham et al. 2007. Towards a phylogenetic nomenclature of *Tracheophyta*. *Taxon* **56**: 822–846.
- Castenholz, R. W. and T. R. McDermott. 2010. The *Cyanidiales*: Ecology, biodiversity, and biogeography. In: J. Sekbach and D. J. Chapman. (eds), *Red Algae in the Genomic Age*. Springer, Berlin. pp. 357–371.
- Cavalier-Smith, T. 1981. Eukaryote kingdoms: Seven or nine? *Bio Systems* **14** (3–4): 461–81.
- Cavalier-Smith, T. 1991. Cell diversification in heterotrophic flagellates. In: D. J. Patterson & J. Larsen. (eds), *The Biology of Free-living Heterotrophic Flagellates*, Oxford University Press, Oxford. pp. 113–131.
- Cavalier-Smith, T. 1993. Kingdom protozoa and its 18 phyla. *Microbiological Reviews* **57**: 953–94.
- Cavalier-Smith, T. 1999. Zooflagellate phylogeny and the systematics of Protozoa. *Biological Bulletin* **196**: 393–395.
- Cavalier-Smith, T. 2002. The phagotrophic origin of eukaryotes and phylogenetic classification of protozoa. *Internat. J. Syst. Evol. Microbiol.* **52**: 297–354.
- Cavalier-Smith, T. 2004. Only six kingdoms of life. *Proceedings of the Royal Society B: Biological Sciences* **271**: 1251–62.
- Cavalier-Smith, T. 2007a. Evolution and relationships of algae: major branches of the tree of life. In: Brodie, J. and Lewis, J. (eds), *Unravelling the Algae*. CRC Press, Boca Raton, pp. 21–55.
- Cavalier-Smith, T. 2007b. A revised six-kingdom system of life. *Biol. Rev.* **73** (3): 203–66.
- Chang, Y. and S. W. Graham. 2011. Inferring the higher-order phylogeny of mosses (*Bryophyta*) and relatives using a large, multigene plastid data set. *Amer. J. Bot.* **98**: 839–49.
- Chao, Y. S., G. Rouhan, V. B. Amoroso and W. L. Chiou. 2014. Molecular phylogeny and biogeography of the fern genus *Pteris* (*Pteridaceae*). *Ann. Bot.* **114**: 109–124.
- Chapman, R. L. and D. A. Waters. 2002. Green algae and land plants – An answer at last? *J. Phycol.* **38**: 237–240.
- Chase, M. W., M. R. Duval, H. G. Hills et al. 1995. Molecular phylogenetics of *Liliana*. In: P. J. Rudall, P. J. Crib, D. F. Cutler and C. J. Humphries (eds), *Monocotyledons: Systematics and Evolution*. Royal Botanic Garden, Kew. pp. 109–137.
- Chase, M. W. and J. L. Reveal 2009. A phylogenetic classification of the land plants to accompany APG III. *Bot. J. Linnean Soc.* **161**: 122–127.
- Chase, M. W., D. E. Soltis, R. G. Olmstead et al. 1993. Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene *rbcl*. *Ann. Mo. Bot. Gard.* **80**: 528–580.
- Chaw, S. M., C. L. Parkinson, Y. C. Cheng et al. 2000. Seed plant phylogeny inferred from all three plant genomes: Monophyly of extant gymnosperms and origin of *Gnetales* from conifers. *PNAS* **97**: 4086–4091.
- Chaw, S. M., A. Zharkikh, H. M. Sung et al. 1997. Molecular phylogeny of extant gymnosperms and seed plant evolution: Analysis of nuclear 18S rRNA sequences. *Mol. Biol. Evol.* **14**: 56–68.
- Chen, M., G. R. Hiller, C. J. Howe and A. W. D. Larkum. 2005. Unique origin and lateral transfer of prokaryotic chlorophyll-b and chlorophyll-d light-harvesting systems. *Mol. Biol. Evol.* **22**: 21–28.
- Cheng, Y. C., R. G. Nicolson, K. Tripp et al. 2000. Phylogeny of *Taxaceae* and *Cephalotaxaceae* genera inferred from chloroplast *matK* gene and nuclear rDNA ITS region. *Mol. Phylogenet. Evol.* **14**: 353–365.
- Cherrier, J. F. et J. P. Laclau. 1991. Fougères arborescentes en Nouvelle Calédonie. *Bois et Forêts des Tropiques* **230**: 31–32.
- Christenhusz, M. J. M. and M. W. Chase. 2014. Trends and concepts in fern classification. *Ann. Bot.* **113**: 571–594.
- Christenhusz, M. J. M., J. L. Reveal, A. Farjon et al. 2011. A new classification and linear sequence of extant gymnosperms. *Phytotaxa* **19**: 55–70.
- Christenhusz, M. J. M. and H. Schneider. 2011. Corrections to Phytotaxa 19: Linear sequence of lycophytes and ferns. *Phytotaxa* **28**: 50–52.
- Cochran, A. T., J. Prado and E. Schuettpelz. 2014. *Tryonia*, a new taenitoid fern genus segregated from *Jamesonia* and *Eriosorus* (*Pteridaceae*). *PhytoKey* **35**: 23–43.
- Conran, J. G., C. M. Wood, P. G. Martin et al. 2000. Generic relationships within and between the gymnosperm families *Podocarpaceae* and *Phyllocladaceae* based on an analysis of the chloroplast gene *rbcl*. *Aust. J. Bot.* **48**: 715–724.
- Cox, C. J., B. Li, P. G. Foster et al. 2014. Conflicting phylogenies for early land plants are caused by composition biases among synonymous substitutions. *Syst. Biol.* **63**: 272–279.

- Cracraft, J. and K. Helm-Bychowski. 1991. Parsimony and phylogenetic inference using DNA sequences: Some methodological strategies. In: Miyamoto and Cracraft (1991), pp. 184–220.
- Crandall-Stotler, B., R. E. Stotler and D. G. Long. 2009. Phylogeny and classification of the *Marchantiophyta*. *Edinburgh J. Bot.* **66** (1): 155–198.
- Crane, P. R. 1996. The fossil history of the *Gnetales*. *Int. J. Plant Sci.* **157**: S50–S57 Suppl. S.
- Crane, P. R., P. Herendeen and E. M. Friis. 2004. Fossils and plant phylogeny, *Amer. J. Bot.* **91**: 1683–99.
- Craven, L. A. 2005. Malesian and Australian *Tournefortia* transferred to *Heliotropium* and notes on delimitation of *Boraginaceae*. *Blumea* **50**: 375–381.
- Crepet, W. L. 1998. Botany – The abominable mystery. *Science* **282** (5394): 1653–1654.
- Crepet, W. L. 2000. Progress in understanding angiosperm history, success, and relationships: Darwin’s abominably “perplexing phenomenon”. *PNAS* **97**: 12939–12941.
- Crisci, J. V. and T. F. Stuessy. 1980. Determining primitive character states for phylogenetic reconstruction. *Syst. Bot.* **5**: 112–135.
- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. Columbia University Press, New York.
- Crowson, R. A. 1970. *Classification and Biology*. Heinemann, London.
- Crum, H. 2004. *Mosses of the Great Lakes Forest*. 4th ed. The University of Michigan Herbarium, Ann Arbor.
- Culley, T. M., S. G. Weller and A. K. Sakai. 2002. Evolution of wind pollination in angiosperms. *Trends Ecol. Evol.* **17** (10): 491–491.
- Dahlgren, R. 1983. General aspects of angiosperm evolution and macrosystematics. *Nordic J. Bot.* **3**: 119–149.
- Dahlgren, R. M. T., H. T. Clifford and P. F. Yeo. 1985. *The Families of the Monocotyledons: Structure, Evolution, and Taxonomy*. Springer, New York.
- Dahlgren, R. M. T. 1980. A revised system of classification of the angiosperms. *Bot. J. Linnean Soc.* **80**: 91–124
- Danert, S. és mtsai. 1980. *Urania Növényvilág*. I–III. Gondolat, Budapest.
- Darwin, C. R. 1955. *A fajok eredete a természetes kiválasztás útján vagy a létért való küzdelemben előnyhöz jutott fajták fennmaradása*. Akadémiai Kiadó, Budapest.
- Darwin, C. R. 1859. *The Origin of Species*. Murray, London.
- Darwin, C. R. 1862. *On the Various Contrivances by which British and Foreign orchids are Fertilised by Insects*. Murray, London.
- Darwin, C. R. 1871. *Descent of Man, and Selection in Relation to Sex*. Murray, London.
- Davis, C. C., W. R. Anderson and K. J. Wurdack. 2005. Gene transfer from a parasitic flowering plant to a fern. *Proc. Roy. Soc. B: Biological Sciences* **272**: 2237–2242.
- Davis, C. C., M. Latvis, D. L. Nickrent et al. 2007. Floral gigantism in *Rafflesiaceae*. *Science Express*, published online January 11, 2007
- Dawkins, R. 1994. *A vak órásmester*. Akadémiai Kiadó – Mezőgazda Kiadó, Budapest. (Eredetileg: *The Blind Watchmaker*, Longman, 1986).
- Dawkins, R. 2006. *Az ős meséje. Zarándoklat az élet hajnalához*. Partvonal, Budapest.
- Dayrat, B. 2003. The roots of phylogeny: how did Haeckel build his trees? *Syst. Biol.* **52**: 515–27.
- De Clerck, O., K. A. Bogaert and F. Leliaert. 2012. Diversity and evolution of algae: Primary endosymbiosis. *Advances in Botanical Research* **64**: 55–86
- De Franceschi, D and C. Vozenin-Serra. 2000. *Ginkgo biloba* L. origin. Phylogenetical approach. *Cr. Acad. Sci. III-Vie.* **323**: 583–592.
- De Queiroz, K. 2007. Species concepts and species delimitation. *Syst. Biol.* **56**: 879–86.
- De Queiroz, K. and J. Gauthier. 1990. Phylogeny as a central principle in taxonomy: phylogenetic definitions of taxon names. *Syst. Zool.* **39**: 307–322.
- De Queiroz, K. and J. Gauthier. 1992. Phylogenetic taxonomy. *Annu. Rev. Ecol. Syst.* **23**: 449–480.
- De Queiroz, K. and J. Gauthier. 1994. Toward a phylogenetic system of biological nomenclature. *TREE* **9**: 27–31.
- de Pamphilis, C. W., N. D. Young and A. D. Wolfe. 1997. Evolution of plastid gene *rps2* in a lineage of hemiparasitic and holoparasitic plants: Many losses of photosynthesis and complex patterns of rate variation. *PNAS* **94** (14): 7367–7372.
- Diószegi S. és Fazekas M. 1807. *Magyar Fűvészkönyv*. Nyomtatta Csáthy György Debreczenbenn.
- Donoghue, M. J. and J. A. Doyle. 2000. Seed plant phylogeny: Demise of the anthophyte hypothesis? *Curr. Biol.* **10**: R106–R109.
- Donoghue, M. J. and J. W. Kadereit. 1992. Walter Zimmermann and the growth of phylogenetic theory. *Syst. Biol.* **41**: 74–85.

- Doolittle, W. F. 1998. You are what you eat: a gene transfer ratchet could account for bacterial genes in eukaryotic nuclear genomes. *Trends Genet.* **14** (8): 307–11.
- Doolittle, W. F. 2000. Uprooting the tree of life. *Sci. Am.* **282** (2): 90–95.
- Doyle, J. A. 1996. Seed plant phylogeny and the relationships of *Gnetales*. *Int. J. Plant. Sci.* **157**: S3–S39 Suppl. S.
- Doyle, J. A. 1998a. Phylogeny of vascular plants. *Annu. Rev. Ecol. Syst.* **29**: 567–599.
- Doyle, J. A. 1998b. Molecules, morphology, fossils, and the relationship of angiosperms and *Gnetales*. *Mol. Phylogenet. Evol.* **9**: 448–462.
- Doyle, J. A. 2000. Paleobotany, relationships, and geographic history of *Winteraceae*. *Ann. Mo. Bot. Gard.* **87**: 303–316.
- Doyle, J. A. 2012. Molecular and fossil evidence on the origin of angiosperms. *Ann. Rev. Earth Planet. Sci.* **40**: 301–326.
- Doyle, J. A. 2013. Phylogenetic analysis and morphological innovations in land plants. *Ann. Plant Rev.* **45**: 1–50.
- Doyle, J. A., M. J. Donoghue and E. A. Zimmer. 1994. Integration of morphological and ribosomal-RNA data on the origin of angiosperms. *Ann. Mo. Bot. Gard.* **81**: 419–450.
- Doyle, J. A. and P. K. Endress. 2000. Morphological phylogenetic analysis of basal angiosperms: Comparison and combination with molecular data. *Int. J. Plant. Sci.* **161**: S121–S153 Suppl. S.
- Doyle, J. A. and P. K. Endress. 2010. Integrating Early Cretaceous fossils into the phylogeny of living angiosperms: Magnoliidae and eudicots. *J. Syst. Evol.* **48**: 1–35.
- Doyle, J. A. and P. K. Endress. 2011. Tracing the early diversification of the angiosperm flower. In: Wanntorp, L. and L. P. Ronse de Craene (eds), *Flowers on the Tree of Life*. Cambridge University Press, Cambridge. [Systematics Association Special Volume 80.] pp. 88–119.
- Duckett, J. G., S. Pressel, K. M. Y. P'ng and K. S. Renzaglia. 2009. Exploding a myth; the capsule dehiscence mechanism and the function of pseudostomata in *Sphagnum*. *New Phytol.* **183**: 1053–1063.
- Dudich E. és Loksa I. 1981. *Állatrendszertan*. Tankönyvkiadó, Budapest.
- Duff, R. J. and D. L. Nickrent. 1999. Phylogenetic relationships of land plants using mitochondrial small-subunit rDNA sequences. *Amer. J. Bot.* **86**: 372–386.
- Duncan, T., R. B. Phillips and H. Warren Jr. 1980. A comparison of branching diagrams derived by various phenetic and cladistic methods. *Syst. Bot.* **5**: 264–293.
- Duncan, T. and T. F. Stuessy. 1984. *Cladistics: Perspectives on the Reconstruction of Evolutionary History*. Columbia University Press, New York.
- Duncan, T. and T. F. Stuessy (eds) 1985. *Cladistic Theory and Methodology*. Van Nostrand Reinhold, New York.
- Dunn, G. and B. S. Everitt. 1982. *An Introduction to Mathematical Taxonomy*. Cambridge Univ. Press, Cambridge.
- Edwards, D. and L. Axe. 2000. Novel conducting tissues in Lower Devonian plants. *Bot. J. Linn. Soc.* **134** (1–2): 383–399.
- Edwards, D., J. G. Duckett and J. B. Richardson. 1995. Hepatic characters in the earliest land plants. *Nature* **374** (6523): 635–636.
- Edwards, E. J., R. Nyffeler and M. J. Donoghue. 2005. Basal cactus phylogeny: implications of *Pereskia* (*Cactaceae*) paraphyly for the transition to the cactus life form. *Amer. J. Bot.* **92**: 1177–1188.
- Endress, M. E. and P. V. Bruyns. 2000. A revised classification of the *Apocynaceae* s. l. *Bot. Rev.* **66**: 1–56.
- Endress, P. K. 1996. Structure and function of female and bisexual organ complexes in *Gnetales*. *Int. J. Plant. Sci.* **157**: S113–S125 Suppl. S.
- Endress, P. K. 2001a. Origins of flower morphology. *J. Exp. Zool.* **291**: 105–115.
- Endress, P. K. 2001b. The flowers in extant basal angiosperms and inferences on ancestral flowers. *Int. J. Plant Sci.* **162** (5): 1111–1140.
- Endress, P. K. 2001c. Evolution of floral symmetry. *Curr. Opin. Plant Biol.* **4**: 86–91.
- Endress, P. K. and J. Doyle. 2009. Reconstructing the ancestral angiosperm flower and its initial specializations. *Am. J. Bot.* **96**: 22–66.
- Endress, P. K. and A. Igersheim. 2000. Reproductive structures of the basal angiosperm *Amborella trichopoda* (*Amborellaceae*). *Int. J. Plant Sci.* **161**: S237–S248 Suppl. S.
- Engloner A., Penksza K. és Szerdahelyi T. 2001. *A hajtásos növények ismerete*. Nemzeti Tankönyvkiadó, Budapest.
- Ereshefsky, M. 2004. *The Poverty of Linnaean Hierarchy*. Cambridge Univ. Press, Cambridge.
- Estabrook, G. F. 1972. Cladistic methodology: a discussion of the theoretical basis for the induction of evolutionary history. *Ann. Rev. Ecol. Syst.* **3**: 427–456.
- Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *J. Mol. Evol.* **17**: 368–376.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* **39**: 783–791.
- Felsenstein, J. 1993. *PHYLIP. Phylogeny Inference Package*. University of Washington, Seattle.

- Ferguson, D. M. 1998. Phylogenetic analysis and relationships in *Hydrophyllaceae* based on *ndhF* sequence data. *Syst. Bot.* **23**: 253–268.
- Ferrández, C., C. Fourquin, N. Prunet et al. 2010. Carpel development. *Adv. Bot. Res.* **55**: 1–73.
- Field, A. R. and P. D. Bostock. 2013. New and existing combinations in Palaeotropical *Phlegmariurus* (*Lycopodiaceae*) and lectotypification of the type species *Phlegmariurus phlegmaria* (L.) T. Sen and U. Sen. *PhytoKeys* **20**: 33–51.
- Field, K. G., G. J. Olsen, D. J. Lane et al. 1988. Molecular phylogeny of the animal kingdom. *Science* **239** (4841): 748–753.
- Fitch, W. M. and E. Margoliash. 1967. Construction of phylogenetic trees. *Science* **155**: 279–284.
- Floyd, S. K. and W. E. Friedman. 2001. Developmental evolution of endosperm in basal angiosperms: evidence from *Amborella* (*Amborellaceae*), *Nuphar* (*Nymphaeaceae*), and *Illicium* (*Illiciaceae*). *Plant Syst. Evol.* **228**: 153–169.
- Fonseca, H. M. A. C. and R. L. L. Berbara. 2008. Does *Lumularia cruciata* form symbiotic relationships with either *Glomus proliferum* or *G. intraradices*? *Mycol. Res.* **112**: 1063–1068.
- Foote, M. 1996. On the probability of ancestors in the fossil record. *Paleobiology* **22**: 141–151.
- Forey, P. L., C. J. Humphries, I. J. Kitching et al. 1992. *Cladistics. A Practical Course in Systematics*. Clarendon, Oxford.
- Frank, N. 2003. Populáció-vizsgálatok a bakonyi tiszafásban I. Egyedszám-meghatározás a bekerített területen. *Erdészeti Lapok* **138** (5): 138–139.
- Friedl, T. 1995. Inferring taxonomic positions and testing genus level assignments in coccoid green lichen algae – a phylogenetic analysis of 18s ribosomal-rna sequences from *Dictyochloropsis reticulata* and from members of the genus *Myrmecia* (*Chlorophyta, Trebouxiophyceae*). *J. Phycol.* **31** (4): 632–639.
- Friedl, T. and N. Rybalka. 2012. Systematics of the green algae: A brief introduction to the current status. *Progress in Botany* **73**: 259–280.
- Friedman, W. E. 2001. Developmental and evolutionary hypotheses for the origin of double fertilization and endosperm. *Cr. Acad. Sci III-VIE.* **324**: 559–567.
- Friedman, W. E. and J. S. Carmichael. 1996. Double fertilization in *Gnetales*: Implications for understanding reproductive diversification among seed plants. *Int. J. Plant Sci.* **157**: S77–S94 Suppl. S.
- Friedman, W. E. and S. K. Floyd. 2001. Perspective: The origin of flowering plants and their reproductive biology – A tale of two phylogenies. *Evolution* **55**: 217–231.
- Friedman, W. E. and K. C. Ryerson. 2009. Reconstructing the ancestral female gametophyte of angiosperms: Insights from *Amborella* and other ancient lineages of flowering plants. *Amer. J. Bot.* **96**: 129–143.
- Friis, E. M., K. R. Pedersen and P. R. Crane. 2001. Fossil evidence of water lilies (*Nymphaeales*) in the Early Cretaceous. *Nature* **410** (6826): 357–360.
- Frohlich, M. W. 1999. MADS about *Gnetales*. *PNAS* **96** (16): 8811–8813.
- Frohlich, M. W. and M. W. Chase, 2007. After a dozen years of progress the origin of angiosperms is still a great mystery. *Nature* **450**: 1184–1189.
- Gadek, P. A., D. L. Alpers, M. M. Heslewood et al. 2000. Relationships within *Cupressaceae* sensu lato: A combined morphological and molecular approach. *Am. J. Bot.* **87**: 1044–1057.
- Galács A. 1983. *Élő kövületek*. Gondolat, Budapest.
- Gandolfo, M. A., K. C. Nixon, W. L. Crepet et al. 1998. Oldest known fossils of monocotyledons. *Nature* **394** (6693): 532–533.
- Garbary, D. J., K. S. Renzaglia and J. G. Duckett. 1993. The phylogeny of land plants: a cladistic analysis based on male gametogenesis. *Plant Syst. Evol.* **188**: 237–269.
- Glime, J. M. 2007. *Bryophyte Ecology. Volume 1. Physiological Ecology*. Ebook sponsored by Michigan Technological University and the International Association of Bryologists.
- Goff, L. J., J. Ashen and D. Moon. 1997. The evolution of parasites from their hosts: a case study in the parasitic red algae. *Evolution* **51**: 1068–1078.
- Goffinet, B., C. J. Cox, A. J. Shaw et al. 2001. The *Bryophyta* (mosses): Systematic and evolutionary inferences from an *rps4* gene (cpDNA) phylogeny. *Ann. Bot. London* **87** (2): 191–208.
- Gonez, P. and P. Gerrienne. 2010a. A new definition and a lectotypification of the genus *Cooksonia* Lang 1937. *Int. J. Plant Sci.* **171**: 199–215.
- Gonez, P. and P. Gerrienne. 2010b. *Aberlemnia caledonica* gen. et comb. nov., a new name for *Cooksonia caledonica* Edwards 1970. *Rev. Palaeobot. Palynol.* **163**: 64–72.
- Gordon, M. S. and E. C. Olson. 1995. *Invasions of the Land: The Transitions of Organisms from Aquatic to Terrestrial Life*. Columbia University Press, New York.
- Goremykin, V., V. Bobrova, J. Pahnke et al. 1996. Noncoding sequences from the slowly evolving chloroplast inverted repeat in addition to *rbcL* data do not support Gnetalean affinities of angiosperms. *Mol. Biol. Evol.* **13**: 383–396.
- Goswami, H. K. 2014. Heterosporangium: A new category of sporangium in *Lycopsidea*. *Acta Bot. Hung.* **56**: 77–92.
- Gottschling, M., H. H. Hilger, M. Wolf et al. 2001. Secondary structure of the ITS1 transcript and its application in a reconstruction of the phylogeny of *Boraginales*. *Plant Biology* **3** (6): 629–636.

- Gould, S. J. 1990. *A panda hüvelykujja*. Európa, Budapest.
- Gould, S. J. and E. S. Vrba. 1982. Exaptation – a missing term in the science of form. *Paleobiology* **8**: 4–15.
- Graham, L. E., M. E. Cook, D. T. Hanson et al. 2010. Structural, physiological, and stable carbon isotopic evidence that the enigmatic Paleozoic fossil *Prototaxites* formed from rolled liverwort mats. *Amer. J. Bot.* **97**: 268–275.
- Graham, L. K. E. and L. W. Wilcox. 2000. The origin of alternation of generations in land plants: a focus on matrotrophy and hexose transport. *Philos. T. Roy. Soc. B* **355** (1398): 757–766.
- Graham, S. A., J. Hall, K. Sytsma and S. H. Shi. 2005. Phylogenetic analysis of the *Lythraceae* based on four gene regions and morphology. *Internat. J. Plant Sci.* **166**: 995–1017.
- Graham, S. W. and R. G. Olmstead. 2000. Utility of 17 chloroplast genes for inferring the phylogeny of the basal angiosperms. *Am. J. Bot.* **87**: 1712–1730.
- Grayer, R. J., M. W. Chase and M. S. J. Simmonds. 1999. A comparison between chemical and molecular characters for the determination of phylogenetic relationships among plant families: An appreciation of Hegnauer's "Chemotaxonomie der Pflanzen". *Biochem. Syst. Ecol.* **27**: 369–393.
- Grayum, M. H. 1987. A summary of evidence and arguments supporting the removal of *Acorus* from *Araceae*. *Taxon* **36**: 723–729.
- Greuter, W. et al. (ed.). 2000. *International Code of Botanical Nomenclature*. Koeltz Scientific Books, Königstein, Germany.
- Grewe, F., W. Guo, E. A. Gubbels et al. 2013. Complete plastid genomes from *Ophioglossum californicum*, *Psilotum nudum*, and *Equisetum hyemale* reveal an ancestral land plant genome structure and resolve the position of *Equisetales* among monilophytes. *BMC Evol. Biol.* **13**: 8.
- Groth-Malonek, M. and V. Knoop. 2005. Bryophytes and other basal land plants: the mitochondrial perspective. *Taxon* **54**: 293–297.
- Gugerli, F., C. Sperisen, U. Buchler et al. 2001. The evolutionary split of *Pinaceae* from other conifers: Evidence from an intron loss and a multigene phylogeny. *Mol. Phylogenet. Evol.* **21**: 167–175.
- Guiry, M. D. and G. M. Guiry. 2014. *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>; searched on 20 February 2014.
- Hackett, J. D., H. S. Yoon, S. Li et al. 2007. Phylogenomic analysis supports the monophyly of cryptophytes and haptophytes and the association of rhizaria with chromalveolates. *Mol. Biol. Evol.* **24**: 1702–1713.
- Haeckel, E. H. P. A 1866. *Generelle Morphologie der Organismen: allgemeine Grundzüge der organischen Formen-Wissenschaft, mechanisch begründet durch die von Charles Darwin reformirte Descendenz-Theorie*. Berlin
- Haeckel, E. H. P. A. 1894. *Die systematische Phylogenie*. Berlin.
- Hallier, H. 1905. Provisional scheme of the natural (phylogenetic) system of the flowering plants. *New Phytol.* **4**: 151–162.
- Hanage, W. P., C. Fraser and B. G. Spratt. 2005. Fuzzy species among recombinogenic bacteria. *BMC Biol.* **3**: 6.
- Hansen, A., S. Hansmann, T. Samigullin et al. 1999. *Gnetum* and the angiosperms: Molecular evidence that their shared morphological characters are convergent, rather than homologous. *Mol. Biol. Evol.* **16**: 1006–1009.
- Harrington, M. G., K. J. Edwards, S. A. Johnson et al. 2005. Phylogenetic inference in *Sapindaceae* sensu lato using plastid matK and rbcL DNA sequences. *Syst. Bot.* **30**: 366–382.
- Haston, E., J. E. Richardson, P. F. Stevens et al. 2007. A linear sequence of Angiosperm Phylogeny Group II families. *Taxon* **56**: 7–12.
- Hendy, M. D. and D. Penny. 1982. Branch and bound algorithms to determine minimal evolutionary trees. *Math. Biosci.* **59**: 277–290.
- Hennig, W. 1950. *Grundzüge einer Theorie der phylogenetischen Systematik*. Deutscher Zentralverlag, Berlin.
- Hennig, W. 1966. *Phylogenetic Systematics*. Univ. Illinois Press, Urbana.
- Heywood, V. H., R. K. Brummitt, A. Culham and O. Seberg. 2007. *Flowering Plant Families of the World*. Royal Botanic Gardens, Kew, UK.
- Heywood, V. H. and D. M. Moore. 1984. *Current Concepts in Plant Taxonomy*. Academic, London.
- Hill, C. R. 1996. A plant with flower-like organs from the Wealden of the Weald (Lower Cretaceous), southern England. *Cretaceous Res.* **17**: 27–38.
- Hill, K. D., M. W. Chase, D. W. Stevenson et al. 2003. The families and genera of cycads: a molecular phylogenetic analysis of *Cycadophyta* based on nuclear and plastid dna sequences. *Int. J. Plant Sci.* **164**: 933–948.
- Hilton, J. and R. M. Bateman. 2006. Pteridosperms are the backbone of seed-plant phylogeny. *J. Torrey Bot. Soc.* **133**: 119–168.
- Hoffman, L. A. and A. M. F. Tomescu. 2013. An early origin of secondary growth: *Franhuerberia gerriennei* gen. et sp. nov. from the Lower Devonian of Gaspé (Quebec, Canada). *Amer. J. Bot.* **100**: 754–763.
- Hollingsworth, P. M., R. M. Bateman and R. J. Gornall (eds), 1999. *Molecular Systematics and Plant Evolution*. Taylor and Francis, London.
- Hoot, S. B., S. Magallón and P. R. Crane. 1999. Phylogeny of basal eudicots based on three molecular data sets: atpB, rbcL, and 18S nuclear ribosomal DNA sequences. *Ann. Mo. Bot. Gard.* **86**: 1–32.

- Hopkins J. F., D. F. Spencer, S. Laboissiere et al. 2012. Proteomics reveals plastid- and periplastid-targeted proteins in the chlorarachniophyte alga *Bigeloviella natans*. *Genome Biol. Evol.* **4**: 1391–1406.
- Howe, C. J., A. C. Barbrook, M. Spencer et al. 2001. Manuscript evolution. *Trends Genet.* **17** (3): 147–152.
- Howell, G. J., A. T. Slater and R. B. Knox. 1993. Secondary pollen presentation in angiosperms and its biological significance. *Aust. J. Bot.* **41** (4–5): 417–438.
- Hörandl, E. 2006. Paraphyletic versus monophyletic classifications – evolutionary versus cladistic classifications. *Taxon* **55**: 564–570.
- Husband, B. C., S. J. Baldwin and J. Suda. 2013. The incidence of polyploidy in natural plant populations: major patterns and evolutionary processes. In: Leitch, I. J., Greilhuber, J. Doležel, J. Wendel, J. F. (eds), *Plant Genome Diversity 2: Physical Structure, Behaviour and Evolution of Plant Genomes*. Springer, Wien. pp. 255–276.
- Igersheim, A., M. Buzgo and P. K. Endress. 2001. Gynoecium diversity and systematics in basal monocots. *Bot. J. Linn. Soc.* **136**: 1–65.
- Ingrouille, M. and B. Eddie 2006. *Plants: Evolution and Diversity*. Cambridge University Press, Cambridge, UK.
- Iwatsuki, K. and P. H. Raven (eds) 1997. *Evolution and Diversification of Land Plants*. Springer, Berlin.
- Jardine, N. and R. Sibson. 1971. *Mathematical Taxonomy*. Wiley, New York.
- Járainé Komlódi M. 1982. A növényvilág fejlődéstörténete. In: Vida G. (szerk.), *Az élővilág evolúciója*. Natura, Budapest. pp. 37–110.
- Jávorka S. és Csapody V. 1975. *Iconographia Florae Partis Austro-Orientalis Europae Centralis*. Akadémiai Kiadó, Budapest.
- Judd, W. S., C. S. Campbell, E. A. Kellogg, P. F. Stevens and M. J. Donoghue. 2002. *Plant Systematics. A Phylogenetic Approach*. 2nd ed. Sinauer, Mass.
- Judd, W. S. and S. R. Manchester. 1998. Circumscription of *Malvaceae* (*Malvales*) as determined by a preliminary cladistic analysis of morphological, anatomical, palynological, and chemical characters. *Brittonia* **49**: 384–405.
- Juhász-Nagy, P. 1972. A növényzet szerkezetvizsgálata: új modellek. 1. rész. Bevezetés. *Bot. Közlem.* **59**: 1–5.
- Jukes, T. H. and C. R. Cantor. 1969. Evolution in protein molecules. In: H. N. Munro (ed.), *Mammalian Protein Metabolism*. Academic, New York. pp. 21–123.
- Källersjö, M., G. Bergqvist and A. A. Anderberg. 2000. Generic realignment in primuloid families of the *Ericales* s. l.: A phylogenetic analysis based on DNA sequences from three chloroplast genes and morphology. *Amer. J. Bot.* **87**: 1325–1341.
- Källersjö, M., J. S. Farris, M. W. Chase et al. 1998. Simultaneous parsimony jackknife analysis of 2538 rbcL DNA sequences reveals support for major clades of green plants, land plants, seed plants and flowering plants. *Plant Syst. Evol.* **213**: 259–287.
- Karol, K. G., K. Arumuganathan, J. L. Boore et al. 2010. Complete plastome sequences of *Equisetum arvense* and *Isoetes flaccida*: Implications for phylogeny and plastid genome evolution of early land plant lineages. *BMC Evol. Biol.* **10**: 321.
- Karol, K. G., R. M. McCourt, M. T. Cimino et al. 2001. The closest living relatives of land plants. *Science* **294** (5550): 2351–2353.
- Keeling, P. J. 2004. Diversity and evolutionary history of plastids and their hosts. *Amer. J. Bot.* **91**: 1481–1493.
- Keeling, P. J. 2013. The number, speed, and impact of plastid endosymbioses in eukaryotic evolution. *Annu. Rev. Plant Biol.* **64**: 583–607.
- Kenrick, P. 1999. Botany – The family tree flowers. *Nature* **402** (6760): 358–359.
- Kenrick, P. 2000. The relationships of vascular plants. *Philos. T. Roy. Soc. B.* **355** (1398): 847–855.
- Kenrick, P. and P. R. Crane. 1991. Water-conducting cells in early fossil land plants – Implications for the early evolution of tracheophytes. *Bot. Gaz.* **152** (3): 335–356.
- Kenrick, P. and P. R. Crane. 1997a. The origin and early evolution of plants on land. *Nature* **389** (6646): 33–39.
- Kenrick, P. and P. R. Crane. 1997b. *The Origin and Early Diversification of Land Plants*. Smithsonian Inst. Press, Washington DC.
- Kenrick, P. and L. K. E. Graham. 2000. The origin of alternation of generations in land plants: a focus on matrotrophy and hexose transport – Discussion. *Philos. T. Roy. Soc. B.* **355** (1398): 766–767.
- Király G. (szerk.). 2009. *Új magyar fűvészkönyv*. Aggteleki N. P. Igazgatóság, Jószaő.
- Kiss, K. T. 1998. *Bevezetés az algológiába*. Eötvös Kiadó, Budapest.
- Klak, C., A. Khunou, G. Reeves and T. Hedderson. 2003. A phylogenetic hypothesis for the *Aizoaceae* (*Caryophyllales*) based on four plastid DNA regions. *Amer. J. Bot.* **90**: 1433–1445.
- Klesius, M. and J. Blair. 2002. The big bloom. How flowering plants changed the world. *National Geographic* **202**(1): 102–121.
- Knapp, S., R. M. Bateman et al. 2002. Taxonomy needs evolution, not revolution – Some changes are clearly necessary, but science cannot be replaced by informatics. *Nature* **419** (6907): 559–559.
- Knox, E. B., S. R. Downie and J. D. Palmer. 1993. Chloroplast genome rearrangements and the evolution of giant lobelias from herbaceous ancestors. *Mol. Biol. Evol.* **10** (2): 414–430.



- Knox, E. B. and J. D. Palmer. 1995. The origin of *Dendrosenecio* within the *Senecioneae* (*Asteraceae*) based on chloroplast DNA evidence. *Am. J. Bot.* **82** (12): 1567–1573.
- Kron, K. A., W. S. Judd, P. F. Stevens et al. 2002. Phylogenetic classification of *Ericaceae*: Molecular and morphological evidence. *Bot. Rev.* **68**: 335–423.
- Kusumi, J., Y. Tsumura, H. Yoshimaru et al. 2000. Phylogenetic relationships in *Taxodiaceae* and *Cupressaceae* sensu stricto based on matK gene, chlL gene, trnL-trnF IGS region, and trnL intron sequences. *Am. J. Bot.* **87**: 1480–1488.
- Kuzoff, R. K. and C. S. Gasser. 2000. Recent progress in reconstructing angiosperm phylogeny. *Trends Plant Sci.* **5**: 330–336.
- Lane, N. 2010. *Hajrá, élet!* Akadémiai Kiadó, Budapest.
- La Roche, J., G. W. M. van der Staay, A. Ducret et al. 1996. Independent evolution of the prochlorophyte and green plant chlorophyll a/b light-harvesting proteins. *PNAS* **93**: 15244–48.
- Lee, E. K., A. Cibrian-Jaramillo, S. O. Kolokotronis et al. 2011. A functional phylogenomic view of the seed plants. *PLoS Genet.* **7** (12): e1002411.
- Lee, R. E. 1999. *Phycology*. 3rd edition. Cambridge Univ. Press, Cambridge.
- Leitch, I. J. and L. Hanson. 2002. DNA C-values in seven families fill phylogenetic gaps in the basal angiosperms. *Bot. J. Linn. Soc.* **140**: 175–179.
- Leliaert, F., D. R. Smith, H. Moreau et al. 2012. Phylogeny and molecular evolution of the green algae. *Critical Reviews in Plant Sciences* **31**: 1–46.
- Leliaert, F., H. Verbruggen and F. W. Zechman. 2011. Into the deep: New discoveries at the base of the green plant phylogeny. *Bioessays* **33**: 683–92.
- Lengyel, S., A. D. Gove, A. M. Latimer et al. 2009. Ants sow the seeds of global diversification in flowering plants. *PLoS ONE* **4** (5): e5480.
- Leslie, A. B. 2010. Flotation preferentially selects saccate pollen during conifer pollination. *New Phytol.* **188**: 273–279.
- Leslie, A. B., J. M. Beaulieu, H. S. Rai et al. 2012. Hemisphere-scale differences in conifer evolutionary dynamics. *PNAS* **109**: 16217–16221.
- Li, F.-W., K. M. Pryer and M. D. Windham. 2012. *Gaga*, a new fern genus segregated from *Cheilanthes* (*Pteridaceae*). *Syst. Bot.* **37**: 845–860.
- Li, F.-W., J. C. Villareal, S. Kelly et al. 2014. Horizontal transfer of an adaptive chimeric photoreceptor from bryophytes to ferns. *PNAS* **111**: 6672–6677.
- Li, P. and M. O. Johnston. 2000. Heterochrony in plant evolutionary studies through the twentieth century. *Bot. Rev.* **66**: 57–88.
- Ligrone, R., J. G. Duckett and K. S. Renzaglia. 2000. Conducting tissues and phyletic relationships of bryophytes. *Philos. T. Roy. Soc. B* **355** (1398): 795–813.
- Ligrone, R., K. C. Vaughn, K. S. Renzaglia et al. 2002. Diversity in the distribution of polysaccharide and glycoprotein epitopes in the cell walls of bryophytes: new evidence for the multiple evolution of water-conducting cells. *New Phytol.* **156** (3): 491–508.
- Lipscomb, D., N. Platnick and Q. Wheeler. 2003. The intellectual content of taxonomy: a comment on DNA taxonomy. *Trends Ecol. Evol.* **18** (2): 65–66.
- Lorenz, K. 1997. *Az orosz kézirat. 1944–1948*. Cartafilus, Budapest.
- Lu, Y., J.-H. Ran, D.-M. Guo et al. 2014. Phylogeny and divergence times of gymnosperms inferred from single-copy nuclear genes. *PLoS ONE* **9**(9): e107679.
- Mable, B. K. and S. P. Otto. 1998. The evolution of life cycles with haploid and diploid phases. *BioEssays* **20**: 453–462.
- Maddison, W. P. and D. R. Maddison. 1992. *MacClade. Analysis of Phylogeny and Character Evolution*. Sinauer, Sunderland.
- Magallón, S. A. 2010. Using fossils to break long branches in molecular dating: A comparison of relaxed clocks applied to the origin of angiosperms. *Syst. Biol.* **59**: 384–399.
- Magombo, Z. L. K. 2003. The phylogeny of basal peristomate mosses: Evidence from cpDNA, and implications for peristome evolution. *Syst. Bot.* **28** (1): 24–38.
- Mallet, J. and K. Willmott. 2003. Taxonomy: renaissance or Tower of Babel? *Trends Ecol Evol* **18** (2): 57–59.
- Manhart, J. R. 1994. Phylogenetic analysis of green plant *rbcL* sequences. *Mol. Phylogenet. Evol.* **3**: 114–127.
- Maruyama, S. and E. Kim. 2013. A modern descendant of early green algal phagotrophs. *Current Biol.* **23**: 1081–1084.
- Mathews, S. and M. J. Donoghue. 1999. The root of angiosperm phylogeny inferred from duplicate phytochrome genes. *Science* **286** (5441): 947–950.
- Mathews, S. and M. J. Donoghue. 2000. Basal angiosperm phylogeny inferred from duplicate phytochromes A and C. *Int. J. Plant Sci.* **161**: S41–S55 Suppl. S.
- Matsumoto, T., F. Shinozaki, T. Chikuni et al. 2011. Green-colored plastids in the dinoflagellate genus *Lepidodinium* are of core chlorophyte origin. *Protist* **162**: 268–276.

- Mayr, E. 1942. *Systematics and the Origin of Species from the Viewpoint of a Zoologist*. Columbia Univ. Press, New York.
- Mayr, E. 1982. *The Growth of Biological Thought: Diversity, Evolution and Inheritance*. Harvard Univ. Press, Cambridge, Mass.
- Mayr, E. and P. D. Ashlock. 1991. *Principles of Systematic Zoology*. McGraw-Hill, New York.
- McCourt, R. M. 1995. Green algal phylogeny. *Trends Ecol. Evol.* **10**: 159–163.
- McDaniel, S. F., J. Atwood and J. G. Burleigh. 2013. Recurrent evolution of dioecy in bryophytes. *Evolution* **67**: 567–572.
- McKie-Krisberg, Z. M. and R. W. Sanders. 2014. Phagotrophy by the picoeukaryotic green alga *Micromonas*: implications for Arctic Oceans. *The ISME Journal* **8**: 1953–61.
- Merced, A. and K. S. Renzaglia. 2013. Moss stomata in highly elaborated *Oedipodium* (*Oedipodiaceae*) and highly reduced *Ephemerum* (*Pottiaceae*) sporophytes are remarkably similar. *Am. J. Bot.* **100**: 2318–2327.
- Merckx, V., M. I. Bidartondo and N. A. Hynson. 2009. Myco-heterotrophy: when fungi host plants. *Ann. Bot.* **104**: 1255–61.
- Mishler, B. D. 2000. Deep phylogenetic relationships among “plants” and their implications for classification. *Taxon* **49**: 661–683.
- Mishler, B. D. and S. P. Churchill. 1985. Transition to a land flora: phylogenetic relationships of the green algae and bryophytes. *Cladistics* **1**: 305–328.
- Mishler, B. D., P. H. Thrall, J. S. Hopple et al. 1992. A molecular approach to the phylogeny of bryophytes – Cladistic analysis of chloroplast-encoded 16S and 23S ribosomal-RNA genes. *Bryologist* **95** (2): 172–180.
- Miyamoto, M. M. and J. Cracraft. 1991. *Phylogenetic Analysis of DNA Sequences*. Oxford Univ. Press, Oxford.
- Molnár, V. A. 2009. *Növények és emberek*. Kitalé Kiadó, Biatorbágy.
- Moore, M. J., C. D. Bell, P. S. Soltis and D. E. Soltis. 2007. Using plastid genome-scale data to resolve enigmatic relationships among basal angiosperms. *PNAS* **104**: 19363–19368.
- Moore, M. J., N. Hassan, M. A. Gitzendanner et al. 2011. Phylogenetic analysis of the plastid inverted repeat for 244 species: Insights into deeper-level angiosperm relationships from a long, slowly evolving sequence region. *Int. J. Plant Sci.* **172**: 541–558.
- Moore, M. J., P. S. Soltis, C. D. Bell et al. 2010. Phylogenetic analysis of 83 plastid genes further resolves the early diversification of eudicots. *PNAS* **107**: 4623–4628.
- Muller, K. and Borsch, T. 2005. Phylogenetics of *Amaranthaceae* based on matK/trnK sequence data – Evidence from Parsimony, likelihood, and Bayesian analyses. *Annals Missouri Bot. Gard.* **92**: 66–102.
- Murphy, W. J. 2010. *Phylogenomics*. Humana, New York.
- Nagalingum, N., C. R. Marshall, C. B. Quental et al. 2011. Recent synchronous radiation of a living fossil. *Science* **334**: 796–798.
- Nandi, O. I., M. W. Chase and P. K. Endress. 1998. A combined cladistic analysis of angiosperms using rbcL and non-molecular data sets. *Ann. Mo. Bot. Gard.* **85**: 137–212.
- Neale, D.B., K. A. Marshall and R. R. Sederoff. 1989. Chloroplast and mitochondrial DNA are paternally inherited in *Sequoia sempervirens* D. Don Endl. *PNAS* **86**: 9347–9.
- Needleman, S. B. and C. D. Wunsch. 1970. A general method applicable to the search for similarities in the amino acid sequence of two proteins. *J. Mol. Biol.* **48**: 443–453.
- Nei, M. and S. Kumar. 2000. *Molecular Evolution and Phylogenetics*. Oxford Univ. Press, Oxford.
- Nelson, G. J. 1971. Paraphyly and polyphyly: Redefinitions. *Syst. Zool.* **20**: 471–472.
- Newton, A. E., C. J. Cox, J. G. Duckett et al. 2000. Evolution of the major moss lineages: Phylogenetic analyses based on multiple gene sequences and morphology. *Bryologist* **103** (2): 187–211.
- Neyland, R. 2001. A phylogeny inferred from large ribosomal subunit (26S) rDNA sequences suggests that *Cuscuta* is a derived member of *Convolvulaceae*. *Brittonia* **53** (1): 108–115.
- Nickrent, D. L., C. L. Parkinson, J. D. Palmer et al. 2000. Multigene phylogeny of land plants with special reference to bryophytes and the earliest land plants. *Mol. Biol. Evol.* **17**: 1885–1895.
- Nickrent, D. L., E. M. Starr. 1994. High-rates of nucleotide substitution in nuclear small-subunit (18S) rDNA from holoparasitic flowering plants. *J. Mol. Evol.* **39** (1): 62–70 JUL
- Nickrent, D. L., O. Y. Yan, R. J. Duff et al. 1997. Do nonsteroid holoparasitic flowering plants have plastid genomes? *Plant. Mol. Biol.* **34**: 717–729.
- Niklas, K. J. 1985. The aerodynamics of wind pollination. *Bot. Rev.* **51**: 328–386.
- Niklas, K. J. 1986. Számítógéppel szimulált növények. *Tudomány* 1986(5): 70–78.
- Niklas, K. J. 1997. *Evolutionary Biology of Plants*. Univ. Chicago Press, Chicago.
- Nyffeler, R. 1999. A new ordinal classification of the flowering plants. *Trends Ecol. Evol.* **14**: 168–170.
- Okamoto, N., C. Chantangsi, A. Horak et al. 2009. Molecular phylogeny and description of the novel katablepharid *Roombia truncata* gen. et sp. nov., and establishment of the *Haecrobia* taxon nov. *PLoS ONE* **4**: e7080.

- Øllgaard, V. 1987. A revised classification of the *Lycopodiaceae* s. lat. *Opera Botanica* **92**: 153–78.
- Olmstead, R. G., C. W. DePamphilis, A. D. Wolfe et al. 2001. Disintegration of the *Scrophulariaceae*. *Amer. J. Bot.* **88**: 348–361.
- Orbán S. 1999. *Általános briológia*. EKTF Liceum Kiadó, Eger.
- Padisák J. 2001. Moszatok. In: Simon T. (szerk.): *Baktérium-, alga-, gomba-, zuzmó és mohahatározó*. Nemzeti Tankönyvkiadó, Budapest. pp. 147–224.
- Page, R. D. M. and E. C. Holmes. 1998. *Molecular Evolution. A Phylogenetic Approach*. Blackwell, Oxford.
- Panchen, A. L. 1992. *Classification, Evolution, and the Nature of Biology*. Cambridge Univ. Press, Cambridge.
- Panero, J. L., J. Francisco-Ortega, R. K. Jansen, A. Santos-Guerra. 1999. Molecular evidence for multiple origins of woodiness and a New World biogeographic connection of the Macaronesian Island endemic *Pericallis* (*Asteraceae: Senecioneae*). *PNAS* **96** (24): 13886–13891.
- Parkinson, C. L., K. L. Adams and J. D. Palmer. 1999. Multigene analyses identify the three earliest lineages of extant flowering plants. *Curr. Biol.* **9** (24): 1485–1488.
- Pálfy J. 2000. *Kihaltak és túlélők. Félmilliárd év nagyfajpusztulásai*. Vince Kiadó, Budapest.
- Pelletreau, K. N., D. Bhattacharya, D. C. Price et al. 2011. Sea slug kleptoplasty and plastid maintenance in a metazoan. *Plant Physiol.* **155**: 1561–1565.
- Penny, D., E. E. Watson and M. A. Steel. 1993. Trees from languages and genes are very similar. *Syst. Biol.* **42**: 382–384.
- Pfanzagl, B., A. Zenker, E. Pittenauer et al. 1996. Primary structure of cyanelle peptidoglycan of *Cyanophora paradoxa*: a prokaryotic cell wall as part of an organelle envelope. *J. Bacteriol.* **178**: 332–339.
- Philippe, H., F. Delsuc, H. Brinkmann and N. Lartillot. 2006. Phylogenomics. *Annu. Rev. Ecol. Evol. Syst.* **36**: 541–562.
- Pichot, C., B. Fady and I. Hochu. 2000. Lack of mother tree alleles in zymograms of *Cupressus dupreziana* A. Camus embryos. *Ann. For. Sci.* **57**: 17–22.
- Pirozynski, K. A. and D. W. Malloch. 1975. The origin of land plants: a matter of mycotrophism. *Biosystems* **6**(3): 153–64.
- Podani J. 1997. *Bevezetés a többváltozós biológiai adatfeltárás rejtelmeibe*. Scientia, Budapest.
- Podani J. 2005. *Földindulás a szárazföldi növények osztályozásában*. Eötvös Kiadó, Budapest.
- Podani, J. 2009. Taxonomy versus evolution. *Taxon* **54**(4): 1049–1053.
- Podani, J. 2010. Taxonomy in evolutionary perspective. An essay on the relationships between taxonomy and evolutionary theory. *Synbiol. Hung.* **6**: 1–42.
- Podani, J. 2010. Monophyly and paraphyly: a discourse without end? *Taxon* **55** (4): 1011–1015.
- Podani, J. 2013. Tree thinking, time and topology: comments on the interpretation of tree diagrams in evolutionary/phylogenetic systematics. *Cladistics* **29**: 315–327.
- Pressel, S., T. Goral and J. G. Duckett. 2014. Stomatal differentiation and abnormal stomata in hornworts. *J. Bryol.* **36**: 87–103.
- Prestianni, C. 2005. Early diversification of seeds and seed-like structures. *Notebooks on Geology*, Brest, Memoir 2005/02, Abstract 06. pp. 33–38.
- Price, D. C. et al. 2012. *Cyanophora paradoxa* genome elucidates origin of photosynthesis in algae and plants. *Science* **335**: 843–847.
- Price, R. A. 1996. Systematics of the *Gnetales*: A review of morphological and molecular evidence. *Int. J. Plant Sci.* **157**: S40–S49 Suppl. S.
- Pröschold, T., T. Darienko, P. C. Silva et al. 2011. The systematics of *Zoochlorella* revisited employing an integrative approach. *Environ. Microbiol.* **13**: 350–64.
- Pruchner, D., B. Nassal, M. Schindler et al. 2001. Mosses share mitochondrial group II introns with flowering plants, not with liverworts. *Mol. Genet. Genomics* **266** (4): 608–613.
- Pryer, K. M. 1999. Phylogeny of marsileaceous ferns and relationships of the fossil *Hydropteris pinnata* reconsidered. *Internat. J. Plant Sci.* **160**: 931–954.
- Pryer, K. M., H. Schneider, A. R. Smith et al. 2001. Horsetails and ferns are a monophyletic group and the closest living relatives to seed plants. *Nature* **409** (6820): 618–622.
- Pryer, K. M., A. R. Smith and J. E. Skog. 1995. Phylogenetic relationships of extant ferns based on evidence from morphology and rbcL sequences. *Am. Fern J.* **85**: 205–282.
- Qiu, Y. L., Y. R. Cho, J. C. Cox et al. 1998. The gain of three mitochondrial introns identifies liverworts as the earliest land plants. *Nature* **394** (6694): 671–674.
- Qiu, Y. L. and J. Lee. 2000. Transition to a land flora: A molecular phylogenetic perspective. *J. Phycol.* **36**: 799–802.
- Qiu, Y. L., J. Lee, F. Bernasconi-Quadroni et al. 1999. The earliest angiosperms: evidence from mitochondrial, plastid and nuclear genomes. *Nature* **405** (6782): 101–U20.
- Qiu, Y. L., J. Lee, F. Bernasconi-Quadroni et al. 2000. Phylogeny of basal angiosperms: Analyses of five genes from three genomes. *Int. J. Plant Sci.* **161**: S3–S27 Suppl. S.

- Qiu, Y. L., J. Lee, B. A. Whitlock et al. 2001. Was the ANITA rooting of the angiosperm phylogeny affected by long-branch attraction? *Mol. Biol. Evol.* **18**: 1745–1753.
- Qiu, Y. L., L. Li, B. Wang et al. 2007. A nonflowering land plant phylogeny inferred from nucleotide sequences of seven chloroplast, mitochondrial and nuclear genes. *Internat. J. Plant Sci.* **168**: 691–708.
- Qiu, Y. L., L. Li, B. Wang et al. 2010. Angiosperm phylogeny inferred from sequences of four mitochondrial genes. *J. Syst. Evol.* **48**: 391–425.
- Qiu, Y. L. and J. D. Palmer. 1999. Phylogeny of early land plants: insights from genes and genomes. *Trends in Plant Science* **4**: 26–30.
- Qiu, Y. L., A. B. Taylor and H. A. McManus. 2012. Evolution of the life cycle in land plants. *J. Syst. Evol.* **50**: 171–194
- Raubeson, L. A. and R. K. Jansen. 1992. Chloroplast DNA evidence on the ancient evolutionary split in vascular land plants. *Science* **255**: 1697–99.
- Reeves, P. A. and R. G. Olmstead. 1998. Evolution of novel morphological and reproductive traits in a clade containing *Antirrhinum majus* (Scrophulariaceae). *Amer. J. Bot.* **85**: 1047–1056.
- Renzaglia, K. S., S. B. Dengate, S. J. Schmitt et al. 2002. Novel features of *Equisetum arvense* spermatozoids: insights into pteridophyte evolution. *New Phytol.* **154**: 159–174.
- Renzaglia, K. S., R. J. Duff, D. L. Nickrent et al. 2000. Vegetative and reproductive innovations of early land plants: implications for a unified phylogeny. *Philos. T. Roy. Soc. B.* **355** (1398): 769–793.
- Rédei Gy. 1987. *Genetika. Mezőgazdasági Kiadó–Gondolat, Budapest.*
- Rice, D. W., A. J. Alverson, A. O. Richardson et al. 2013. Horizontal transfer of entire genomes via mitochondrial fusion in the angiosperm *Amborella*. *Science* **342**: 1468–1473.
- Riegler, N. N. 1989. *Sphagnum* Moss in World War I: The making of surgical dressings by volunteers in Toronto, Canada. *Can. Bull. Medical Hist.* **6**: 27–43.
- Robertson, R. E. and S. C. Tucker. 1979. Floral ontogeny of *Illicium floridanum*, with emphasis on stamen and carpel development. *Amer. J. Bot.* **66**: 605–617.
- Rodman, J., R. A. Price, K. Karol et al. 1993. Nucleotide-sequences of the rbcL gene indicate monophyly of mustard oil plants. *Ann. Mo. Bot. Gard.* **80** (3): 686–699.
- Rogers, M. B., P. R. Gilson, V. Su et al. 2007. The complete chloroplast genome of the chlorarachniophyte *Bigeloviella natans*: evidence for independent origins of chlorarachniophyte and euglenid secondary endosymbionts. *Mol. Biol. Evol.* **24**: 54–62.
- Rothwell, G. W. 1977. Evidence for a pollination-drop mechanism in Paleozoic pteridosperms. *Science* **198**: 1251–252.
- Rothwell, G. W. and B. Holt. 1997. Fossils and phenology in the evolution of *Ginkgo biloba*. In: T. Hori, R. W. Ridge, W. Tulecke et al. (eds), *Ginkgo biloba – A Global Treasure*. Springer-Verlag, Tokyo. pp. 223–230.
- Rothwell, G. W. and K. C. Nixon. 2006. How does the inclusion of fossil data change our conclusions about the phylogenetic history of euphyllophytes? *Internat. J. Plant Sci.* **167**: 737–749.
- Rothwell, G. W. and R. A. Stockey. 1994. The role of *Hydropteris pinnata* gen. et sp. nov. in reconstructing the cladistics of heterosporous ferns. *Am. J. Bot.* **81**: 479–492.
- Rothwell, G. W., M. R. Van Atta, H. E. Ballards, Jr. and R. A. Stockey. 2004. Molecular phylogenetic relationships among *Lemnaceae* and *Araceae* using the chloroplast trnL-trnF intergeneric spacer. *Mol. Phylogenet. Evol.* **30**: 378–385.
- Rothwell, G. W., S. W. Wyatt and A. M. F. Tomescu. 2014. Plant evolution at the interface of paleontology and developmental biology: an organism centered paradigm. *Amer. J. Bot.* **101**: 899–913.
- Ruhfel, B. R., M. A. Gitzendanner, P. S. Soltis et al. 2014. From algae to angiosperms – Inferring the phylogeny of green plants (*Viridiplantae*) from 360 plastid genomes. *BMC Evol. Biol.* **14**: 23.
- Rydin, C. and M. Källersjö. 2002. Taxon sampling and seed plant phylogeny. *Cladistics* **18** (5): 485–513.
- Rydin, C., M. Källersjö and E. M. Friis. 2002. Seed plant relationships and the systematic position of *Gnetales* based on nuclear and chloroplast DNA: Conflicting data, rooting problems, and the monophyly of conifers. *Int. J. Plant Sci.* **163** (2): 197–214.
- Sachs, J. von. 1890. *History of Botany (1530–1860)*. Authorised translation by Henry E. F. Garnsey. Clarendon Press, Oxford.
- Saitou, N. and M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**: 406–425.
- Salas-Leiva, D. E., A. W. Meerow, M. Calonje et al. 2013. Phylogeny of the cycads based on multiple single-copy nuclear genes: Congruence of concatenated parsimony, likelihood and species tree inference methods. *Ann. Bot.* **112**: 1263–1278.
- Samigullin, T. K., W. F. Martin, A. V. Troitsky et al. 1999. Molecular data from the chloroplast rpoC1 gene suggest deep and distinct dichotomy of contemporary spermatophytes into two monophyla: Gymnosperms (including *Gnetales*) and angiosperms. *J. Mol. Evol.* **49**: 310–315.
- Sanderson, M. J. 1989. Confidence limits on phylogenies: The bootstrap revisited. *Cladistics* **5**: 113–129.

- Sanderson, M. J. and J. A. Doyle. 2001. Sources of error and confidence intervals in estimating the age of angiosperms from rbcL and 18S rDNA data. *Am. J. Bot.* **88**: 1499–1516.
- Sanderson, M. J. and L. Hufford. 1996. *Homoplasy. The Recurrence of Similarity in Evolution*. Academic Press, London.
- Sato, N. 2006. Origin and evolution of plastids: Genomic view on the unification and diversity of plastids. In: Wise, R. R. and J. K. Hooper (eds), *The Structure and Function of Plastids*. Springer, Dordrecht. pp. 75–102.
- Saunders, G. W. and M. H. Hommersand. 2004. Assessing red algal supraordinal diversity and taxonomy in the context of contemporary systematic data. *Amer. J. Bot.* **91**: 1494–1507.
- Savolainen, V., M. W. Chase, S. B. Hoot et al. 2000. Phylogenetics of flowering plants based on combined analysis of plastid atpB and rbcL gene sequences. *Syst. Biol.* **49**: 306–362.
- Schneider, H., L. J. He and S. Hennequin. 2013. Towards a natural classification of *Pteridaceae*: inferring the relationships of enigmatic pteridoid fern species occurring in the Sino-Himalaya and Afro-Madagascar. *Phytotaxa* **77**: 49–60.
- Schneider, H., E. Schuettpelz, K. M. Pryer et al. 2004. Ferns diversified in the shadow of angiosperms. *Nature* **428**: 553–557.
- Schuettpelz, E. and K. M. Pryer. 2007. Fern phylogeny inferred from 400 leptosporangiate species and three plastid genes. *Taxon* **56**: 1037–1050.
- Schuettpelz, E., H. Schneider, L. Huiet et al. 2007. A molecular phylogeny of the fern family *Pteridaceae*: assessing overall relationships and the affinities of previously unsampled genera. *Mol. Phylogen. Evol.* **44**: 1172–1185.
- Schuster, R. M. 1997. On *Takakia* and the phylogenetic relationships of the *Takakiales*. *Nova Hedwigia* **64** (3–4): 281–310.
- Sekbach, J. (ed.) 2002. *Symbiosis*. Kluwer, Dordrecht.
- Selosse M.-A., 2002. *Prototaxites*: a 400 MYR old giant fossil, a saprophytic holobasidiomycete, or a lichen? *Mycological Research* **106**: 642–644.
- Shaw, A. J., P. Szövényi and B. Shaw. 2011. Bryophyte diversity and evolution: windows into the early evolution of land plants. *Amer. J. Bot.* **98**: 352–69.
- Sheue, C. R., V. Sarafis, R. Kiew et al. 2007. Bizonoplast, a unique chloroplast in the epidermal cells of microphylls in the shade plant *Selaginella erythropus* (*Selaginellaceae*). *Am. J. Bot.* **94**: 1922–1929.
- Simon T. 1992. *A magyarországi edényes flóra határozója. Harasztok – virágos növények*. Tankönyvkiadó, Budapest.
- Simpson, G. G. 1961. *Principles of Animal Taxonomy*. Columbia Univ. Press, New York.
- Simpson, M. G. 2010. *Plant Systematics*. Academic Press, Amsterdam.
- Škaloud, P., T. Kalina, K. Nemjová et al. 2013. Morphology and phylogenetic position of the freshwater green microalgae *Chlorochytrium* (*Chlorophyceae*) and *Scotinosphaera* (*Scotinosphaerales*, ord. nov., *Ulvophyceae*). *J. Phycol.* **49**: 115–129.
- Smith, A. R., K. M. Pryer, E. Schuettpelz et al. G. 2006. A classification for extant ferns. *Taxon* **55**: 705–731.
- Smith, D. and P. G. Davison. 1993. Antheridia and sporophytes in *Takakia ceratophylla* (Mitt.) Grolle: Evidence for reclassification among the mosses. *J. Hattori Bot. Lab.* **73**: 263–271.
- Smith, F. A. and S. E. Smith. 1997. Structural diversity in (vesicular)-arbuscular mycorrhizal symbiosis. *New Phytol.* **137**: 373–388.
- Smith, G. F. et al. 1998. *Mesemb of the World*. Briza, Pretoria.
- Smith, J. A. C. and K. Winter. 1996. Taxonomic distribution of crassulacean acid metabolism. In: *Ecological Studies*, vol. 114. Springer, Berlin. pp. 427–436.
- Sneath, P. H. A. 1995. Thirty years of numerical taxonomy. *Syst. Biol.* **44**: 281–298.
- Sneath, P. H. A. and R. R. Sokal. 1973. *Numerical Taxonomy*. Freeman, San Francisco.
- Sober, E. 1983. Parsimony in systematics: philosophical issues. *Ann. Rev. Ecol. Syst.* **14**: 335–357.
- Sober, E. 1988. *Reconstructing the Past: Parsimony, Evolution and Inference*. MIT Press, Cambridge, Mass.
- Sokal, R. R. 1986. Phenetic taxonomy: theory and methods. *Ann. Rev. Ecol. Syst.* **17**: 423–442.
- Solari, C. A., R. E. Michod and R. E. Goldstein. 2008. *Volvox barberi*, the fastest swimmer of the *Volvocales* (*Chlorophyceae*). *J. Phycol.* **44**: 1395–1398.
- Soltis, D. E., S. A. Smith, N. Cellinese et al. 2011. Angiosperm phylogeny: 17 genes, 640 taxa. *Am. J. Bot.* **98**: 704–730.
- Soltis, D. E. and P. S. Soltis. 1999. Polyploidy: origins of species and genome evolution. *Trends Ecol Evol.* **14**: 348–352.
- Soltis, D. E. and P. S. Soltis. 2000. Contributions of plant molecular systematics to studies of molecular evolution. *Plant Mol. Biol.* **42**: 45–75.
- Soltis, D. E., P. S. Soltis, D. R. Morgan et al. 1995. Chloroplast gene sequence data suggest a single origin of the predisposition for symbiotic nitrogen-fixation in angiosperms. *PNAS* **92** (7): 2647–2651.
- Soltis, D. E., P. S. Soltis, V. A. Albert et al. 2002. Missing links: the genetic architecture of flower and floral diversification. *Trends Plant. Sci.* **7**: 22–31.

- Soltis, D. E., P. S. Soltis, M. W. Chase et al. 2000. Angiosperm phylogeny inferred from 18S rDNA, rbcL, and atpB sequences. *Bot. J. Linn. Soc.* **133**: 381–461.
- Soltis, D. E., P. S. Soltis, D. L. Nickrent et al. 1997. Angiosperm phylogeny inferred from 18S ribosomal DNA sequences. *Ann. Mo. Bot. Gard.* **84**: 1–49.
- Soltis, P. S. and D. E. Soltis. 2001. Molecular systematics: assembling and using the Tree of Life. *Taxon* **50**: 663–677.
- Soltis, P. S., D. E. Soltis and M. W. Chase. 1999a. Angiosperm phylogeny inferred from multiple genes as a tool for comparative biology. *Nature* **402** (6760): 402–404.
- Soltis, P. S., D. E. Soltis, P. G. Wolf et al. 1999b. The phylogeny of land plants inferred from 18S rDNA sequences: Pushing the limits of rDNA signal? *Mol. Biol. Evol.* **16**: 1774–1784.
- Somogyi, B. et al. 2011. *Chloroparva pannonica* gen. et sp. nov. (*Trebouxiophyceae*, *Chlorophyta*) – a new picoplanktonic green alga from a turbid, shallow soda pan. *Phycologia* **50**: 1–10.
- Soó R. 1965. *Fejlődéstörténeti növényrendszertan*. Tankönyvkiadó, Budapest.
- Sousa, F. L., L. Shavit-Grievink, J. F. Allen and W. F. Martin. 2013. Chlorophyll biosynthesis gene evolution indicates photosystem gene duplication, not photosystem merger, at the origin of oxygenic photosynthesis. *Genome Biol. Evol.* **5**: 200–216.
- Sporne, K. R. 1976. Character correlations among angiosperms and the importance of fossil evidence in assessing their significance. In: C. B. Beck (ed.), *Origin and Early Evolution of Angiosperms*. Columbia Univ. Press, New York. pp. 312–329.
- Sramkó G., Takács A. és Molnár V. A. 2012. Él-e tölcéséres laposkorpa-fű – *Diphasiastrum tristachyum* (Pursh) Holub – Magyarországon? *Kitaibelia* **17**: 57.
- Stace, C. A. 1980. *Plant Taxonomy and Biosystematics*. E. Arnold, London.
- Stanier, R. Y. and C. B. Niel. 1962. The concept of a bacterium. *Archiv für Mikrobiologie* **42**: 17.
- Stech, M., J. P. Frahm, H. H. Hilger and W. Frey. 2000. Molecular relationship of *Treubia* Goebel (*Treubiaceae*, *Treubiopsida*) and high taxonomic level classification of the *Hepaticophytina* – Studies in austral temperate rain forest bryophytes 6. *Nova Hedwigia* **71**: 195–208.
- Stech, M. and W. Frey. 2001. CpDNA-relationship and classification of the liverworts (*Hepaticophytina*, *Bryophyta*). *Nova Hedwigia* **72**: 45–58.
- Stefanovic, S., M. Jager, J. Deutsch et al. 1998. Phylogenetic relationships of conifers inferred from partial 28S rRNA gene sequences. *Am. J. Bot.* **85**: 688–697.
- Stegemann, S., M. Keuthe, S. Greiner and R. Bock. 2012. Horizontal transfer of chloroplast genomes between plant species. *PNAS* **109**: 2434–8.
- Stevens, P. F. 2002-től folyamatosan. Angiosperm Phylogeny Website. Version 7, May 2006 [and more or less continuously updated since]. <http://www.mobot.org/MOBOT/research/APweb/>
- Stevenson, D. W. 2013. Gymnosperms. *Annual Plant Rev.* **45**: 141–162.
- Stewart, W. N. and G. W. Rothwell. 1993. *Paleobotany and the Evolution of Plants*. 2nd ed. Cambridge Univ. Press, Cambridge.
- Stockey, R. A., G. L. Hoffman and G. W. Rothwell. 1997. The fossil monocot *Limnobiophyllum scutatatum*: Resolving the phylogeny of *Lemnaceae*. *Amer. J. Bot.* **84**: 355–368.
- Strullu-Derrien, C., P. Kenrick, J. P. Rioult and D. G. Strullu. 2010. Evidence of parasitic *Oomycetes* (*Peronosporomycetes*) infecting the stem cortex of the Carboniferous seed fern *Lyginopteris oldhamia*. *Proc. Roy. Soc. B: Biol.* **278**: 675.
- Stuessy, T. F. 1990. *Plant Taxonomy. The Systematic Evaluation of Comparative Data*. Columbia University Press, New York.
- Sun, M., D. E. Soltis, P. S. Soltis et al. 2014. Deep phylogenetic incongruence in the angiosperm clade Rosidae. *Mol. Phylogenet. Evol.* **40**: 156–166.
- Suutari, M., M. Majaneva, D. P. Fewer et al. 2010. Molecular evidence for a diverse green algal community growing in the hair of sloths and a specific association with *Trichophilus welckeri* (*Chlorophyta*, *Ulvothyceae*). *BMC Evol. Biol.* **10**: 86.
- Swofford, D. L. and G. J. Olsen. 1990. Phylogeny reconstruction. In: D. M. Hillis and C. Moritz (eds), *Molecular Systematics*. Sinauer, Sunderland, Mass. pp. 411–501.
- Sytsma, K. J., J. Morawetz, J. C. Pires et al. 2002. Urticalean rosids: Circumscription, rosid ancestry, and phylogenetics based on rbcL, trnL-F, and ndhF sequences. *Amer. J. Bot.* **89**: 1531–1546.
- Sytsma, K. J. and J. C. Pires. 2001. Plant systematics in the next 50 years – Re-mapping the new frontier. *Taxon* **50**: 713–732.
- Szathmáry E. és J. Maynard Smith. 2012. *A földi élet regénye*. 2. kiadás. Akadémiai Kiadó, Budapest.
- Takhtajan, A. 2009. *Diversity and Classification of Flowering Plants*, 2nd ed. Springer, Berlin.
- Tank, D. C., P. M. Beardsley, S. A. Kelchner et al. 2006. Review of the systematics of *Scrophulariaceae* s. l. and their current disposition. *Aust. Syst. Bot.* **19**: 289–307.
- Taylor, T. N. 1988. The origin of land plants: some answers, more questions. *Taxon* **37**: 805–833.
- Taylor, T. N., H. Hass, W. Remy and H. Kerp. 1995. The oldest fossil lichen. *Nature* **378**: 244.

- Taylor, T. N. H. Kerp and H. Hass. 2005. Life history biology of early land plants: Deciphering the gametophyte phase. *PNAS* **102**: 5892–5897.
- Taylor, T. N., E. L. Taylor and M. Krings. 2009. *Paleobotany. The Biology and Evolution of Fossil Plants*. Elsevier, Amsterdam.
- Taylor, T. N., E. L. Taylor, A.-L. Decombeix et al. 2010. The enigmatic Devonian fossil *Prototaxites* is not a rolled-up liverwort mat: Comment on the paper by Graham et al. (*AJB* 97: 268–275). *Amer. J. Bot.* **97**: 1074.
- Taylor, W. C., A. R. Lekschas, Q. F. Wang et al. 2004. Phylogenetic relationships of *Isoetes* (*Isoetaceae*) in China as revealed by nucleotide sequences of the nuclear ribosomal ITS region and the second intron of a LEAFY homolog. *Amer. Fern J.* **94**: 196–205.
- Theissen, G., A. Becker, A. Di Rosa et al. 2000. A short history of MADS-box genes in plants. *Plant Mol. Biol.* **42**: 115–149.
- Thorne, R. F. 1992. Classification and geography of the flowering plants. *Botanical Review* **58**: 225–348.
- Thyssen, G., Z. Svab and P. Maliga. 2012. Cell-to-cell movement of plastids in plants. *PNAS* **109**: 2439–43.
- Timmings, J. N., M. A. Ayliffe, C. Z. Huang and W. Martin. 2004. Endosymbiotic gene transfer: organelle genomes forge eukaryotic chromosomes. *Nature Rev.* **5**: 123–126.
- Tomescu, A. M. F. 2009. Megaphylls, microphylls and the evolution of leaf development. *Trends Plant Sci.* **14**: 5–12.
- Tomitani, A., K. Okada, H. Miyashita et al. 1999. Chlorophyll b and phycobilins in the common ancestor of cyanobacteria and chloroplasts. *Nature* **400**: 159–162.
- Török J. K. 2012. Bevezetés a protisztológiába. ELTE TTK Biológiai Intézet. <http://elte.prompt.hu/sites/default/files/tananyagok/protisztologia/index.html>
- Tremouillaux-Guiller, J., T. Rohr, R. Rohr and V. A. R. Huss. 2002. Discovery of an endophytic alga in *Ginkgo biloba*. *Am. J. Bot.* **89**: 727–733.
- Tryon, A. F. and G. Vida. 1967. *Platyzoma*: a new look at an old link in ferns. *Science* **156**: 1109–10.
- Tuba, Z., H. K. Lichtenthaler, Zs. Csintalan et al. 1996. Loss of chlorophylls, cessation of photosynthetic CO<sub>2</sub> assimilation and respiration in the poikilochlorophyllous plant *Xerophyta scabrifolia* during desiccation. *Physiol. Plant.* **96**: 383–388.
- Tucker, S. C. and K. E. Kantz. 2001. Open carpels with ovules in *Fabaceae*. *Int. J. Plant Sci.* **162** (5): 1065–1073.
- Turmel, M., M. Ehara, C. Otis et al. 2002. Phylogenetic relationships among streptophytes as inferred from chloroplast small and large subunit rRNA gene sequences. *J. Phycol.* **38**: 364–375.
- Turmel, M., M.-C. Gagnon, C. J. O’Kelly et al. 2009. The chloroplast genomes of the green algae *Pyramimonas*, *Monomastix*, and *Pycnococcus* shed new light on the evolutionary history of prasinophytes and the origin of the secondary chloroplasts of euglenids. *Mol. Biol. Evol.* **26**: 631–648.
- Turmel, M., C. Otis and C. Lemieux. 2002. The chloroplast and mitochondrial genome sequences of the charophyte *Chaetosphaeridium globosum*: Insights into the timing of the events that restructured organelle DNAs within the green alga lineage that led to land plants. *PNAS* **99** (17): 11275–11280.
- Ujhelyi, P. (szerk.) 2006. *A Kárpát-medence gombái és növényei*. Kossuth, Budapest.
- Ureta-Vidal, A., L. Ettwiller and E. Birney. 2003. Comparative genomics: genome-wide analysis in metazoan eukaryotes. *Nature Rev. Genet.* **4**: 251–262.
- Valiejo-Roman, C. M., Terentjeva, E. I., Samigullin, T. H. and Pimenov, M. C. 2002. Relationships among genera in *Saniculoideae* and selected *Apioideae* (*Umbelliferae*) inferred from nrITS sequences. *Taxon* **51**: 91–101.
- Van de Peer, Y., R. De Baere, J. Cauwenberghs and R. de Wachter. 1990. Evolution of green plants and their relationship with other photosynthetic eukaryotes as deduced from 5S ribosomal RNA sequences. *Plant Syst. Evol.* **170**: 85–96.
- Vida G. (szerk.). 1981–1985. *Evolúció I–V*. Natura, Budapest.
- Villarreal, J. C. and S. S. Renner. 2012. Hornwort pyrenoids, carbon-concentrating structures, evolved and were lost at least five times during the last 100 million years. *PNAS* **109**(46): 18873–18878
- Vitt, D. H. 1983. Classification of the *Bryopsida*. In: R. S. Schuster (ed.), *New Manual of Bryology*. Hattori Bot. Lab., Nichinan, Japan. pp. 696–759.
- Wagner, W. H. Jr. 1961. Problems in the classification of ferns. *Recent Advances in Botany* **1**: 841–844.
- Wainright, P. O., G. Hinkle, M. L. Sogin and S. K. Stickel. 1993. Monophyletic origins of the metazoa: an evolutionary link with fungi. *Science* **260**: 340–342.
- Wang, X. Q. and J. H. Ran. Evolution and biogeography of gymnosperms. *Mol. Phylogenet. Evol.* **75**: 24–40.
- Wang, X. Q., D. C. Tank and T. Sang. 2000. Phylogeny and divergence times in *Pinaceae*: Evidence from three genomes. *Mol. Biol. Evol.* **17**: 773–781.
- Waters, D. A., M. A. Buchheim, R. A. Dewey and R. L. Chapman. 1992. Preliminary inferences on the phylogeny of bryophytes from nuclear-encoded ribosomal RNA sequences. *Amer. J. Bot.* **79**: 459–466.
- Watson, L. and M. J. Dallwitz (1992 onwards). *The Families of Flowering Plants: Descriptions, Illustrations, Identification, and Information Retrieval*. Version: 14th December 2000. <http://biodiversity.uno.edu/delta/>.
- Wiegert, K. E., M. S. Bennett and R. E. Triemer. 2012. Evolution of the chloroplast genome in photosynthetic euglenoids: A comparison of *Eutreptia viridis* and *Euglena gracilis* (*Euglenophyta*). *Protist* **163**: 832–843.

- Wikström, N., V. Savolainen and M. W. Chase. 2001. Evolution of the angiosperms: calibrating the family tree. *Proc. Roy. Soc. Lond. B. Biol.* **268** (1482): 2211–2220.
- Wikström, N. 2001. Diversification and relationships of extant homosporous lycopods. *Amer. Fern J.* **91**: 150–165.
- Wiley, E. O. 1981. *Phylogenetics: The Theory and Practice of Phylogenetic Systematics*. Wiley, New York.
- Wiley, E. O. and B. S. Lieberman. 2011. *Phylogenetics: Theory and Practice of Phylogenetic Systematics*. Wiley-Blackwell, Hoboken, N. J.
- Wilkin, P. and S. J. Mayo. (eds) 2013. *Early Events in Monocot evolution*. Cambridge Univ. Press, Cambridge.
- Williams, J. H. and W. E. Friedman. 2002. Identification of diploid endosperm in an early angiosperm lineage. *Nature* **415** (6871): 522–526.
- Willis, K. J. and J. C. McElwain. 2014. *The Evolution of Plants*. 2nd ed. Oxford Univ. Press, Oxford.
- Winter, K. U., A. Becker, T. Munster et al. 1999. MADS-box genes reveal that gnetophytes are more closely related to conifers than to flowering plants. *PNAS* **96**: 7342–7347.
- Woese, C. R. and G. E. Fox. 1977. Phylogenetic structure of the prokaryotic domain: the primary kingdoms. *PNAS* **74**(11): 5088–90.
- Wolf, P. G. 1997. Evaluation of *atpB* nucleotide sequences for phylogenetic studies of ferns and other pteridophytes. *Amer. J. Bot.* **84**: 1429–1440.
- Wolf, Y. I., I. B. Rogozin, N. V. Grishin and E. V. Koonin. 2002. Genome trees and the Tree of Life. *Trends in Genetics* **18**: 472–479.
- Wujek, D. E. and P. Timpano. 1986. *Rufusia* (*Porphyridiales, Phragmonemataceae*), a new red alga from sloth hair. *Brenesia* **25–26**: 163–68.
- Yang, Z. Y., J. H. Ran and X. Q. Wang. 2012. Three genome-based phylogeny of *Cupressaceae* s. l.: further evidence for the evolution of gymnosperms and Southern Hemisphere biogeography. *Mol. Phylogenet. Evol.* **64**: 452–70.
- Yatsentyuk, S. P., K. M. Valiejo-Roman, T. H. Samigullin et al. 2001. Evolution of *Lycopodiaceae* Inferred from Spacer Sequencing of Chloroplast rRNA Genes. *Russian J. Genet.* **37**: 1068–73.
- Yoon, H. S., K. M. Müller, R. G. Sheath et al. 2006. Defining the major lineages of red algae (*Rhodophyta*). *J. Phycol.* **42**: 482–492.
- Young, N. D., K. E. Steiner and C. W. dePamphilis. 1999. The evolution of parasitism in *Scrophulariaceae* / *Orobanchaceae*: Plastid gene sequences refute an evolutionary transition series. *Ann. Mo. Bot. Gard.* **86** (4): 876–893.
- Zanis, M. J., D. E. Soltis, P. S. Soltis et al. 2002. The root of the angiosperms revisited. *PNAS* **99**: 6848–6853.
- Zhang, L. B. and M. P. Simmons. 2006. Phylogeny and delimitation of the *Celastrales* inferred from nuclear and plastid genes. *Syst. Bot.* **31**: 122–137.
- Zhang, L., C. J. Rothfels, A. Ebihara et al. 2014. A global plastid phylogeny of the brake fern genus *Pteris* (*Pteridaceae*) and related genera in the *Pteridoideae*. *Cladistics* in press. Published online 31 July 2014.
- Zhong, B., O. Deusch, V. V. Goremykin et al. 2011. Systematic error in seed plant phylogenomics. *Genome Biol. Evol.* **3**: 1340–1348.
- Zhong, B., T. Yonezawa, Y. Zhong and M. Hasegawa. 2010. The position of *Gnetales* among seed plants: Overcoming pitfalls of chloroplast phylogenomics. *Mol. Biol. Evol.* **27**: 2855–2863.
- Zimmermann, W. 1936. Die Telomtheorie. *Biologie* **7**: 385–391.
- Zuckerlandl, E. and L. Pauling. 1962. Molecular disease, evolution, and genic heterogeneity. In: Kasha, M. and B. Pullman (eds), *Horizons in Biochemistry*. Academic Press, New York. pp. 189–225.
- Zuckerlandl, E. and L. Pauling. 1965. Molecules as documents of evolutionary history. *J. theoret. Biol.* **8**: 357–366.